INDRANI PATNAIK

(MINES OWNER)

A/6, COMMERCIAL ESTATE, CIVIL TOWNSHIP, ROURKELA - 769 004 Phone: 0661-2400139, 2400014, FAX: 0661-2402226

REFERENCE: IP/ENV/JUN/17/03

DATE: **29.06.2017**

The Member Secretary
State Pollution Control Board, Orissa
Parivesh Bhawan, A/118
Fülakantha Nagar, Unit – VIII,
Bhukaneshwar – 751012

Subject: Environmental Statement of "Unchabali Iron & Mn. Mines of Smt. Indrani

Patnaik located in villages(s) Unchabali & Balda, Tehsil-Barbil, Dist:

Keonjhar for the year 2016-2017.

Dear Sir,

With reference to the above subject, we are herewith submitting the Environmental Statement for the financial year 2016-2017 in the form – V as per rule – 14 under Environment (protection) Rules, 1986 in respect of Unchabali Iron & Mn. Mines of Smt. andram chitraik.

This is for your kind information, please.

Thanking You,

For Unchabali Iron & Mn. Ore Mines of Smt. Indrani Patnaik

Mines Manager

Copy to: The Re

The Regional Officer,

SPCB, Orissa

Regional Office, College Road,

Dist: Keonjhar, Orissa

PRODUCTION OF THE SP.C. BUARD BHUBANESWAR-12

[FORM-V] (See Rule 14)

Environment Statement for the financial year ending the 31st March 2017

PART-A

	IK1-A
(1)Name and address of the owner	- Unchabali Iron & Mn. Ore Mines
/ Occupier of the industry,	Smt. Indrani Patnaik
Operation or process	- At- Unchabali, P.O: Bamebari
- France or France	Dist. Keonjhar, Orissa -758034.
	Email:ags@altradegroup.com
	Contact no: 9437062184
(2) Industry category Primary	- (STC CODE) Secondary-(SIC Code)
(3)Production capacity Units	- 4.0 MTPA
(4)Year of establishment	- 20 May 2008 (year of
(1) Teal of Cotabilatinosit	commencement)
(5)Date of the last Environmental	,
Statement Submitted	- 14.04.2016
<u>P.</u>	ART-B
Water and Raw material Consumption:	
(1)Water Consumption m³/day	- 1175 m ³ / Day
Process	- 1025 m ³ / Day
Cooling (Water sprinkling on Haul roads)	- 140 m ³ / Day
Domestic (Drinking purpose)	- 10 m ³ / Day
Name of Product	Process water consumption per unit of
output	
Sized Iron Ore	NA
During the previ	
Financial year	year financial
	(2)

^{1.} Substituted by rule 2 (b) of the environment (Protection) amendment rules, 1993 notified vide G.S.R vide G.S.R 3'6 (E) dated 22.04.1993.

(ii) Raw material consumption

Not applicable

Name of raw Material	Name of Products raw material	Consumption of Per unit of output
	During the previous Financial Year	During the current Financial year

*Industry may use codes if disclosing details or raw material would violate contractual obligations, otherwise all industries have to name the raw materials used.

PART-C

Pollution discharged to environment /unit of output - (Parameter as specified in the consent issued)

Not Applicable

A) Water:

	(Parameter as	specified in the consen	t issued)
Pollutants	Quantity of Pollutants Discharged (Mass / day)	Conc. of Pollutants Discharged (Mass / Volume)	% of variation from prescribed standard with reasons
	Water (E	TP Discharge) 1 M³/D	ay
pН	NA	6.9	Within the Range
TSS	0.0371kg /day	37.08 mg/ lit	92.58 % below the norm
Oil & Grease	0.0020 kg /day	2.00 mg/ lit	80.00 % below the norm
	Water (S.	T.P Discharge) 10 M ³	/ D
рН	NA	6.51	Within the Range
T.S.S	0.4075 kg/day	40.75 mg/ lit	79.63 % below the norm
B.O.D	0.0848kg/day	84.84 mg/ lit	91.52 % below the norm
	Mines Surface	e runoff water Quality	Report
pН	NA	6.86	Within the Range
T.S.S	66.04 kg /day	33.96 mg/ lit	66.04 % below the norm
Oil & Grease	90.00 kg / day	1.00 mg/lit	90.00 % below the norm

<u>Air: Not Applicable - Note:</u> Present is no such trade effluent and source of emissions from current mines operation methodology.

PART - D

Hazardous Wastes

(As specified under Hazardous Waste/ Management and Handling Rules, 1986)

Hazardous waste [Waste Oil] [KL]		Total Quantity
	During the previous	During the
Current	Financial year	financial
year		
1) From process	NA	NA
2) From Pollution Control FACILITY	NA	NA
3) Used Oil	33.18 KL	32.34 KL
4) Oil contaminate waste	0.562 TON	0.640 TON

PATRT-E

Solid Waste

			Total Quantity
	During the previous Financial year		during the current financial year
(a)From process:			
(Overburden and Intercalated Waste)	:	533655.68 (T)	121464(T)
(b) From pollution control facility	:	NIL	NIL
(c) (1) Quantity recycled or re-utilized			
Within the unit	:	Nil	NIL
(2) Sold	-:	Nil	NIL
(3) Disposed		Kept in within	

PART-F

Please specify the characteristics (in terms of composition and quantum) of Hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

- The used oil generation is stored at an earmarked area and the same is disposed to authorized recycler in a proper manner.
- The used led batteries are kept at an earmarked area in a proper manner, which is later disposed to an authorized recycler through buy-back system.
- → The generation of OB & Intercalated waste is dumped in earmarked area as per approved mining plan & scheme with following mitigate measures such as proper sloping, terracing, and toe retention wall & garland drainage. Further, to avoid the dump erosion surface area of the dump was muted with Plantation & Geo textile applications along with local grass seeds.

PART-G

Impact of the pollution abatement measures taken on conservation of natural resources and on the cost of the production

- The roof top rain water harvesting has been implemented at site employee's camp & Unchabali Village School in the direction of natural conservation of water resources.
- The massive plantation has been done at mines dump, safety zone and local villages.
- The top soil is stored in a proper manner and the same has been utilized for plantation and camp garden.
- Coir matting, retaining wall, garland drainage and check dam are provided to mines dump and soil erosion areas.
- Check dams & check wears are provided at the toe of the miens.

PART-H

Additional measures/investment proposal for environmental protection including abatement of pollution, prevention of pollution

- ♣ 3.2 KM automatic fixed sprinkler has been implemented for mines dispatch road dust suppression.
- Two no. of 25 KL capacity mobile water tanker has engaged for mines haul road dust suppression.
- Five numbers of 8 KL mobile water tanker have been engaged for village road dust suppression
- ♣ Effective dry fog system has been implemented in all the crusher and screen plant

- Rain water harvesting plant has been implemented at employees camp to increase the water table
- ♣ Rain water harvesting has been implemented at village Unchabali school to increase the water table
- ♣ Dust extraction and wetting process are being used for drilling process
- STP plant implemented at camp to treat the sewage water and the treated water is utilized for plantation & garden watering.
- # ETP plant has been implemented at mines service center and the treated water is utilized for plantation and & garden watering.
- # Plantation in safety zone, school area, camp areas and dump areas
- Loir matting and mixed grass application over dumps for better stabilization
- Check-dam for silt control in surface run-off from mines area.

PART-I

Any other particulars for improving the quality of the environment

- 1) Regular awareness program is given to the company employees, local villagers and school children towards environment and pollution.
- 2) The world environmental day, forest day, earth day, safety day & wild life week has being celebrated regularly along with school children's & company employee's, the celebration was followed through environmental awareness program.

PHOTOS:

