NAME OF THE PROJECT:

UNCHABALI IRON & MN. MINES OF SMT. INDRANI PATNAIK

CLEARANCE LETTER NO. & DATE:

MOEF&CC CLEARANCE LETTER NO. J-110515/214/2008 IA.II (M), DATED.23.07.2009.

PERIOD OF COMPLIANCE REPORT:

OCTOBER, 2019 TO MARCH, 2020

INDRANI PATNAIK

(MINES OWNER)

A/6, COMMERCIAL ESTATE, CIVIL TOWNSHIP, ROURKELA - 769 004 Phone: 0661-2400139, 2400014, FAX: 0661-2402226

REFERENCE NO: UIMM/IP/ENV/MAY/20/04

DATE: 29.05.2020

To

The Director (S)

Eastern Regional Office, Ministry of Environment & Forest, Government of India, A-3 Chandrasekharpur, Bhubaneswar – 751 023

Subject

: Submission of Environmental Clearance compliances stipulated in approved EC for iron ore production of 4.00 MTPA in respect of Unchabali Iron & Mn. Mines of Smt. Indrani Patnaik.

Reference:

1. Ministry's Clearance letter no. J-110515/214/2008-IA.II (M), dated. 23.07.2009 for 4.00 MTPA Iron ore Production.

2. MoEF &CC notification no. 4624 (Published in Gazette of India) Dt. 26.11.2018.

Dear Sir,

With reference to the above cited subject and gazette notification, we are submitting herewith the six monthly compliance report in soft copy by E-mail i.e. roez.bsr-mef@nic.in and also uploading the same in our company website for 4.00 MTPA Iron ore production with comprehensive data analysis reports (supporting photographs and monitoring reports) for the period October 2019 to March 2020 in respect of Unchabali Iron & Mn. Mines of Smt. Indrani Patnaik.

Thanking you.

Yours faithfully,

For Unchabali Iron & Mn. Mines of Smt. Indrani Patnaik

Mines Managerin Mines

Mahaparvat

Enclosed: As above & Compliance Copy with detailed analysis report and supporting photographs and monitoring data.

W.O.: Boneikela, Joda, Dist: Keonjhar - 758034, Ph: 06767-273448, 272304, Fax: 06767-272304

SP. Cond. NO.	SPECIFIC CONDITION	PRESENT STATUS
I.	The project proponent shall obtain Consent to Establish and Consent to Operate from the State Pollution Control Board, Orissa and effectively implement all the conditions stipulated therein.	As per requirement, the project has been obtained Consent to establish & Consent to Operate from SPCB, Orissa for 4.00 MTPA Iron ore production. The obtained Consent to Operate includes two numbers of 200 TPH mobile crusher plant, two numbers of 150 TPH mobile crusher plant, three numbers of 250 TPH mobile screen plant and one number of Iron ore beneficiation plant with capacity of 2.00 MTPA feed materials. The compliance to the conditions stipulated in the approved consent to establish & consent to operate has been implemented effectively. The latest consent to operate compliance report has been submitted to SPCB, Orissa for the year 2019-2020, and the same is enclosed as ANNEXURE-1.
II.	Necessary forestry clearance under the Forest (Conservation) Act, 1980 for an area of 103.432ha forestland involved in the project shall be obtained before starting mining operation in that areas. Till such time mining activities shall be restricted to an area of 67.16haof forestland for which approval under section-2 of the forest (Conservation) Act, 1980 was granted by the Ministry of Environment and Forests on 03.05.2007. Environmental Clearance is subject to grant of forestry clearance. No mining shall be undertaken in the forest area without obtaining requisite prior forestry clearance. No activity relating to the project shall be undertaken in the	As per condition, the forest clearance has been obtained from MoEF for an area of 103.432 Ha in two phases under the Forest (Conservation) Act, 1980. First phase forest clearance was obtained on 03.05.2007 for an area of 35.275 Ha., vide MoEF letter no: 8 (21)40/2004-FCE dated 03.05.2007 and second phases forest clearance has been obtained on 31.09.2015 over an area of 68.157 Ha., vide MoEF& CC letter no F.NO.8-67/2014-FC dated on 31.09.2015. The copy of the forest clearances obtained from MoEF& CC is attached as ANNEXURE -2 (First phase for 35.275 Ha) & ANNEXURE -3 (Second phase for 68.157 Ha).

8-6/	forestland for which forestry	Champua, District Reonjilar, Orissa.
	clearance under the forest	
	(conservation) Act, 1980 has not	
	been obtained. The environmental	
	clearance is subject to grant of	
***	forestry clearance.	
III.	The environmental clearance is	
	subject to approval of the State	There is no agricultural land within in the
	Land use Department, Government	mine lease area. Therefore, the said
	of Orissa for diversion of	diversion from state land use department is
	agricultural land for Non-	not applicable.
	agricultural use.	
IV.	The mining operations shall be	The present mining operation is restricted to
	restricted to above ground water	above the ground water table and there is no
	table and it should not intersect	proposal to intersect the ground water table
	groundwater table. In case of	as per the approved Scheme of Mining.
	working below the ground water	The Project has carried out detailed
	table, prior approval of the	hydrology and hydro geological study
	Ministry of Environment & Forests	through and as per hydrology study report
	and Central Ground Water	the ground water table exists at 478 aMSL
	Authority shall be obtained, for	and present mine working operation is at
	which a detailed hydrological	520 AMSL.
	study shall be carried out.	In case of ground water table intersection in
		future, the project will abide the said
		condition and will get prior approval from
		CGWA.
V.	The project proponent shall ensure	No water course and / or water resources
	that no natural watercourse	are being obstructed due to our mining
	and/or water resources shall be	operation. To ensure the same project has
	obstructed due to any mining	been under taken runoff management study
	operations. Adequate measures	and prepared site specific runoff
	shall be taken for conservation	management plan through KRG Rain Water
	and protection of the seasonal	Foundation, Chennai. Under the site specific
	streams, if any emanating from	runoff management plant, project has under
	the mine lease area during the	taken various mitigate measure in and
	course of mining operation.	around the mine lease area.
	Appropriate mitigate measures	
	should be taken to prevent	Mines runoff management during
	pollution of the Baitarani river, in	monsoon period:
	consultation with the State	The mines runoff water is not allowed for
	Pollution Control Board.	direct discharge from mine lease area.
		Hence, the entire generation of mines runoff
		water (during monsoon period) is collected to
L		"atter (daring monoton period) to concetted to

the bottom of the pit, checks dams and check weirs and after treatment through silt cum Sedimentation by giving adequate retention period, the final water is allowed to discharge. However, the entire mine area and check dams/check weirs connectivity is properly made by proper drainage pattern.

All the implementations have been carried out with consideration of maximum rain fall and technical design followed as per KRG rain water harvesting recommendation. The detailed implementation of check dams and check weirs is given in **table -1**.

Nallah Protections measures:

In addition to the site specific mitigation measures, the project has been carried out various Nallah protection measures around the mines premises. The implementations are follows.

- ✓ Nallah banks are protected by Guard wall with proper filtration arrangements to avoid entry of the any silt carry over to the water bodies during rainy season from other sources.
- ✓ Check weirs/check dams are conferred along the Nallah passing area to persuade silt sedimentations.
- ✓ Nallah de-siltation is under taken during pre-monsoon period to maintain its bio cycle.
- ✓ Nallah both side slopes are pitched with loose boulders to avoid the barrier erosion during monsoon period.

Plantation and Vettiver plantation was carried out all along the Nallah boundaries and few areas is converted as green barriers. The detailed implementation is given in **table -2** and photo evidence for the same is given below.

Water Harvesting:

The project has constructed/ developed four numbers of water harvesting ponds in surrounding villages to encourage the water table. The ponds are regularly de-silted and well maintained on regular basis. The detailed implementation is given in **table -3**.

Dump Management:

Dump Preparation: Proper terracing, slope level and sub benches are maintained in all mines waste / sub grade dump.

Retention wall: Bottom of the OB dump and sub grade dump provided / constructed with adequate size of retention wall to avoid the dump failure during monsoon period. **Drainage Pattern:** Proper drainage pattern is provided at bottom of the waste / sub grade dumps and other required area to collect & treat the mines runoff water.

Coir-mat and plantation: Surface area of the waste /sub grade dump is covered with plantation / coir geo textile application along with local grass seeds to avoid the dump erosion during monsoon period. The detailed implementation is given in **Table – 4.**

Photo evidence is given below as PHOTOS-1.

VI.	The top soil if shall temporarily	
V1.	The top soil, if shall temporarily	No top soil was generated during this
	be stored at earmarked site(s) only	reporting period, because the current mining
	and should not be kept unutilized	operation is restricted within the already
	for long, the topsoil should be	diverted forest area and there is no new
	used for land reclamation and	development in the reporting period. In case
	plantation.	of top soil generation taken place in the
		future, it will be stored inane earmarked
		area and necessary safeguard measures will
		be under taken to preserve its nutrients
		values, so that it will be used for future land
		reclamation and raising of plantations.
VII.	The project proponent shall not	In this regard project has been obtained
	undertake beneficiating of the	Environment clearance from Ministry of
	mineral as part of this project. For	Environment & Forest, Government of India
	understanding beneficiation,	vide letter no. J-11015/273/2009-IA.II (M)
	necessary prior approval under the	dated 31.05.2011 for setting up iron ore
	provisions of EIA Notification,	beneficiation plant for capacity of 2.0 MTPA
	2006 shall be obtained.	(2 x 185 TPH). A copy of the Environmental
	2000 Shall be obtained.	Clearance obtained from MoEF&CC for
		undertaking beneficiation within lease area
		is enclosed as ANNEXURE - 4. However the
		Beneficiation plant was dismantled the
		correspondence of the same will be given to
		your good office through letter no.
		IP/MM/OCTOBER19/004Dated.03.10.2019.
* ****		The letter was enclosed as ANNEXURE - 9 .
VIII.	The over burden (OB) generated	The generated over burden and / waste is
	during the mining operation shall	stacked at earmarked dump site as per approved mining plan and no back filling
	be temporarily stacked at	and reclamation is being under taken till
	earmarked dump site(s) only for	date. As per approved Scheme of Mining, the
	back filling. Back filling shall	backfilling will commence from 2020-2021
	commence from the year 2011-	onwards. So, The reclamation period is
	2012 onwards. The accumulated	countering on financial year 2020-21 in line
	waste shall be liquidated by the	to approved Scheme of Mining and
	year 2016 and there shall be no	reclamation will be carried out accordingly.
	external dump thereafter. The	However, the existing O.B dump is preserved
	back filled area shall be reclaimed	with proper manner to the future
	by plantation. Monitoring and	reclamation. Such as like proper dozing,
	management of rehabilitated areas	terracing, adequate slope, ditching and
	shall continue until vegetation	Plantation.
	becomes self-sustaining.	
	Compliance status should be	
	submitted to the Ministry of	

Environment & Forests and its Regional office, Bhubaneswar on six monthly basis. IX. Catch drains and siltation ponds of appropriate size should be constructed around the mine soil. mineral working and temporary OB dumps to prevent runoff water and flow of sediments directly into the Baitarani river, the Jalpanadi, the Kasinallah, the Dolkonallah, Dalkinallah, Ghaghara nallah, the Jagdharanadi, the Gahirjalanallah, the Mithida spring and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly de - silted particularly after monsoon and maintained properly. Garland drains, settling tanks and check dams appropriate size, gradient and length shall be constructed both around the mine pit and the temporary OB dumps to prevent runoff water and flow of sediments directly into the Baitarani river, the Jalpanadi, the Kasinallah, the Dolkonallah, Dalkinallah, Ghagaranallah, the Jagdharanadi, the Gahirjalanallah, the Mithida spring and other water bodies and dump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Dump capacity should also provide adequate retention period to allow proper settling of silt material.

The project has under taken varies Mitigate measures on the above. The detailed implementation is follows.

Dump Management:

Dump Preparation: Proper terracing, slope level and sub benches are maintained in all mines waste / sub grade dump.

Retention wall: Bottom of the OB dump and sub grade dump provided / constructed with adequate size of retention wall to avoid the dump failure during monsoon period.

Drainage Pattern: Proper drainage pattern is provided at bottom of the waste / sub grade dumps and other required area to collect & treat the mines runoff water.

Coir-mat and plantation: Surface area of the waste /sub grade dump is covered with plantation / coir geo textile application along with local grass seeds to avoid the dump erosion during monsoon period.

Mines runoff management during monsoon period:

The mines runoff water is not allowed to direct discharge from mine lease area. Hence, the entire generation mines runoff water (during monsoon period) is collected to the bottom of the mines pit, checks dams and check weirs and after treatment (Silt Sedimentation by giving adequate retention period) process the final water is allowed to discharge. However, the entire mine area and check dams/check weirs connectivity is properly made by preplanned drainage pattern.

All the implementations have been carried out with consideration of maximum rain fall

Sedimentation pits should be constructed at the corners of the garland drains and de - silted at regular intervals.

and technical design is followed as per KRG rain water harvesting recommendation.

Nallah Protections measures:

In addition to the site specific mitigation measures, the project has been carried out various Nallah protection measures around the mines premises. The implementations are follows.

- ✓ Nallah banks are protected by Guard wall with proper filtration arrangements to avoid entry of the any silt carry over to the water bodies during rainy season from other sources.
- ✓ Check weirs/check dams are conferred along the Nallah passing area to persuade silt sedimentations.
- ✓ Nallah de-siltation is under taken during pre-monsoon period to maintain its bio cycle.
- ✓ Nallah both side slopes are pitched with loose boulders to avoid the barrier erosion during monsoon period.
- ✓ Plantation and Vettiver plantation was carried out all along the Nallah boundaries and few areas is converted as green barriers.

Water Harvesting:

The project have been constructed/developed four numbers of water harvesting ponds in surrounding villages to encourage the water table. The ponds are regularly desilted and well maintained on regular.

Six Monthly Compliance Status of Environmental Clearance Conditions –

"Unchabali Iron and Manganese Ore Mines of Smt. Indrani Patnaik" located in village(s) Unchabali & Balda, Sub-division Champua, District Keonjhar, Orissa.

X. Dimension of the retaining wall at Based on rain fall data, the retaining wall

X.	Dimension of the retaining wall at	Based on rain fall data, the retaining wall
	the toe of the temporary over	has been constructed at varies location like
	burden dumps and OB benches	bottom of the OB dump, sub grade dump &
	within the mine to check run-off	other required area to check the runoff.
	and siltation should be based on	PHOTOS ARE ATTACHED BELOW AS
	the rain fall data.	PHOTO-2
XI.	Plantation shall be raised in an	As per condition, the plantation will be
	area of 98.8627ha including a 7.5	raised for an area of 98.8627 Ha after
	m green belt in the safety zone	completion of the mines life / end of the
	around the mining lease, back	mine operation in mine lease, back filled
	filled and reclaimed area, mine	area and reclaimed area, mine benches,
	benches, along the roads etc. by	along the roads etc. However, during
	planting the native species in	running mine operation project has carried
	consultation with the local DFO /	Plantation at various location like safety
	Agriculture Department. The	zone, waste dump, mines plant area, mines
	density of the trees should be	haul road, village roads, villages schools and
	around 2500 plants per hectare.	railway sidings in consultation with the local
	A green belt of adequate width	DFO.
	shall be developed all around the	Till reporting period a total number of 92353
	plant by planting the native	numbers of saplings has been planted and
	species in consultation with the	the survival rate is 69 %, on an average of
	local DFO/Agriculture department	63723 species survived up to this reporting
	within first five years.	period. A comprised year wise plantation
	,	details are enclosed as TABLE5A and type
		of plants planted in the year was given in the
		TABLE- 5B . Photo evidence for the
		plantation inside and out lease area is given
		below.
		PHOTOS ARE GIVEN BELOW AS PHOTOS-3
XII.	Effective safe guard measures such	The project has implemented different type
	as regular water sprinkling should	of dust suppression system to arrest the air
	be carried out in critical areas	pollution from the source level in and
	prone to air pollution and having	around the mines premises.
	high levels of SPM and RSPM such	The detailed implementations are follows.
	as haul road, loading and	✓ Fixed type water sprinklers are
	unloading point and transfer	implemented in mines permanent
	points. It shall be ensured that the	haul roads and dispatch roads.
	Ambient Air Quality parameters	
	conform to the norms prescribed	✓ Mines benches, temporary haul roads
		· • • • • • • • • • • • • • • • • • • •
	_	and other processing areas dust
	by the Central Pollution Control	and other processing areas dust
	_	generation is suppressed by use of
	by the Central Pollution Control	

out conditioning of the ore with water to mitigate fugitive dust emission.

Necessary safeguard measures shall be taken for effective control of particulate levels (PM10) in the area. The safeguard measures shall be implemented within first three months and their effectiveness shown with supporting data of actual air quality monitoring.

- mobile water tanker, which is inbuilt with high pressure hydraulic sprinkling system.
- ✓ Five numbers of 8 KL capacity mobile water tankers is being used for dust suppression in the Public roads, railway sidings approaching roads & railway yards.
- ✓ Portable type trolley mounted sprinkler has been placed in loading & unloading points to avoid the dust generations.

Haulage roads are being maintained with grader and water sprinkling to avoid any sort of ruts and potholes. Detailed implementation is given in **table – 6**.

DUST SUPPRESSION IN CRUSHER & SCREEN PLANT:

Effective dry fog system is implemented in all the crusher and screen plants. Beneficiation plant, the entire process is in wet condition except hopper area and the hopper is provided with dry fog to avoid the dust generation. To avoid the flow of air born dust from convey belt movement the conveyor belts of crusher and screen Plants are covered with hoods.

MONITORING

The monitoring of AAQ is being done in the core as well as buffer zone of the ML area, there are 3 no. of monitoring station in core zone i.e. Mines Office and Eastern Site of ML Area and there are 3 no. of monitoring stations in the buffer zone such as Unchabali Village, Balda Village, Nayagarh Village, Monitoring of AAQ is carried out every month except monsoon season. The monitoring report for the period Oct 2019 to

VIIIage	by Chichaban & Baraa, Sub arvision	The 1 2000 1 11 1 11
		March 2020 reveals that the parameter like
		PM10, PM2.5, SO2 and NOx are well within
		the norms as per NAAQs notifications made
		by the CPCB. A comprised AAQ monitoring
		reports for the reporting period is enclosed
		as TABLE7.
		PHOTOS ARE GIVEN BELOW AS PHOTOS-4
XIII.	Regular monitoring of the flow	Regular monitoring of flow rate of different
	rate of the springs and perennial	water bodies is being carried out seasonally
	Nallah shall be carried out and	by covering the Nallah/rivers i.e. Baitarani
	records maintained.	River, Unchabali Nallah, Kashi Nallah, Jalpa
		Nallah, Gahirajala Nallah, Dolko Nallah
		&Dalki Nallah. Latest flow rate monitoring
		reports are enclosed as TABLE-8 .
XIV.	SPECIFIC CONDITION - 14 (4.00	Monitoring of water quality of Baitarini
AIV.	MTPA)	River, Unchabali Nallah, Kasi Nallah, Jalpa
	Regular monitoring of water	Nallah, Gahirjala Nallah, Mithida Spring and
	quality upstream and downstream	
		Dalco Nallah is being carried out seasonally.
	of the Kasinallah, the Dolkonallah,	The monitoring data covers a total of 41
	the Dalkinallah, the Ghagranallah,	parameters and results are very well within
	the Gahirajalanallah and the	the norms. The data is being maintained and
	Mithida spring shall be carried out	submitted to authorities regularly. Latest
	and record of monitored data	surface water quality report analysed during
	should be maintained and	last monsoon is enclosed as TABLE9 .
	submitted to Ministry of	
	Environment and Forest, its	
	Regional Office, Bhubaneswar, the	
	Central Ground Water Authority,	
	the Regional Director, the Central	
	Ground Water Board, the State	
	Pollution Control Board and	
	Central Pollution Control Board.	
XV.	The project authority should	In this regard project has been engaged KRG
	implement suitable conservation	RAIN WATER FOUNDATION, CHENNAI in
	measures to augment ground	consultation with Regional Director, CGWB
	resources in the area in	and Bhubaneswar for technical guidelines
	consultation with the Regional	and implemented various conservation
	Director, Central Ground Water	measures to augment the ground water
	Board.	resources for in and around the mine lease
		area. The detail for the same is as follows;
		ROOFTOP RAINWATER HARVESTING:
		Rooftop rain water harvesting system has
		been implemented at mines employee camp
		I J J I I

and Unchabali Medical Center towards water augment. The technical design and other parameters are followed as recommended by KRG rain water harvesting with consultation of regional director, CGWB, Bhubaneswar. From this establishment 4200 CUM/ANNUAL water is recharged to the ground.

The project has developed/ constructed four numbers of water harvesting ponds to in mines surrounding villages to encourage water augment. The ponds are regularly desilted and well maintained. Total harvesting pond water holding capacity is 1.5 Lakh CUM/ANNUM. The details are given in **TABLE.-3.**

SETTLING CUM PERCOLATION POND & CHECK DAMS:

Based on hydrology study the project has implemented five number of the check dams where soil is having high percolation rate and one number of percolation pond is provided at the south side ML area by considering the water flow. The same details are given in **TABLE.NO.-1.**

The photo evidences are attached as PHOTOS-5

Regular monitoring of ground water level and quality should be carried out in around the mine lease by establishing a network existing wells and installing new piezometers during the mining operation. The periodic monitoring [(at least four times in a year Pre -monsoon (April-May), Monsoon (August), Post monsoon (November) and Winter (January); once in each season)] shall be carried out in consultation with the state Ground Water **Board/Central** Ground Water

XVI.

GROUND WATER QUALITY:

Ground water quality is being monitored regularly by seasonally at 10 locations including core and buffer zone. The monitoring locations are namely 1) Inside Mining lease area, 2) Unchabali village, 3) Balda Village, 4) Nayagarh Village, 5) Belda Village, 6) Employee's camp. The latest ground water quality report is enclosed as **Table-10.**

- **GROUND WATER LEVEL:**The ground water level is being monitored by seasonally i.e. pre-monsoon, monsoon, post monsoon and winter. The latest

8-0/	S) Officiabati & Datua, Sub-utvision	
	Authority and the data thus	ground water level report is given in
	collected may be sent regularly to	table-11.
	Ministry of Environment and	- INSTALLING NEW PIEZOMETER:
	Forests and its Regional Office,	
	Bhubaneswar, Central Ground	The project has installed Piezometers at
	Water Authority and Regional	mines observation bore wells. The ground
	Director, Central Ground Water	water fluctuations are being observed in the
	Board. If at any stage, it is	bore well & results are recorded by regular
	observed that the ground water	intervals. The latest month piezometer
	table is getting depleted due to the	observation data is given as ANNEXURE -5.
	mining activity; necessary	
	corrective measures shall be	
	carried out.	
XVII.	Appropriate mitigate measures	Site specific mitigation measures to prevent
	should be taken to prevent	silt carried into nearby natural water bodies
	pollution of the Baitarani river,	got implemented like; surface run off
	the Jalpanadi and Jagdharanadi in	management structures, retaining wall
	consultation with the State	followed garland drains, check dam, settling
	Pollution Control Board.	cum percolation ponds etc. Apart from that,
	Tonution Control Board.	guard wall have been constructed across the
		_
		bank of the natural water bodies. The above
		structures got developed in consultation
		with SPCB, Orissa. The detailed Site
		implementation details are given in
		TABLE.NO1, 2, 3 & 4.
XVIII.	The project proponent shall obtain	The project has obtained the ground water
	prior permission of the competent	NOC from Central Ground Water Authority
	Authorities for drawl of requisite	vide letter No.21-4(88YSER/GGWA/2008-
	quantity of water (surface water	1903 for withdrawal quantity of 1175
	and ground water) required for the	CUM/D of ground water. The obtained NOC
	project.	from CGWA is enclosed as ANNEXURE - 6.
XIX.	Suitable rainwater harvesting	- ROOFTOP RAINWATER HARVESTING:
AIA.		- ROOF FOF KAINWATER HARVESTING:
	measures on long term basis shall	The project has been implemented rooftop
	be planned and implemented in	rain water harvesting system at project
	consultation with Regional	employee's camp and Unchabali Medical
	Director, Central Ground Water	
	Board.	Center towards ground water re-charges.
		The technical design and other parameters
		are followed as recommended by KRG rain
		water harvesting with consultation of
		regional director, CGWB, Bhubaneswar.
ı		From this establishment 4200 CUM quantity
1		of ground water is recharged to the ground
		0 0 0

water table every year.

- WATER HARVESTING PONDS AT VILLAGES:

The project has developed four numbers of water harvesting ponds to encourage the water percolation and water harvesting in surrounding villages. The ponds are regularly de-silted and well maintained. Total harvesting pond water holding capacity is 1.5 lakh CUM/ANNUM. Details of harvesting ponds developed in surrounding villages are given in **TABLE NO.-3.**

PERCOLATION POND & CHECK DAMS:

Based on hydrology study the project has implemented five number of the check dams, settling cum percolation pits where soil is having highly percolating rate and one number of percolation pond is provided at the south side of the broken up area. Details of check dams and check weirs are follows as **TABLE NO.-1**.

Vehicular emissions shall be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and in transportation of mineral. mineral transportation shall be carried out through the covered trucks only and vehicles carrying the mineral shall not overloaded. No transportation of ore outside the mine lease area shall be carried out after the sunset.

XX.

The project is ensuring vehicle emission monitoring for all mining and other supporting vehicles / equipment. monitoring of vehicle emission is carried out through Diesel Smoke Meter by engage of THRIVENI Pollution Testing Centre, Unchabali Village, Keonjhar, Pin-758034.A sample HEMM emission test result is attached as **ANNEXURE-7**.

Apart from testing of transporting vehicles emission on random basis, the project has been introduced a software technology RF ID system in entry gate of the mines, this system is having automatic functions to read the status of the vehicle pollution certificate validity and other relevant parameters.

Basically, the baseline data of the vehicle is being loaded in the initial entry of the vehicle to the mines and it is regularly monitored in every trip of entry in gate, if any vehicles are not having valid pollution certificate or any

viiiage	b) Unchabali & Balda, Sub-division	
		other parameters then automatically entry of
		the vehicle will be not allowed by system.
XXI.	No blasting shall be carried out	No blasting is carried out after the sunset
	after the sunset. Blasting	and blasting is carried out only at day time.
	operation shall be carried out only	The control blasting is practiced using lager
	during daytime. Controlled	top stemming column, the Nonel technology
	blasting shall be practiced. The	and proper blast design& firing pattern with
	mitigate measures for control of	effective supervision of total blasting
	ground vibrations and to arrest fly	operations as per the recommendation of the
	rocks and boulders should be	CIMFR, DHANDBAD.
	implemented.	As on date no records reveals beyond the
	•	permissible limit during the reporting period.
		A summarized report for the reporting period
		is enclosed as TABLE NO12 and a sample
		report is enclosed as ANNEXURE -8 .
XXII.	Drills shall either be operated with	The drilling operation is being carried out
ΔΔ11.	dust extractors or equipped with	with both dust extractor and water injection
	water injection system.	system. Presently the project is using DP
		1100 drilling machine for drilling operation.
		The said drilling machine is inbuilt with
		both water injection system and dust
		extraction systems. The photo evidence for
		the same is given below.
		PHOTO evidences given below as PHOTOS-6
XXIII.	Mineral handling plant should be	1) Effective dry fog system is implemented in
	provided with adequate number of	all the crusher and screen plants.
	high efficiency dust extraction	2) The conveyor belts of crusher and screen
	system. Loading and unloading	Plants are covered with hoods.
	areas including all the transfer	3) Regular water sprinkling is carried out in
	points should also have efficient	the loading and unloading area.
	dust control arrangements. These	
	should be properly maintained and	
	operated.	
XXIV.	Sewage treatment plant should be	STP is provided / implemented along with
	installed for the colony. ETP	the skimmer mechanism at mines
	should also be provided for	employee's camp for treatment and reuse of
	workshop and waste water	the waste domestic water from Kitchen,
	generated during mining	toilet and etc. The treated water is used for
	operation.	plantation and dust suppression activities.
		ETP is provided at mines work shop for the
		treatment of waste water from water service
		of equipment. The existing ETP is having
,		physical separation of oil and grease by oil
		physical separation of on and grease by on

trapping system and silt sedimentation pit. The both STP and ETP final discharge water is being monitored on fortnightly once to ensure the final discharge water in line to approved CTO and record maintained for the same. The latest monitoring report is enclosed here as table. No - 13 and table. **No 14.** Photo evidences given below as PHOTOS-7 XXV. Pre-placement medical Initial Medical Examination & Periodical examination and periodical Medical Examination is being carried out to medical examination of the all company & contractors employees on workers engaged in the project regular basis. The IME & MPE is being shall be carried out and records carried as per in compliance to Mines Act maintained. 1952 & rules 1956 and amendments there For the purpose, schedule of health examination of to. During the reporting period (October 2019 the workers should be drawn and to March 2020) There is No Employee Under followed accordingly. go to IME & PME. The IME & PME tests include PFT, X-Ray, and lung spirometer etc. XXVI. The project proponent shall take The Site Specific Wildlife Conservation Plan all precautionary measures during got prepared by Sri. S. K. Patnaik, Retd. IFS mining operation for conservation & Shri S.K.Mohanty, Retd. OFS with an and protection of endangered estimated cost of Rs. 104 lakh and approved fauna namely elephant, sloth bear, by PCCF-Wild Life and Chief Wild Life Warden. In which Rs. 34 lakh has been etc. spotted in the study area. Action plan for conservation of earmarked for implementation of flora and fauna shall be prepared Specific Wild Life Conservation Plan within and implemented in consultation the Mining Lease area and Rs. 70 Lakh has with the State Forest and Wildlife been earmarked for implementation for the Department. All the safeguard purpose in the buffer zone i.e. within the measures brought out in the wild zone of influence. An amount of Rs. 15, 91, life conservation plan prepared 691/- rupees has been made towards specific to this project site shall Regional Wild Life Management Plan and Rs. be implemented. 21, 75, 000/- rupees towards site specific effectively Necessary allocation of the funds Wild Life Management Plan. implementation the Various activities has been under taken conservation plan shall be made towards protection of wild animals by and funds so allocated shall be implementation of solar electric fencing in included in the project cost. A mines operation boundary area to avoid the copy of action plan may be fall down of any wild animals to mines submitted to the Regional Office operation, awareness program among local of the Ministry of Environment and staffs members etc. The approved and Forests, Bhubaneswar. budgetary forecast for the site specific

viiiage(s	onenaban & Baida, Sub-division	wildlife conservation plan is enclosed as
		wildlife conservation plan is enclosed as ANNEXURE – 10 .
XXVII.	Provision shall be made for the	Not Applicable. As there is no such
	housing of the construction labour	construction activity
	within the site with all necessary	
	infrastructure and facilities such	
	as fuel for cooking, mobile toilets,	
	mobile STP, safe drinking water,	
	medical health care, crèche etc.	
	The housing may be in the form of	
	temporary structures to be	
	removed after the completion of	
	the project.	
XXVIII	The critical parameters such as	All these critical parameters are being
	SPM, RSPM, NOx in the ambient	monitored periodically & uploaded on the
	air within the impact zone, peak	company website i.e. www.uimm-ip.com.
	particle velocity at 300m distance	The said monitored parameters i.e. for AAQ;
	or within the nearest habitation,	PM10, PM2.5, SO2, NOx, STP, ETP
	whichever is closer shall be	discharge, for surface run off discharge from
	monitored periodically. Further,	the mine (treated) etc. is being displayed
	quality of discharge water shall	through an Electronic display board
	also be monitored [TDS, DO, pH	installed at the main gate of the project site
	and total suspended solids (TSS)].	of the company for public domain.
	The monitored data shall be	Environmental parameters uploaded in the
	uploaded on the website of the	company website are enclosed as
	company as well as displayed on a	ANNEXURE – 11 and photo of the display
	display board at the project site at	board is given below AS PHOTO-8.
	a suitable location near the main	
	gate of the company in public	
	domain. The circular no. J-	
	20012/1/2006-IA.II (M) dated	
	27.05.2009 issued by Ministry of	
	Environment and Forests, which is	
	available on the website of the	
	Ministry www.envfor.nic.in shall	
	also be referred in this regard for	
	its compliance.	
XXIX.	A Final Mine Closure Plan along	The Project has submitted a Bank guarantee
	with details of Corpus Fund should	of Rs. 17,43,693/-for reclamation and
	be submitted to the Ministry of	rehabilitation of 69.7477 Ha mined out and
	Environment & Forests 5 years in	other allied activities area @ 25, 000/- Ha as
	advance of final mine closure for	a part of the management of the mines
	approval.	closure of the Project.

General				
Cond.	General condition		Present Stati	ıs
No				
I.	No change in mining technology	The Mining	method of the	project is fully
	and scope of working should be	mechanized		ovels, dumper
	made without prior approval of the	combinations	•	sizing of the Iron
	Ministry of Environment & Forest.		_	per the approved
	•	Scheme of Mi	ning/Plan.	
II.	No change in the calendar plan	There is no	change in the c	alendar plan, the
	including excavation, quantum of	excavation, q	uantum of min	eral iron ore and
	mineral iron ore and waste should	waste are bei	ng produced as	per the approved
	be made.	mining plan/	scheme. The deta	ails of the iron ore
		and waste are	,	
		Year	ROM	OB Removed
			(In Mt.)	(In Mt.)
		2017-2018	3990662	840938
		2018-2019	3787130	1363949
		2019-2020	3773306	2049152
III.	At least Four Ambient Air Quality -	The monitorin	ng of AAQ is bein	g done in the core
	Monitoring stations should be	as well as bu	ffer zone of the N	IL area, There are
	established in the core zone as	3 no. of mo	nitoring station	in core zone i.e.
	well as in the buffer zone for RPM,	Mines Office	and Eastern Sit	e of ML Area and
	SPM, SO2& NOX monitoring.	there are 3	no. of monitorin	g stations in the
	Location of the stations should be	buffer zone s	such as Unchab	ali Village, Balda
	decided based on the		-	nitoring of AAQ is
	meteorological data, topographical		-	ept monsoon. The
	features and environmentally and	_		iod October 2019
	ecologically Sensitive targets and			he parameter like
	frequency of monitoring should be	· ·	·	are as per NAAQs
	undertaken in consultation with		•	CB, are very well
	the State Pollution Control Board.			tailed monitoring
TT 7			sed as ANNEXU	
IV.	Data on ambient air quality (RPM,			PM10, PM2.5, and
	SPM SO2&NOx) should be regularly	,	· ·	itted once in six
	submitted to the Ministry			on Control Board.
	including its Regional office	The latest	submission i	is enclosed as

located at Bhubaneswar and the	ANNEXURE -13.
	ANNEAURE -13.
State Pollution Control Board /	
Central pollution Control Board	
once in six months.	m : 1 :
V. Fugitive dust emissions from all	The project has implemented different type of
the sources should be controlled	dust suppression system to arrest the fugitive
regularly water spraying	dust emission from the source level in and
arrangement on haul roads,	around the mines premises.
loading and unloading and transfer	The detailed implementations are follows.
points should be provided and	✓ Fixed type water sprinklers are
properly maintained.	implemented in mines permanent haul
	roads and dispatch roads.
	✓ Mines benches, temporary haul roads
	and other processing areas dust
	generation is suppressed by use of
	mobile water tankers. In this regard
	project has engaged two no. of 25 KL
	mobile water tanker, which is inbuilt
	with high pressure hydraulic sprinkling
	system.
	✓ Five numbers of 8 KL capacity mobile
	water tankers is being used for dust
	suppression in the Public roads, railway
	sidings approaching roads & railway
	yards.
	✓ Portable type trolley mounted sprinkler
	has been placed in loading & unloading
	points to avoid the dust generations.
	✓ Haulage roads are being maintained with
	grader and water sprinkling to avoid any
	sort of ruts and potholes.
	The latest monitoring report is enclosed here as
	Table. No – 15.
VI. Measures should be taken for	Regular maintenance of HEMM & Processing
control of noise levels below 85	plants is being carried out to minimize the noise
dB(A) in the work environment.	level from source. Apart from that, proper PPEs
Workers engaged in operations of	like ear plug, muffles are also provided to
HEMM, etc. should be provided	employees. Further, to ensure the noise limit,
with ear plugs / muffs.	regular noise monitoring is carried out on
tar k-a90 / mano.	fortnightly basis for work zones like crusher
	plant premises, screen plant premises, ROM
	loading point, beneficiation plant premises,
	drilling area & work shop. The noise levels are

	well within prescribed norms, the monitoring
	reports are given in table -16 .
VII. Industrial waste water (worksh	STP is provided / implemented at mines
and waste water from the mir	employee's camp for treatment and reuse of the
should be properly collecte	d, waste domestic water from Kitchen, toilet and
treated so as to conform to t	he etc. The treated water is used for plantation and
standards prescribed under G	-
422 (E) dated 19th May, 1993 as	
	as treatment of waste water from water service of
amended from time to time.	equipment. The existing ETP is having physical
and grease trap should be install	
before discharge of worksh	
effluents.	The both STP and ETP final discharge water is
	being monitored on fortnightly once to ensure
	the final discharge water in line to approved
	CTO and record maintained for the same. The
	test results are very well within the norms. The
	latest monitoring report is enclosed here as
	table. No – 13 and table. No 14.
VIII. Personnel working in dusty are	as Initial Medical Examination & Periodical
should wear protective respirato	
devices and they should also	
provided with adequate traini	
and information on safety as	
health aspects. Occupation	al amendments there to.
health surveillance program of t	he During the reporting period (October 2019 to
workers should be undertak	en March 2020) There is No Employee Under go to
periodically to observe a	ny IME & PME. The IME & PME tests include PFT,
contractions due to exposure	to X-Ray, and lung spirometer etc.
dust and take corrective measure	es,
if needed	
IX. A separate environment	al We have established an Environmental Cell
management cell with suitab	headed by the General Manager to look after
qualified personnel should	be the implementation of the various pollution
setup under the control of a seni	or control measures and other Environment
executive, who will report direct	ly management System requirements. The detail
to the head of the organization.	of the Environment Cell structure is enclosed as
	ANNEXURE- 14.
V Mha fanada a anna da d	The finds commended for a form of
	The funds earmarked for environmental
environmental protection	
-	in The same expenses details are mentioned in the
separate account and should n	ot table no17

		lon onumpuu, Bistriot noonjirur, Orissu.
	diverted or other proposes. Year	
	wise expenditure should be	
	reported to the Ministry and	
	Regional Office located at	
	Bhubaneswar.	
XI.	The project authorities should	
	inform to the Regional Office	
	located at Bhubaneswar regarding	We will abode the said condition.
	date of financial closures and final	We will assue the said condition.
	approval of the project by the	
	concerned authorized and the date	
	of start of land development work.	
XII.	The Regional Office of the Ministry	
	located at Bhubaneswar shall	
	monitor complains of the	
	stipulated conditions. The project	We are extending all our cooperation during
	authorities should extend full co-	inspections by the Authority.
	operations to the officer (S) of the	
	regional office by furnishing the	
	requisite data / information/	
	monitoring reports.	
XIII.	The project proponent shall	
	submit six monthly reports under	The Project is uploading the last six monthly EC
	status of the implementation of	Compliance reports in the website bearing
	the stipulated EC conditions	address <u>www.uimm-ip.com</u> on regular basis.
	including results of monitored	The details of submission of the six monthly
	data (both in hard copies as well	compliance reports on the status of the
	as by e-mail) to the Ministry of	implementation of the stipulated conditions are
	Environmental and Forests, its	enclosed as TABLE NO18.
	regional Office, Bhubaneswar, the	
	respective zonal offices of CPCB	
	and the SPCB. The proponent shall	
	upload the status of the EC	
	conditions, including results of	
	monitored data on their website	
	and shall update the same	
	periodically. It shall	
	simultaneously be sent to the	
	Regional Office of the Ministry of	
	Environment and Forests,	
	Bhubaneswar, the respective Zonal	
	Officer of CPCB and the SPCB.	

37737		ion onumpuu, Bistriot riconjirur, Orissu.
XIV.	A copy of clearance latter shall be	
	sent by the proponent to	
	concerned Panchayat, Zillah	It has been complied with intimating the letters
	Parishad /Municipal Corporation,	to local Gram Panchayat, Municipality, DDM
	Urban local body and local NGO, if	Office, Zillah Parishad, Divisional Forest Officer
	any, from whom suggestions /	etc. and a copy of environmental clearance
	representations, if any, were	letter also made available in the company's
	received while processing the	website i.e. <u>www.uimm-ip.com</u> .
	proposal. The clearance letter shall	
	also be put on the web site of the	
	company by the proponent.	
XV.	The State Pollution Control Board	
	should display a copy of the	
	clearance letter at the Regional	It has been complied.
	office, District Industry Centre	-
	and Collector's office/ Tehsildar's	
	Office for 30 days.	
XVI.	The environment statement for	
	each financial year ending 31st	
	March in form-V as is mandated to	
	be submitted by the project	The Environmental statement in Form - V is
	proponent to the concerned State	being submitted regularly to the state pollution
	Pollution Control Board as	control board for the financial year. We are also
	prescribed under the Environment	uploading the annual environment statement
	(protection) Rules, 1986, as	along with the six monthly environmental
	amended subsequently, shall also	compliance reports in the company website i.e.
	be put on the website of the	www.uimm-ip.com. The latest Form – V for the
	company along with the status of	FY 2018-19 is submitted to the board, copy
	compliance of EC conditions and	enclosed as ANNEXURE – 15 .
	shall also be sent the Regional	
	Office of the Ministry of	
	Environment and forests, at	
	Bhubaneswar by e-mail.	
XVII.	The project authorities should	
,	advertise at least in two local	
	newspapers widely circulated, one	The Project has already advertised for iron ore
	of which shall be in the vernacular	mining and iron ore beneficiation plant projects
	language of the locality concerned,	in two newspapers about the issuance of the
	within 7 days of the issue of the	environment clearance of the Project, one is
	clearance letter informing that the	advertised in the vernacular language of the
	project has been accorded	locality concerned.
	environmental clearance and a	
	copy of the clearance letter is	
	copy of the clearance letter is	

	and the control of th	
available with the State Pollution		
Control Board and also at web site		
of the Ministry of Environment		
and Forests at http://		
envfor.nic.in and a copy of the		
same should be forwarded to the		
Regional Office of this Ministry		
located at Bhubaneswar.		





Photo showing check dams & Check weirs implementation within ML



Photo Showing varies Nallah protection measures under taken out side ML





Photos showing village harvesting pond developed in surrounding villages













Photo showing OB & sub grade dumps are provided with retention wall and other Mitigative measures.

PHOTOS -2:





Retaining wall provided at the toe end of the dump

PHOTOS -3:





PHOTOS SHOWING THE AVENUE PLANTITON AT KEONJAHR









Photos showing varies area plantation undertaken


PHOTOS -4:





Photos showing mobile water tankers encaged for dust suppression





Photos showing automatic fixed sprinkler installed at mines permanent Haul road





Photo showing motor grader under use for road maintenance







Photos showing dry fog implementations is varies plantation.

PHOTOS -5:







PHOTO SHOWING ROOF RAIN WATER HARVESTING SYSTEMS EMPLOYEE'S CAMP







PHOTO SHOWING ROOF RAIN WATER HARVESTING SYSTEMS AT MINES & UNCHABALI DISPENSARY





Photo Showing DP 1100 Hydraulic Drilling Machine equipped with dust extractor & wet drilling mechanism

PHOTOS -7:





PHOTO SHOWING ETP PLANT PROVIDED IN WORK SHOP SERVICE CENTER





PHOTOS SHOWING STP TECHNICAL STRUCTURE & EXISTING PLANT



Photo Showing Electronic Display board placed in the mines entrance gate to display the Environmental parameters

TABLE - 1

SL.NO	Description	Dimensions/Capacity	
1	Check Dam cum Settling pond -1	9800 CUM	
2 Check Dam - 4		689 CUM	
3	Check Dam - 5	2000 CUM	

TABLE - 1 SHOWING CHECK DAM AND CHECK WEIR DETAILS IMPLEMENTED WITHIN THE ML AREA

TABLE-2

SL.NO	Description	Location	Dimensions/Capacity	
1	Check Dam - 13	21º 52' 41.96" N	15 M X 2 M X 1.5 M	
1	Check Dain - 13	85º 25'41.97" E	13 W A 2 W A 1.3 W	
2	Check Dam - 14	21º 52' 42.88" N	15 M X 1.5 M X 1.5 M	
4	Check Daili - 14	85º 25'50.81" E	10 M C.1 X M C.1 X M C1	
3	Check Dam - 15	21º 52' 36.75" N	10 M X 1.5 M X 1.5 M	
3	Check Dain - 13	85º 25'58.75" E	10 M A 1.3 M A 1.5 M	
4	Check Dam - 16	21º 52' 35.55" N	12 M X 1.5M X 1.5 M	
4	Check Dain - 10	85º 25'59.51" E		
5	Guard Wall	21°52'41.14"N	300 M	
	Guaru Wali	85°25'54.05"E	300 M	
6	Nallah Slope	21°52'45.66"N		
	pitching	85°25'2.67"E	_	
7	Plantation	21°52'41.59"N	150	
/	Flamanon	85°25'53.87"E	130	

TABLE - 2 SHOWING CHECK DAMS IMPLEMENTATION OUT SIDE THE ML TABLE-3

SL.NO	DESCRIPTION	CAPACITY IN CUM	
1	NAMIRA POND -1	8100	
2	NAMIRA POND -2	92400	
3	BELDA POND -1	13200	
4	BELDA POND -2	43160	

TABLE - 3 SHOWING IMPLEMENTED VILLAGE HARVESTING PONDS DETAILS

TABLE-4

S1. No	Description of the dump	Location of the dump	Protections Measures
1.	Sub Grade	B-Block	6000 Sqr. Mtr of dump surface area covered with Geo textile applications.1000 Saplings are planned on the surface of the dump.
2.	Over Burden - 2	Near Garage	2000 Sqr. Mtr of dump surface area covered with Geo textile applications. and followed with siltation pond, drainage water is connected to bottom check dams.
3.	Over Burden-1	Near Pillar No L2	Retaining wall along with garland drainage is constructed with settling pit. 130 Mtr of Hume pipe drainage pattern has been constructed.

TABLE-4 SHOWING VARIES DUMP PROTECTIONS MEASURES IMPLEMENTATION

TABLE-5A

Plantation Details as on March_2020					
Sl. No Year Number of Saplings Surviva					
1	2019-2020	1850	80%		
2	2018-2019	5860	85%		
3	2017-2018	2450	90%		
4	2016-2017	11865	86%		
5	2015-2016	11960	85%		

TABLE-5A SHOWING YEAR WISE PLANTATION DETAILS

TABLE-5B

SL. NO	LOCATION	Description	2019-20	Area in Ha.	PLANTS TYPE	Remarks
1	IN Side ML	Dump Plantation	1200	1.54	Mango, Neem, karanja, Chakunda,	
2	IN Side ML	Nallah Gap Filling	530	0.35	Mango, Neem, karanja, Chakunda,	
2	OUT SIDE ML AREA	Nallah Side	120	0.2	Radha chuda, krishna chuda,cha kunda, saru cha kundha,karanja,siru tree, Arjuna.	

TABLE-5B SHOWING PLANTATION DETAILS

TABLE-6

SL. No.	Description	Unit	Quantity	Remarks	
1	Automatic Fixed Sprinkler	R.M	2500	Dispatch Road and Permanente Haul Road	
2	High Frequency mobile water Tanker	25 KL	1	Mines Benches, Stock yard, plant area, and other mines premises including Village Roads &	
3	High Frequency mobile water Tanker	16 KL	1		
4	Mobile water tanker	8 KL	2		
5	Mobile water Tanker	8 KL	3	Railway Sidings	

TABLE-6 SHOWING PRACTICE OF DUST SUPPRESSING ACTIVITIES

TABLE-7

SUMMARIZED AMBIENT AIR QUALITY MONITORING REPORT: UNCHABALI IRON & MN ORE MINING PROJECT OF SMT. INDRANI PATNAIK, DISTRICT; KEONJHAR, ORISSA.

Period: OCTOBER 2020 to MARCH 2020

			Quality P	arameter, R	esults, micro	o.gm/CUM	
	Month	Range	PM10	PM2.5	SO ₂	NOx	СО
AAQ-C1 – Mines	OCT-19		58.2	27.2	7.5	19.1	0.286
main gate	NOV-19		63.1	28.5	7.1	19.8	0.279
(Core zone)	DEC-19	4440	69.20	31.70	7.70	21.70	0.306
,	JAN-20	AVG	75.20	33.40	8.30	23.60	0.319
	FEB-20		72.40	32.70	8.10	22.70	0.306
	MARCH-20		71.40	32.30	8.0	22.40	0.302
	OCT-19		55.6	26.0	7.2	18.3	0.242
	NOV-19		62.0	29.1	6.9	19.4	0.274
AAQ-C2 –	DEC-19	4440	66.90	31.30	7.50	21.0	0.295
Employees Camp	JAN-20	AVG	72.50	32.80	7.80	22.80	0.308
(Core Zone)	FEB-20		72.70	34.10	8.10	22.80	0.308
	MARCH-20		70.40	33.0	7.90	22.0	0.297
	OCT-19		59.0	27.5	7.7	19.3	0.289
	NOV-19		63.6	28.5	7.1	19.9	0.281
AAQ-C3- Beneficiation plant (Core Zone)	DEC-19	AVG	71.80	31.60	8.0	22.50	0.317
	JAN-20		72.80	32.40	7.80	23.20	0.312
	FEB-20		74.30	33.30	8.30	23.30	0.314
	MARCH-20		72.20	32.40	8.10	22.60	0.305
	OCT-19		55.2	29.6	7.2	18.1	0.240
	NOV-19		66.2	30.5	7.2	20.6	0.293
AAQ-B2	DEC-19	4440	63.0	27.20	6.70	19.0	0.264
Village Balda	JAN-20	AVG	64.80	30.40	6.70	19.0	0.252
(Buffer Zone)	FEB-20		70.70	33.10	7.20	23.70	0.275
	MARCH-20		70.40	31.80	7.90	22.10	0.298
	OCT-19		55.4	29.9	7.2	18.2	0.242
	NOV-19		69.4	30.5	7.6	21.6	0.307
AAQ-B3	DEC-19	A170	65.0	27.60	6.90	20.0	0.257
Village Nayagarh (Buffer Zone)	JAN-20	AVG	66.50	31.20	6.90	20.60	0.248
(Bullet Zolle)	FEB-20		77.0	35.50	7.40	25.20	0.249
	MARCH-20		71.10	32.10	8.0	22.30	0.301
	OCT-19		54.7	29.4	7.1	18.0	0.239
	NOV-19		69.5	30.8	7.6	21.6	0.308
AAQ-B1	DEC-19	4170	64.10	27.60	6.80	19.90	0.271
Village Unchabali (Buffer Zone)	JAN-20	AVG	67.60	31.70	6.90	20.80	0.251
(Buller Zone)	FEB-20		71.10	33.30	7.0	20.50	0.249
	MARCH-20		69.30	31.30	7.80	21.70	0.293

Note – The monitoring and testing is carried by Kalyani Laboratory which is a MoEF, SPCB and NABL accredited laboratory.

	OCT-19	51.75	19.99	5.64	15.14	0.36
GAAGNG G1	NOV-19	There is a	problem in s	ensor so the	data was not	generated
CAAQMS-C1 MINES ENTRY	DEC-19	88.99	17.22	3.0	81.0	0.60
AND EXIT GATE	JAN-20	61.44	19.71	2.89	51.11	0.505
TIND DAIT GITTE	FEB-20	38.08	20.62	2.98	32.99	0.46
	MARCH-20	38.94	12.29	3.05	31.71	0.40

TABLE-7 SHOWING AAQ MONITORING REPORT FOR THE REPORTING PERIOD.

TABLE-8

	Surface Water Flow Rate in CUM/SEC										
SL. No	Monitoring Station	October -2019	December -2019	February -2020							
1	Baitarani river	2.00	1.24	1.01							
2	Dalko Nallah	0.17	0.07	0.09							
3	Jalpa Nallah	0.93	0.18	0.26							
4	Kashi Nallah	0.04	0.01	0.04							
5	Unchabali Nallah	0.02	0.36	0.09							
6	Dalki Nallah	0.21	0.81	0.16							
7	Ghairajal Nallah	0.16	0.21	0.16							

[#] TABLE-8 SHOWING SURFACE WATER FLOW RATE FOR THE REPORTING PERIOD.

aaik" located in village(s) Unchabali & Balda, Sub-division Champua, District Keonjhar, Orissa.

TABLE-9

Surface water Quality analysis report for the Period of Post Monsoon (November_2019)

SL.NO	DESCRIPTION	UNIT	SW-1	SW-2	SW-3	SW-4	SW-5	SW-6	SW-7	SW-8	SW-9	SW-10
1	рН	-	6.8	7.5	6.9	7.1	7.2	7.1	6.9	6.9	8.4	6.8
2	DO	mg/l	5.6	5.5	6.5	6.3	6.9	7.0	6.1	6.0	5.9	5.9
3	BOD	mg/l	1.5	1.6	0.7	0.8	0.4	0.6	0.9	1.8	1.5	1.6
4	Total Coliform	MPN/100 ml	>1600	>1600	>1600	>1600	>1600	>1600	>1600	>1600	>1600	>1600
5	Colour	Hazen	10	11	8	12	6	8	6	9	8	10
6	Fluoride (as F)	mg/l	0.32	0.22	0.17	0.38	0.3	0.2	0.22	0.42	0.36	0.28
7	Cadmium	mg/l	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001
8	Chloride (as Cl)	mg/l	5.6	5.6	7.5	11.2	9.4	5.6	7.5	48.7	9.4	9.4
9	Chromium (as Cr+6)	mg/l	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05
10	Cyanide (as CN)	mg/l	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
11	Total Dissolved Solid	mg/l	42	80	70	80	72	70	100	60	52	74
12	Selenium	mg/l	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
13	Sulphate (as SO4)	mg/l	11	24	20	24	18	22	20	17	22	30
14	Lead	mg/l	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
15	Copper	mg/l	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
16	Arsenic	mg/l	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
17	Iron	mg/l	3.1	4.0	6.4	6.2	6.4	6.0	5.0	6.0	4.8	5.5
18	Phenolics compounds (as C6H5OH)	mg/l	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001
19	Zinc	mg/l	0.11	0.09	0.01	0.04	0.035	0.22	0.33	0.45	0.046	0.17
20	Anionic detergents (as MBAS)	mg/l	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1

REPORTING PERIOD: OCTOBER 2019 TO MARCH 2020

21	Oil & grease	mg/l	< 0.025	< 0.025	< 0.025	< 0.025	< 0.025	< 0.025	< 0.025	< 0.025	< 0.025	< 0.025
22	Nitrate (as NO3)	mg/l	1.2	2.0	3.0	3.8	2.9	2.8	5.0	4.4	2.1	5.4

Note – The monitoring and testing is carried by Kalyani Laboratory which is a MoEF, SPCB and NABL accredited laboratory.

MONITORING STATION DETAILS

SL.No	Reference Code	Station Name	Source of Sample
1	SW -1	Baitarani U/S	River
2	SW -2	Baitarani D/S	River
3	SW - 3	Unchabali Nallah U/S	Nallah
4	SW - 4	Unchabali Nalla D/S	Nallah
5	SW - 5	Jalpa Nallah	Nallah
6	SW - 6	Kashi Nallah	Spring
7	SW - 7	Dalko Nallah	Nallah
8	SW - 8	Gahirajala Nallah	Nallah
9	SW -9	Mithila Spring	Nallah
10	SW - 10	Dalki Nallah	Nallah

TABLE-10 Ground water Quality analysis report for the Period of Post Monsoon (November -2019)

	A. PHYSICAL		ML Area	Unchabali Village	Balda Village	Nayagarh Village	Belda Village	Employees Camp
1	Colour (apparent)	Hazen	< 1.0	< 1.0	<1	<1.0	<1.0	<1.0
2	Odour		Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
3	Taste		Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
4	Turbidity	NTU	0.1	0.1	0.3	0.3	0.2	0.4
5	рН		6.9	6.9	6.8	7.0	6.5	6.6
6	Electrical Conductivity (EC)	μS/cm	240	260	290	230	220	225
7	Total Suspended Solids (TSS)	mg/l	< 0.4	< 0.4	<0.4	<0.4	< 0.4	< 0.4
8	Total Dissolved Solids (TDS)	mg/l	160	180	188	146	130	152
9	Total Solids (TS)	mg/l	160	180	188	146	130	152
В.	CHEMICAL		<u> </u>					
10	Total hardness	Mg/1	40	112	40	84	24	40
11	Calcium Hardness as CaCO ₃	mg/l	24	84	32	60	16	28
12	Magnesium Hardness as CaCO ₃	mg/l	16	28	1.94	24	8	12
13	Calcium as Ca ²⁺	mg/l	9.6	33.6	12.8	24	6.4	11.2

REPORTING PERIOD: OCTOBER 2019 TO MARCH 2020

211	t. Ingrani Patnaik'' – locat	.eu III v	viiiage(s) (Jiichaban ob i	baiua, Sub-ui	vision Champ	ua, District Keon	mar, Orissa.
14	Magnesium as Mg ²⁺	mg/l	3.89	6.8	3.89	5.83	1.94	2.92
15	Total Alkalinity	mg/l	32	128	44	110	12	20
16	Silicate as SiO ₂	mg/l	< 0.4	0.4	0.6	0.5	0.2	0.2
17	Chloride as Cl-	mg/l	30	3.7	5.6	31.9	5.6	5.6
18	Residual Chlorine	mg/l	0.2	0.2	0.2	0.2	0.3	0.2
19	Phenolic compound as C ₆ H ₅ OH	mg/l	< 0.001	< 0.001	<0.001	<0.001	<0.001	<0.001
20	Sulphate as SO ₄	mg/l	20	16	21	12	11	14
21	Nitrogen Nitrate as NO ₃	mg/l	0.8	0.5	0.42	0.22	0.3	0.6
22	Phosphorus as P	mg/l	< 0.1	< 0.1	<0.1	<0.1	< 0.1	<0.1
23	Ammonical Nitrogen as NH ₄ -N	mg/l	< 0.3	< 0.3	<0.3	< 0.3	<0.3	<0.3
24	Oil and grease	mg/l	< 0.025	< 0.025	<0.025	<0.025	<0.025	<0.025
25	Fluoride as F-	mg/l	0.1	0.11	0.19	0.14	0.12	0.19
26	Sodium as Na	mg/l	2	2	2.0	2.0	2.0	2.0
27	Potassium as K	mg/l	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
28	Iron as Fe	mg/l	< 0.05	0.11	< 0.05	0.055	<0.05	0.1
29	Copper as Cu	mg/l	< 0.02	< 0.02	<0.02	< 0.02	<0.02	<0.02
	Manganese as Mn	mg/l	< 0.05	< 0.05	<0.05	<0.1	<0.1	<0.05

			viiiago(b) c					
31	Arsenic as As	mg/l	< 0.01	< 0.001	<0.001	<0.001	<0.001	<0.001
32	Lead as Pb	mg/l	< 0.005	< 0.005	<0.005	<0.005	<0.005	<0.005
33	Zinc as Zn	mg/l	< 0.05	< 0.05	< 0.05	< 0.05	<0.05	<0.05
34	Hexavalent Chromium as Cr ⁺⁶	mg/l	< 0.05	< 0.05	<0.05	<0.05	<0.05	<0.05
35	Chromium as Cr+3	mg/l	< 0.02	< 0.02	<0.02	<0.02	<0.02	<0.02
36	Mercury as Hg	mg/l	< 0.0005	< 0.0005	<0.0005	<0.0005	<0.0005	<0.0005
37	Cadmium as Cd	mg/l	< 0.001	< 0.001	<0.001	<0.001	<0.001	< 0.001
38	Selenium as Se	mg/l	< 0.005	< 0.005	<0.005	<0.005	<0.005	<0.005
39	Aluminium as Al	mg/l	< 0.02	< 0.02	< 0.02	<0.02	<0.02	<0.02
40	Boron as B	mg/l	< 0.1	< 0.1	<0.1	<0.1	<0.1	< 0.1
С. Е	ACTERIOLOGICAL							
		MPN						
41	Total Coliform at 37°C	/ 100ml	Absent	Absent	Absent	Absent	Absent	Absent

MONITORING STATION DETAILS

SL. No	Reference Code	Station Name	Source of Sample
1	GW - 1	Mines (within ML)	Tube Well
2	GW - 2	Unchabali Village	Tube Well
4	GW - 3	Balda Village	Tube Well
5	GW - 4	Nayagarh Village	Tube Well
6	GW - 5	Belda Village	Tube Well
9	GW -6	Camp (within ML)	Tube Well

Table-11

Monitoring	RL	Description			GWL (BGL in M)			
Station			Oct-19	Nov-19	Dec-19	Jan-20	Feb-20	March-20
Inside ML area	510	Bore Well	2.60	4.20	4.80	5.0	5.10	5.40
Unchabali	504	Open Well	2.50	5.10	5.80	6.0	6.20	6.40
Kalimatti	550	Open Well	4.0	4.80	4.70	5.30	5.10	5.40
Balda	568	Open Well	2.80	3.80	5.20	5.60	5.40	6.0
Malda	507	Bore Well	3.60	6.0	6.80	6.40	6.80	7.0
Nayagarh	504	Open Well	2.80	5.0	5.20	5.60	5.50	5.60

#TABLE NO. 11 SHOWING GROUND WATER LEVEL MONITORING DATA TABLE-12

SL.NO	MONTH	MONTH Blasting Results in PPV				
1	October – 19	2.21 mm/sec	5.00 mm /sec			
2	November - 19	0.22 mm/sec	5.00 mm /sec			

TABLE NO.-12 SHOWING PEAK PARTICLE VELOCITY REPORT

TABLE - 13

SL. NO	DESCRIPTION	Unit	Oct-19	Nov-19	Dec-19	Jan-20	Feb-20	March-20
1	рН	-	7.10	6.80	6.70	6.90	6.95	7.0
2	Total Suspended Solids (TSS)	Mg/l	8.0	8.0	6.0	8.0	6.0	8.0
3	(BOD)	Mg/l	7.0	7.0	6.0	7.0	7.0	6.0

Note – The monitoring and testing is carried by Kalyani Laboratory which is a MoEF, SPCB and NABL accredited laboratory.

#TABLE NO.13 SHOWING SEWAGE WATER TREATMENT PLANT WATER DISCHARGE REPORT

TABLE - 14

SL .NO	DESCRIPTION	Unit	Oct-19	Nov-19	Dec-19	Jan-20	Feb-20	March-20
1	рН	-	7.50	7.20	7.40	7.50	7.40	7.30
2	Total Suspended Solids (TSS)	Mg/l	88.0	68.0	74	78	80	81
3	Oil & Grease	Mg/l	<0.40	<0.4	<0.40	<0.4	<0.4	<0.4

Note – The monitoring and testing is carried by Kalyani Laboratory which is a MoEF, SPCB and NABL accredited laboratory.

#TABLE NO.14 SHOWING EFFULENT WATER TREATMENT PLANT WATER DISCHARGE REPORT

TABLE – 15 FUGITIVE EMISSION DUST MONITORING REPORT

		MONITORING LOCATIONS							
Periods		CRUSHER PLANT	WORK Shop	HAUL ROAD	SCREEN PLANT	MINES FACE	DUMP AREA		
		Results, micro.gm/CUM							
Oct - 19	AVG	572	551	566	562	544	544		
Nov-19	AVG	546	559	542	572	559	556		
Dec- 19	AVG	638	647	656	645	649	655		
Jan-20	AVG	700	696	698	716	689	695		
Feb-20	AVG	714	702	726	720	704	715		
Mar-20	AVG	705	704	711	715	714	713		

Note – The monitoring and testing is carried by Kalyani Laboratory which is a MoEF, SPCB and NABL accredited laboratory..

TABLE NO.-15 SHOWING FUGITIVE EMISSION MONITORING REPORT

TABLE - 16

S1.	Locations	NOISE	LEVEL, L	eq.in dB (A	A) from da	ta log of m	onitor.	
No.	Docations	Oct-19	Nov-19	Dec-19	Jan-20	Feb-20	Mar-20	
	Work Zone Noise Report							
1	MINES PIT	56.12	59.12	70.32	51.40	60.10	59.10	
2	LOADING POINT	58.10	61.80	49.28	66.80	64.10	58.40	
3	OPERATOR CABIN	48.10	50.40	58.68	44.60	44.0	50.20	
4	WORK SHOP	62.80	58.80	60.42	59.30	56.20	56.50	
5	SCREEN PLANT	74.80	72.22	73.10	72.90	62.30	72.70	
		Aml	bient Nois	e Report				
1	BALDA	46.80	45.80	44.62	42.20	48.10	43.10	
2	MALDA	48.10	50.40	41.32	39.30	42.10	41.40	
3	NAYAGARH	50.20	52.90	46.18	43.40	4620	40.80	
4	UNCHABALI	43.40	42.10	40.44	37.10	40.10	38.60	
5	OFFICE AREA	38.10	34.12	32.18	31.60	35.20	38.80	
6	CAMP AREA	36.40	32.18	32.68	33.20	38.10	40.40	
		Residentia	al. Leq: Da	y Time : 55	dB (A), N	Night Time :	45 dB (A)	
	Norms	Industrial	l, Leq: Day	Time: 75	dB (A), 1	Night Time :	70 dB (A)	
		Work-zon	e during 8	Hr exposu	re: 85 dB (A) – Leq.		

TABLE NO.-16 SHOWING NOISE MONITORING REPORT

TABLE - 17

SI. No	DESCRIPIITON	2016-17	2017-18	2018-19	2019-20
	Environmental	Monitoring Para	meter Testing ch	arges	,
1	AAQ, Ground Water, Surface Water, STP, ETP, Soil Test, Fugitive Test etc.	24.52	22.49	87.40	62.79
	Dump Stabil	ization & Plantati	on		
2	Retaining wall, garland drain & its maintenance	11.6	6.00	5.00	6.50
3	Plantation, dump stabilization by coir matting	32.1	24.56	10.00	5.0
	Dust	Suppression			
4	Mobile Sprinkler	49.22	50.32	40.35	41.25
5	Fixed Sprinkler	10.3	13.10	0.80	0.50
6	Dry fog	2.35	1.20	0.50	0.50
	Environmental Instruments	and its maintena	nce & calibratio	n	
7	RDS, Noise Meter, PPV Instruments etc.	2.5	1.25	1.30	1.30
8	ETP and its maintenance	5.12	1.80	1.20	8.95
9	STP and its maintenance	1.28	2.18	1.50	0.6
	Miscella	neous Expenses			
10	Rain water harvesting and its maintenance	4	2.31	1.00	0.3
11	Occupational Health & Hygiene monitoring	1.75	6.62	1.60	2.0
12	Others (Including Nallah Protection measures)	7.55	3.95	2.0	1.2
Total		152.29	135.78	152.65	130.89

TABLE - 18

Sl. No.	PERIOD	DATE OF SUBMISSION
1.	April-2019 to September-2019	28.11.2019
2. 65	Oct - 2019 to March - 2019	27.05.2019
3.	April – 2018 to Sept – 2018	01.12.2018
4.	October -2017 to March-2018	28.06.2018
5.	April-2017 to September-2017	04.12.2017
6.	October -2016 to March-2017	09.06.2017
7.	April-2016 to September-2016	25.11.2016
8.	October-2015 to March-2016	12.05.2016
9.	April-2015 to September -2015	25.11.2015
10.	October -2014 to March -2015	22.06.2015
11.	April-2014 to September -2014	10.11.2014
12.	October -2013 to March - 2014	23.05.2014
13.	April - 2013 to September - 2013	25.11.2013
14.	October - 2012 to March - 2013	25.05.2013

#TABLE NO.-18 SHOWING EC COMPLIANCE SUBMISSION DETAILS

Authorised Signature

Mines Manager Unchabali Iron & Mn.Mines Indrani Painaik

Mahaparyat

INDRANI PATNAIK

(MINES OWNER)

A/6, COMMERCIAL ESTATE, CIVIL TOWNSHIP, ROURKELA - 769 004 Phone: 0661-2400139, 2400014, FAX: 0661-2402226

REFERENCE: UIMM/IP/ENV/APR/20/04

DATE: 29.04.2020

The Member Secretary,
State Pollution Control Board, Odisha,
118/A, Nilakanthanagar, Unit – VIII,
Bhubaneswar – 751012

Subject

: Submission of compliance Report under Consent order to operate for Unchabali Iron & Mn. Mines of Smt. Indrani Patnaik for the period

of April 2019 to March 2020.

Reference

: Approved Consent order No. 2645 vide letter no 2746 / IND-I-CON-

6035 dated on 06.02.2016

Dear Sir,

With reference to the above mentioned subject, we are here with submitting the compliances report to the condition stipulated under the above consent order for the period of April 2019 to March 2020 in respect of Unchabali Iron & Mn. Mines of Smt. Indrani Patnaik.

This is for your kind information, please

Thanking You,

For, Unchabali Iron & Mn. Mines of Smt. Indrani Patnaik

Mines Manager 2814/20

Endulaseros

MinesaManger Mn. Mines

Indrani Palaleis

Encl Mahaparvai

As above

Copy To :

The Regional Officer,

SPCB, Orissa,

Regional Office, Collage Road,

Dist: - Keonjhar, Odisha.

Munerine-

Annexure - 2

F019 48739

GOVERNMENT OF INDIA MINISTRY OF ENVIRONMENT & FORESTS EASTERN REGIONAL OFFICE

A/3, CHANDRASEKHARPUR, 2HUBANESWAR - 751 023 TEL. : (Off.) 2301213, 2302432, 2302443, 2302452, 2302453 FAX : 0674-2302432. GRAM: PARYAVARAN, BHUBANESWAR

Email: mef@ori.nic.in

8(21)40/2004-FCE

To

Sub:-

The Principal Secretary,
Forest & Environment Department,
Govt. of Orissa,
Bhubaneswar.

भारत सरकार पूर्वी क्षेत्रीय कार्यालय ए/3, चन्द्रशेखरपुर, भुवनेश्वर -751 023 तार - पर्यावरण, भुवनेश्वर

May 3, 2007

Diversion of 35.275 ha of forest land in village Unchabali in Keonjhar district for Iron Ore Mining by Smt. Indrani Patnaik of Keonjhar.

I am directed to refer to your letter No. 10F(Cons)78/2004.5763/F&E dated 13.04.2007 on the above mentioned subject seeking prior approval of the Central Govt. in accordance with Section-2 of the Forest (Conservation) Act, 1980.

After careful consideration of the proposal of the State Government, the Central Government hereby conveys its approval under Section-2 of the Forest(Conservation) Act, 1980 for diversion of 35.275 ha (34.675 ha for mining and 0.6 ha for road) of forest land in village Unchabali in Keonjhar district for Iron Ore Mining by Smt. Indrani Patnaik of Keonjhar, subject to the compliance of the following conditions:-

i) Legal status of the forest land diverted shall remain unchanged.

ii) Compensatory afforestation shall be raised and maintained over 35.275 ha of non-forest land made available in village Guptaganga under Telkoi Tahasil mutated in favour of State Forest Department and handed over to Forest Department at the project cost and the non-forest land shall be declared as PF/RF. The Nodal Officer will submit a report regarding the above issue within 6 months.

iii) An undertaking from the user agency shall also be obtained to the effect that in case the rates of NPV are revised upwards, the additional/differential amount shall be paid

by the User Agency.

- iv) The State Government shall deposit Net Present Value of Rs. 2,64,56,250.00, Compensatory Afforestation of Rs. 5,77,000.00, Safety Zone of Rs. 1,39,300.00, Afforestation of Safety Zone of Rs. 2,21,600.00, Wildlife Management Plan Scheme of Rs. 15,91,691.00, Site Specific Wildlife Management Scheme of Rs. 21,75,000.00 and cost of protection, conservation & enrichment of 64.332 ha of balance forest area not proposed for diversion with the Ad-hoc Body of Compensatory Afforestation Fund Management and Planning Authority(CAMPA), in Account No. CA 1585 of Corporation Bank (A Government of India Enterprises), Block-11, Ground Floor, CGO Complex, Phase-1, Lodhi Road, New Delhi 110 003, as per the instruction communicated vide letter No. 5-2/2006-FC dated 20.05.2006.
- RCC pillars of 4 feet height shall be erected to demarcate the broken up area by the user agency at the project cost and will be marked with forward and back bearing and a site map be prepared showing the positions of all the boundary pillars with G.P.S. reading for periodic manifering by the result.

vi) The 35.275ha forest land proposed for diversion shall be used for mining (34.675 ha) and road(0.600 ha) only. No overburden dumping or any other ancillary activity will be undertaken thereat.

vii) Mining shall be done strictly as per the mining plan approved by the IBM and copy of revised Mining Plan(s) for subsequent five year periods shall be furnished to the

Regional Office without fail.

viii) The period of permission granted Under the Forest(Conservation) Act, 1980 shall be co-terminus with the period of current mining lease granted under MMRD Act or 20 years whichever is earlier.

ix) Reclamation of mined out area as well as Over Burden dumps will be done as per a reclamation plan prepared in this regard. Progress of reclamation will be periodically monitored by 'the 'State' rotes. Department. Senous' tapse in altinoving retrainment targets shall invite severe action leading to even closure of mine.

The Forest Department shall carry out regeneration, maintenance of safety zone area

at the funds provided by the User agency.

xi) The Forest Department shall carry out afforestation over degraded forest land equivalent one and half times of the safety zone with the funds provided by the User Agency.

xii) The Regional Wildlife Management Plan prepared for Bonai-Keonjhar belt shall be implemented with the funds provided by the User Agency. The specific Wildlife Management Plan, if any, approved by the Chief Wildlife Warden, shall also be implemented at project cost with the additional funds realized from the User Agency.

xiii) Blasting, if required to be undertaken, shall be done in a manner causing least disturbance to wild animals particularly elephants. The timing of blasting should be kept flexible during seasonal movement of elephants or during period of their migration or if they happen to be around otherwise in consultation with the D.F.O.

xiv) The Scheme prepared by the Forest Department for protection, conservation and enrichment of the vegetative cover over balance 64.332 ha forest land not proposed for diversion shall be implemented at project cost under supervision of the Forest Department.

xv) Standing trees over forest land proposed for diversion shall be felled in phases only on forest land needed to be broken strictly as per the Mining Plan with prior permission of the D.F.O.

xvi) The user agency shall ensure that no damage to the available wildlife or to the forest flora in the neighbouring forest is caused by labourers/workmen engaged by the project authorities or contractor working under them.

xvii) No labour camp shall be allowed in the forest area and Sufficient alternate fuel from the approved source shall be provided by the user agency or the contractors working under them to the labourers engaged in the project at project cost to ensure reduction of pressure on nearby forests.

xviii) The forest land shall not be used for any purpose other than that specified in the

xix) Adequate soil and water conservation measures, as and when required, shall be taken by the User Agency in consultation with Forest Officials to check any soil crosion in the lease hold area.

- All necessary measures should be taken by the user agency to protect environment.
- Any other conditions that the Central Government may impose from time to time in (xi) the interest of afforestation, conservation and management of flora and fauna in the area shall be complied by the user agency.
- In case of non-compliance of any of the above conditions, the concerned Divisional Forest officer shall report through the State Govt. to this office as per procedure laid down in the clause 1.9 of guidelines issued under Forest (Conservation) Act, 1980 on 25.10.1992.

The State Government shall ensure compliance of all the above conditions.

Yours faithfully,

(S. MOHAPATRA) DY. CONSERVATOR OF FORESTS (CENTRAL)

y to:-

The Inspector General of Forests (FC), Ministry of Environment & Forests, Paryavaran Bhawan, CGO Complex, Lodi Road, New Delhi - 110 003.

The Principal Chief Conservator of Forests, Govt. of Orissa, Aranya Bhawan, 2. C.S.Pur, Bhubaneswar - 16.

The Nodal Officer, O/o the Principal Chief Conservator of Forests, Govt. of 3. Orissa, Aranya Bhawan, C.S.Pur, Bhubaneswar - 16.

The Divisonal Forest Officer, Keonjhar Forest Divison, Keonjhar.

Smt. Indrani Patnaik, Mines Owner, Rourkela.

Guard File. S. 966

DY. CONSERVATOR OF FORESTS (CENTRAL)

F. No. 8-67/2014-FC

Government of India
Ministry of Environment, Forests and Climate Change
(Forest Conservation Division)

Indira Paryavaran Bhawan Aliganj, Jorbagh Road New Delhi –110003. Dated: 11th September, 2015

To,

The Principal Secretary (Forests), Government of Odisha, Bhubaneswar.

Sub: Diversion of additional 68.157 hectares of forest land including 3.825 hectares of forest land inside safety zone, in addition to 35.275 hectares of DLC forest land already diverted, within total Mining lease area of 106.1127 hectares in Unchabali Iron & Manganese ore mines of Smt Indrani Patnaik, in Keonjhar district, Odisha.

Sir.

I am directed to refer to the Government of Odisha's letter No 10 F (Cons.) 155/ 2014-14856/ F & E dated 11th August 2014 on the above mentioned subject, seeking prior approval of the Central Government under Section-2 of the Forest (Conservation) Act, 1980. After careful examination of the proposal by the Forest Advisory Committee constituted by the Central Government under Section-3 of the said Act, 'in-principle' approval to the proposal was granted by the Ministry vide its letter of even number dated 30th December, 2014 subject to fulfillment of certain conditions prescribed therein. The State Government has furnished compliance report in respect of the conditions stipulated in the 'in-principle' approval and has requested the Central Government to grant final approval.

In this connection, I am directed to say that on the basis of the compliance report furnished by the State Government of Orissa vide their letter No. 10F (Cons)-37/2015/8276/F & E. Bhubaneswar dated 18th May, 2015, final approval of the Central Government is hereby granted under Section-2 of the Forest (Conservation) Act, 1980 for additional 68.157 hectares of forest land including 3.825 hectares of forest land inside safety zone, in addition to 35.275 hectares of DLC forest land already diverted, within total Mining lease area of 106.1127 hectares in Unchabali Iron & Manganese ore mines of Smt. Indrani Patnaik, in Keonjhar district, Odisha, subject to the following conditions:

- (i) Legal status of the diverted forest land shall remain unchanged;
- (ii) Compensatory afforestation over the non-forest land, equal in extent to the forest land being diverted, shall be raised and maintained by the State Forest Department from funds already provided by the user agency;
- (iii) The non-forest land transferred and mutated in favour of the State Forest Department shall be notified by the State Government as RF under Section-4 or PF under Section-29 of the Indian Forest Act, 1927 or under the relevant Section(s) of the local Forest Act latest within a period of six months from the date of issue of Stage--II approval. The Nodal Officer shall report compliance in this regard along with a copy of the original



notification declaring the non-forest land under Section 4 or Section 29 of the Indian Forest Act, 1927 or under the relevant Section(s) of the local Forest Act, as PF or RF, as the case may be, within the stipulated period to the Central Government for information and record:

- (iv) Following activities, as per approved plan/schemes, shall be undertaken by the user agency under the supervision of the State Forest Department:
 - (a) Mitigative measures to minimize soil crosion and choking of streams shall be implemented in accordance with the approved Plan in consultation with the State Forest Department.
 - (b) Planting of adequate drought hardy plant species and sowing of seeds, in the appropriate area within the mining lease to arrest soil crosion in accordance with the approved scheme;
 - (c) Construction of check dams, retention /toe walls to arrest sliding down of the excavated material along the contour in accordance with the approved scheme;
 - (d) Stabilize the overburden dumps by appropriate grading/benching, in accordance with the approved scheme, so as to ensure that that angles of repose at any given place is less than 28°; and
 - (c) No damage shall be caused to the top-soil and the user agency will follow the top-soil management plan.
- (v) The User Agency shall pay the additional amount of NPV, if so determined, as per the final decision of the Hon'ble Supreme Court of India;
- (vi) The User agency shall obtain the Environment Clearance as per the provisions of the Environmental (Protection) Act, 1986, if required;
- (vii) The State Government shall seek approval of Central Government under the FC Act for diversion 0.469 ha of forest land reported to be forest *kissam* as on 25.10.1980 by the Tahasildar, Barbil out of the total non-forest land over 2.6827 ha treated as non-forest as per Hal RoR.
- (viii) The User agency shall implement the provisions, as contained in the Regional Wildlife Management Plan in consultation with the Chief Wildlife Warden, Odisha from the funds already provided by the user agency for this purpose:
- (ix) The User agency shall implement the provisions, as contained in the approved site specific Wildlife Conservation Plan in consultation with the Chief Wildlife Warden, Odisha from the funds already provided by the user agency for this purpose;
- (x) User agency shall take appropriate measures such as construction of ponds, water conservation / harvesting structure etc. to ensure conservation of water in and around the project site;
- (xi) The State Forest Department shall organize environmental awareness programme to generate awareness among the employees as well as local residents on issues pertaining to conservation and protection of environment from the funds already provided by the User agency;

4

- (xii) The user agency shall abide by the provision shall take appropriate measures which will be suggested by the State Government based on the outcome of study, being conducted by the National Institute of Technology, Rourkela to assess impact of this project on floral and faunal biodiversity;
- (xiii) Tree felling should be taken up in phases strictly as per requirement under the supervision of the Divisional Forest Officer, Keonjhar Forest Division:
- (xiv) User agency shall execute the Phased Reclamation Plan at their cost; and
- (xv) The user agency shall surrender mined out and biologically reclaimed forest area to the State Forest Department as per the schedule for surrendering of such land submitted by the State Government;
- (xvi) Following activities shall be undertaken by the user agency for the management of safety zone:
 - (a) User agency shall ensure demarcation of boundary of safety zone (7.5 meter strip all along the outer boundary of the mining lease area), and its protection by erecting adequate number of 4 feet high RCC boundary pillars inscribed with DGPS coordinates and deploying adequate number of watchers under the supervision of the State Forest Department.
 - (b) In case of the mining leases adjoining the habitation stretch of the boundary of the safety zone of the lease adjacent to the habitation/roads should be properly fenced by the user agency at the project cost to protect the vegetation /regeneration activities in the safety zone.
 - (c) Safety zone shall be maintained as green belt around the mining lease and to ensure dense canopy cover in the area, regeneration shall be taken in this area by the user agency at the project cost under the supervision of the State Forest Department.
 - (d) Afforestation on degraded forest land, to be selected elsewhere, measuring one and a half times the area under safety zone shall also be done by the user agency at the project cost under the supervision of the State Forest Department.
- (xvii) Period of diversion of the said forest land under this approval shall be for a period coterminus with the period of the mining lease to be granted under the Mines and Minerals (Development and Regulation) Act, 1957, as amended or Rules framed there under;
- (xviii) User agency either himself or through the State Forest Department shall undertake gap planting and soil & moisture conservation activities to restock and rejuvenate the degraded open forests (having crown density less than 0.4), if any, located in the area within 100 m. from outer perimeter of the mining lease;
- (xix) User agency shall undertake de-silting of the village tanks and other water bodies located within five km from the mine lease boundary so as to mitigate the impact of siltation of such tanks/water bodies, whenever required;
- (xx) User agency shall undertake mining in a phased manner after taking due care for reclamation of the mined over area. The concurrent reclamation plan shall be executed by the User Agency from the very first year, and an annual report on implementation thereof shall be submitted to the Nodal Officer, Forest (Conservation) Act, 1980, Government of

Odisha and the Addl. Principal Chief Conservator of Forests (Central), Ministry of Environment & Forests, Regional Office (Eastern Zone), Bhubaneswar. If it is found from the annual report that the activities indicated in the concurrent reclamation plan are not being executed by the User Agency, the Nodal Officer or the Addl. Principal Chief Conservator of Forests (Central) may direct that the mining activities shall remain suspended till such time, such reclamation activities are satisfactorily executed;

- (xxi) No labour camp shall be established on the forest land;
- (xxii) User agency shall provide firewood preferably alternate fuel to the labourers and the staff working at the site so as to avoid any damage and pressure on the adjacent forest areas;
- (xxiii) The boundary of the mining lease and safety zone shall be demarcated on ground at the project cost, by erecting four feet high reinforced cement concrete pillars, each inscribed with its serial number, forward and back bearing and distance from pillar to pillar;
- (xxiv) Forest land shall not be used for any purpose other than that specified in the proposal;
- (xxv) The user agency shall submit the annual self-compliance report in respect of the above conditions to the State Government and to the concerned Regional Office of the Ministry regularly;
- (xxvi) Any other condition that the Regional Office (Eastern Zone), Bhubaneswar of this Ministry and the Government of Odisha may stipulate, from time to time, in the interest of conservation, protection and development of forests & wildlife; and
- (xxvii) The User Agency and the State Government shall ensure strict compliance of conditions of Stage-I approval for which undertakings has been obtained from the User Agency and also provisions of the all Acts, Rules, Regulations and Guidelines, for the time being in force, as applicable to the project.

Yours faithfully,

(Nisheeth Saxena)

Assistant Inspector General of Forests

Copy to:

- 1. The Principal Chief Conservator of Forests, Government of Odisha, Bhubaneswar.
- 2. The Nodal Officer, the Forest (Conservation) Act, 1980 Forest Department. Government of Odisha. Bhubaneswar.
- 3. The Addl. Principal Chief Conservator of Forests (Central), Regional Office (Eastern Zone), Bhubaneswar.

4. User Agency.

5. Monitoring Cell, FC Division, MoEF & CC, New Delhi.

6. Guard File.

(Nisheeth Saxena)

Assistant Inspector General of Forests

No. J-11015/273/2009-IA.II(M)

Government of India Ministry of Environment & Forests

> Paryavaran Bhawan, C.G.O. Complex, Lodi Road, New Delhi – 110 003

Dated the 31st May, 2011

To

M/s Indrani Patnaik A/6 Commercial Estate, Civil Township, Rourkela-769 004

Subject: Unchabali Iron Ore Beneficiation Plant of Smt. Indrani Patnaik, located in Village Unchabali, Tehsil Barbil, District Keonjhar, Orissa -environmental clearance regarding.

Sir,

This has reference to your letter No. UIMM/BF/MOEF/EC/2010/10 dated 30.10.2010 and subsequent letters dated 31.12.2010 and 21.01.2011 on the subject mentioned above. The project was earlier prescribed Terms of Reference (TORs) by the Ministry of Environment and Forests on 16.11.2009 for undertaking detailed EIA study for the purpose of obtaining environmental clearance. The proposal is for setting up of a iron ore beneficiation plant with a capacity of 2.0million tonnes per annum (million TPA) throughput within the existing mining lease area. The Unchaballi Iron Ore and Manganese Ore Mining Project of M/s Indrani Patnaik located in Village(s) Unchaballi & Balda, Tehsil Champua, District Keonjhar, Orissa was accorded environmental clearance by the Ministry vide letter No. J-11015/214/2008-IA.II(M) dated 23rd July, 2009 for production capacity of 4million TPA of iron ore involving mining lease area 106.1127ha.

2. The proposed beneficiation plant will be located within the existing mine lease area for which environment clearance has already been obtained for a rated capacity of 4million TPA. Out of the total mine lease area of 106.1127ha (including 103.432ha of forestland); the land requirement for the beneficiation plant will be 2.35ha. Out of 2.35ha land requirement for beneficiation plant, an area of 1.05ha is kept for plant facilities, 1.1ha for water storage and 0.2ha for approach roads. The Baitarni River is flowing in the buffer zone of the project at a distance of 2.5km from the mine lease boundary. In addition, eight water bodies namely the Jalpa Nadi(1.5km), the Kasi Nallah(3.5km), the Dolko Nallah(7km), the Dalki Nallah(7.5km), the Ghagra Nallah and the Jagdhara Nadi(8km), the Gahirajala Nallah(8.5km) and the Mithida Spring(9km) are located in the buffer zone of the project.

..2/-

- 3. No national park/wildlife sanctuary/biosphere reserve/tiger reserve/elephant reserve etc. are reported to be located in the core and buffer zone of the project. The Conservator of Forests(Wildlife) approved site specific wildlife conservation plan for the mine on 15.02.2010.
- 4. The beneficiation plant will adopt wet process with the latest State of Art Technology comprising of drum scrubbers, double deck wet screens, jigs, dewatering and rinsing screens, thickening cyclones, high frequency screens, filter press etc. The throughput capacity of the beneficiation plant will be two million TPA. The life of the beneficiation plant is reported to be 10 years only based on the mineral available from this mine and accordingly proponent have sought for clearance only for 10 years. Selection of filter press eliminates the necessity of tailing pond and the final sludge comes in the form of cake. The project is based on zero discharge. The effluent generated will be recycled and reused and there will be no effluent discharge outside the plant area. The cake generated from the filter press will be dumped initially for two years along with the overburden as inter mixed layers and thereafter it will be filled back into the mined out area. The peak water requirement of the project is estimated as 1025m³ per day, which will be obtained from the groundwater.
- 5. The public hearing of the project was held on 05.10.2010 for establishment of 2million TPA iron ore beneficiation plant within the mining lease hold area of Unchaballi Iron Ore and Manganese Ore Mining Project of M/s Indrani Patnaik located in Village(s) Unchaballi & Balda, Tehsil Champua, District Keonjhar, Orissa. The Ministry of Environment and Forests conveyed its approval under Section-2 of the Forest (Conservation) Act, 1980 for diversion of 35.275 ha forestland (34.675ha for mining and 0.6ha for road) on 03.05.2007. The capital cost of the project is Rs.3000Lakhs and the capital cost for the environmental protection measures is proposed as Rs.320Lakhs. The annual recurring cost towards the environmental protection measures is proposed as Rs.25Lakhs. It has been stated that there is no court case to the project or related activity.
- 6. The Ministry of Environment and Forests has examined the application in accordance with the EIA Notification, 2006 and hereby accords environmental clearance under the provisions thereof to the above mentioned Unchabali Iron Ore Beneficiation Plant of Smt. Indrani Patnaik for an annual production capacity of Two(2)million tonnes throughput involving project area of 2.35ha, within the existing mining lease area of 106.1127ha of the applicant for a period of ten years only, subject to implementation of the following conditions and environmental safeguards.

A. Specific Conditions

(i) No activity relating to the project shall be undertaken in the forestland for which forestry clearance under the Forest (Conservation) Act, 1980 has not been obtained. The environmental clearance is subject to grant of forestry clearance.

- (ii) The project proponent shall obtain Consent to Establish and Consent to Operate from the State Pollution Control Board, Orissa and effectively implement all the conditions stipulated therein.
- (iii) The water recovery and spill way system shall be so designed that the natural water resources are not affected and that no spill water goes into the nearby rivers.
- (iv) The project proponent shall carry out conditioning of the ore with water to mitigate fugitive dust emission.
- (v) The cake generated from the filter press shall be dumped initially for two years along with the overburden as inter mixed layers and thereafter it shall be filled back into the mined out area. Compliance status shall be submitted to the Ministry of Environment & Forests and its Regional Office located at Bhubaneswar on six monthly basis.
- (vi) Necessary safeguard measures shall be taken for effective control of particulate levels (PM_{10}) in the area. The safeguard measures shall be implemented within first three months and their effectiveness shown with supporting data of actual air quality monitoring.
- (vii) A green belt of adequate width shall be developed all around the plant by planting the native species in consultation with the local DFO/Agriculture Department within first five years.
- (viii) Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as around crushing and screening plant, loading and unloading point and transfer points. Extensive water sprinkling shall be carried out on haul roads. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.
- (ix) The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board.
- (x) Regular monitoring of ground water level and quality shall be carried out in and around the project area by establishing a network of existing wells and installing new piezometers during the operation. The periodic monitoring [(at least four times in a year- pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January); once in each season)] shall be carried out in consultation with the State

M4/-

Ground Water Board/Central Ground Water Authority and the data thus collected may be sent regularly to the Ministry of Environment and Forests and its Regional Office Bhubneswar, the Central Ground Water Authority and the Regional Director, Central Ground Water Board. If at any stage, it is observed that the groundwater table is getting depleted due to the mining activity, necessary corrective measures shall be carried out.

- (xi) The project proponent shall obtain necessary prior permission of the competent authorities for drawl of requisite quantity of water(surface water and groundwater) required for the project.
- (xii) Suitable rainwater harvesting measures on long term basis shall be planned and implemented in consultation with the Regional Director, Central Ground Water Board.
- (xiii) Appropriate mitigative measures shall be taken to prevent pollution of the Baitarni River in consultation with the State Pollution Control Board.
- (xiv) Pre-placement medical examination and periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly.
- (xv) Occupational health surveillance program of the workers shall be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed. Health records of the workers shall be maintained.
- (xvi) Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- (xvii) The project proponent shall take all precautionary measures during mining operation for conservation and protection of endangered fauna namely elephant, sloth bear etc. spotted in the study area. All the safeguard measures brought out in the approved site specific wildlife conservation plan shall be effectively implemented in consultation with the State Forest and Wildlife Department. Necessary allocation of funds for implementation of the conservation plan shall be made and the funds so allocated shall be included in the project cost. A copy of approved conservation plan shall be submitted to the Ministry of Environment and Forests and its Regional Office, Bhubaneswar.

B. General conditions

- (i) No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests.
- (ii) Atleast four ambient air quality-monitoring stations should be established in the core zone as well as in the buffer zone for RSPM (Particulate matter with size less than 10micron i.e., PM_{10}) and NO_X monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.
- (iii) Data on ambient air quality [(RSPM(Particulate matter with size less than 10micron i.e., PM_{10}) and NO_X] should be regularly submitted to the Ministry including its Regional office located at Bhubaneswar and the State Pollution Control Board / Central Pollution Control Board once in six months.
- (iv) Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.
- (v) Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc. should be provided with ear plugs / muffs.
- (vi) Industrial waste water (workshop and waste water from the mine) should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.
- (vii) Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.

Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.

(viii) A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.

- (ix) The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Bhubaneswar.
- (x) The project authorities should inform to the Regional Office located at Bhubaneswar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.
- (xi) The Regional Office of this Ministry located at Bhubaneswar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.
- (xii) The project proponent shall submit six monthly reports on the status of compliance of the stipulated environmental clearance conditions including results of monitored data (both in hard copies as well as by email) to the Ministry of Environment and Forests, its Regional Office Bhubneswar, the respective Zonal Office of Central Pollution Control Board and the State Pollution Control Board. The proponent shall upload the status of compliance of the environmental clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the Ministry of Environment and Forests, Bhubneswar, the respective Zonal Officer of Central Pollution Control Board and the State Pollution Control Board.
- (xiii) A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parisad/ Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- (xiv) The State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Centre and the Collector's office/ Tehsildar's Office for 30 days.
 - (xv) The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Office of the Ministry of Environment and Forests, Bhubneswar by e-mail.

- (xvi) The project authorities should advertise at least in two local newspapers of the District or State in which the project is located and widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at http://envfor.nic.in and a copy of the same should be forwarded to the Regional Office of this Ministry located at Bhubaneswar.
- 7. The Ministry or any other competent authority may alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
- 8. Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.
- 9. The above conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and rules made thereunder and also any other orders passed by the Hon'ble Supreme Court of India/ High Court of Orissa and any other Court of Law relating to the subject matter.

(SATISH C. GARKOTI) Scientist 'F'

Copy to:

- The Secretary, Ministry of Mines, Government of India, Shastri Bhawan, New Delhi.
- (ii) The Secretary, Department of Environment, Government of Orissa, Secretariat, Bhubaneswar.
- (iii) The Secretary, Department of Mines and Geology, Government of Orissa, Secretariat, Bhubaneswar.
- (iv) The Secretary, Department of Forests, Government of Orissa, Secretariat, Bhubaneswar.
- (v) The Chairman, Central Pollution Control Board, Parivesh Bhawan, CBD-cum-Office Complex, East Arjun Nagar, Delhi-110032.

..8/-

- (vi) The Chief Conservator of Forests, Regional Office (EZ), Ministry of Environment and Forests, A-3 Chandrashekharpur, Bhubaneshwar-751023.
- (vii) The Chairman, Orissa State Pollution Control Board, Parivesh Bhawan, A/118 Nilakantha Nagar, Unit-VIII, Bhubaneshwar-751012.
- (viii) The Member Secretary, Central Ground Water Authority, A2, W3 Curzon Road Barracks, K.G. Marg, New Delhi-110001.
- (ix) The District Collector, District Keonjhar, Government of Orissa.
- (x) EI Division, Ministry of Environment & Forests, EI Division, New Delhi.
- (xi) Monitoring File.
- (xii) Guard File.


(xiii) Record File.

(SATISH C. GARKOTI)

Scientist 'F'

Annexure - 5

PIEZOMETER GROUND WATER LEVEL DATA:





Member Secretary

केन्द्रीय भूमि जल प्राधिकरण जल संसाधन, नदी विकास एवं गंगा संरक्षण मंत्रालय भारत सरकार

Central Ground Water Authority
Ministry of Water Resources
River Development & Ganga Rejuvenation
Government of India

CGWA/IND/Proj/2017-246-R

Dated:- 16 NOV 2017

No.21-4(88)/SER/CGWA /2008- 1903

To,

M/s Unchabali Iron & Manganese Ore Mines
Smt. Indrani Patnaik
At- Unchabali, Block Joda,
District Keonjhar, Odisha - 758034

Sub:- Renewal of NOC for ground water withdrawal to M/s Unchabali Iron & Manganese Ore Mines of Smt. Indrani Patnaik located at Village Unchabali, Block Joda, Tehsil Barbil, District Keonjhar, Odisha - reg.

Refer to your application dated 29.04.2017 on the above cited subject. Based on recommendations of Regional Director, CGWB, South Eastern Region, Bhubaneswar vide their office letter No. 5-22/SER/CGWA/2017-18-856 dated 11.08.2017, and further deliberations on the subject, the renewal of NOC issued vide this office letter of even no. dated 09.05.2014 is hereby accorded to M/s Unchabali Iron & Manganese Ore Mines of Smt. Indrani Patnaik located at Village Unchabali, Block Joda, Tehsil Barbil, District Keonjhar, Odisha. The renewal is however subject to the following conditions:-

 The firm may abstract 1,175 m3/day (not exceeding 4,28,875 m3/year) of ground water through existing seven (7) bore wells only. No additional groundwater structures shall be constructed for this purpose without prior approval of the CGWA.

2. All the wells shall be fitted with water meter by the industry at its own cost and monitoring of ground water abstraction shall be continued on regular basis at least once in a month. The firm will continue to provide data of ground water extraction on regular basis to the Regional Director, Central Ground Water Board, South Eastern Region, Bhubaneswar. The ground water quality will be monitored twice in a year during pre monsoon and post monsoon periods.

3. M/s Unchabali Iron & Manganese Ore Mines, shall continue to implement ground water recharge measures to the tune of 6,36,676 m³/year for augmenting the ground water resources in consultation with the Regional Director, Central Ground Water Board, South Eastern Region, Bhubaneswar. Firm shall also undertake periodic maintenance of recharge structures at its own cost

4. The firm shall continue to execute monthly ground water regime monitoring in and around the project area both in core and buffer zones through adequate

West Block - 2, Wing - 3, Sector - 1, R.K. Puram, New Delhi - 110066 Tel: 011-26175362, 26175373, 26175379 Fax: 011-26175369

Website: www.cgwb.gov.in, www.mowr.gov.in

number of observation wells. The firm shall construct one (1) additional piezometer in consultation with Regional Director, Central Ground Water Board, South Eastern Region, Bhubaneswar.

5. Both the piezometers shall be fitted with digital water level recorder and

telemetry system.

6. The ground water monitoring data in respect of S. No. 2 & 5 shall be submitted to Central Ground Water Board, South Eastern Region, Bhubaneswar on regular basis at least once in a year.

7. The firm shall ensure proper recycling and reuse of waste water after adequate

treatment.

8. Action taken report in respect of S.N o. 1 to 6 may be submitted to CGWA within one year period.

9. The renewal is liable to be cancelled in case of non-compliance of any of the conditions as mentioned in S. No. 1 to 7.

10. This NOC is subject to prevailing Central/State Government rules/laws or Court orders related to construction of tubewell/ground water withdrawal/construction of recharge or conservation structures/discharge of effluents or any such matter as applicable.

11. This NOC does not absolve the applicant / proponent of his obligation / requirement to obtain other statutory and administrative clearances from other

statutory and administrative authorities.

- 12. The NOC does not imply that other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would consider the project on merits and be taking decisions independently of the NOC.
- 13. This renewal is valid for five years from date of issuance of this letter.

Member Secretary

Copy to:

1. The Member Secretary, Odisha Pollution Control Board Paribesh Bhawan, A/118, Nilakantha Nagar, Unit - VIII, Bhubaneswar, Odisha with the request to ensure that the conditions mentioned in the NOC are compiled by the firm in consultation with the Collector & District Magistrate, District Keonjhar, Odisha.

2. The District Collector and District Magistrate, District Keonjhar, Odisha for

necessary action.

3. The Regional Director, Central Ground Water Board, South Eastern Region, Bhubaneswar. This has reference to your recommendation dated 11.08.2017.

4. TS to the Chairman, Central Ground Water Authority, Shram Shakti Bhawan, Rafi Marg, New Delhi.

5. Guard File 2017-18.

Member Secretary

COMPUTERISED EMISSION TEST CERTIFICATE

AUTH. BY TRASPORT DEPARTMENT GOVT. OF ODISHA

THRIVENI EMISSION TEST CENTERE

Unchabali, Bamebari, Keonjhar, Odisha - 758 034

License No: (AUTH) STA-CTC POLL No.05/2015

Vehicle Registration No: OR09M-9699

ID No. ODTPC 003269

Year of Registration: 2010

Fuel: Diesel

Speedometer reading (kms): 000

Date: 12.01.2020

Engine Number: G35217

Vehicle colour: SILVER

Chassis No: C68018 Owner: T.E.M.P.LTD.

Type of Vehicle: BOLERO

Type of Engine: 4S

Vehicle Make: M&M

Vehicle Model: SLE 2 WD

Driver: 000

Valid Up To: 13.06.2020

Test Fee: NA

Grade: A

Test Result: Free Acceleration

Validy for 6 months

	ee receioration		validy for o months					
No. of K	Kval	Min RPM	Max RPM	Interval	Oil Temp	T. Time		
1	0.08	786	2055	5.1	79	11.28.10 AM		
2	0.07	898	2047	5.1	79	11.28.15 AM		
3	0.09	781	2045	5.1	79	11.28.20 AM		
4	0.09	859	2047	5.1	79	11.28.25 AM		
5		_		_				
6		-	_	_		3		
7								
8								
9	_			*********				
10	_	_						
K-Avg	0.33	_		*011.09	1.9699	as		
HSU	2.15			A Secretaria de la constantidad				

Certified that this vehicle's K-Mean and HSU% value conforms to the Standards prescribed under Rule 115(2) of CMV Rules 1989, the certificate is valid for 6 months.

THRIVENI EMISSION TEST CENTRE AL-UNCHABALI, Po. BAMEBARI VIA - JODA - 758034 Dist . Keonihar (Odisha) Auth. No. STA-CTC, Poll No. 05/2015



Authorised Signatory with seal



Event Report

Date/Time Manual at 16:42:50 October 1, 2019

Range Geo: 254.0 mm/s Record Time 102.0 sec at 1024 sps Job Number: 1412

Notes

Location: Unchabali Iron & Mn. Mines
Client: Smt. Indrani Patnaik
User Name: I DHARMATEJA

General:

Extended Notes BLASTING RL: 560 RL

DEPTH: 3 M NO.OF HOLES: 190 EXPLOSIVE: 3405 KG BOOSTER: 20 KG

Microphone Linear Weighting

PSPL 12.75 pa. (L) at 2.298 sec

ZC Freq 18 Hz

Channel Test Passed (Freq = 20.1 Hz Amp = 393 mv)

	iran	vert	Long	
PPV	1.280	1.154	2.179 n	nm/s
ZC Freq	16	7.9	10 H	Ηz
Time (Rel. to Trig)	56.949	57.327	56.888 s	sec
Peak Acceleration	0.027	0.027	0.027 დ)
Peak Displacement	0.027	0.022	0.037 r	nm
Sensor Check	Passed	Passed	Passed	
Frequency	7.4	7.5	7.3 H	Ηz
Overswing Ratio	3.5	3.3	3.6	


Peak Vector Sum 2.21 mm/s at 56.895 sec


Serial Number BE9928 V 10.72-8.17 Minimate Plus

Battery Level 6.3 Volts

Unit Calibration February 16, 2019 by UES, NewDelhi

File Name K928GR4C.UK0 Scaled Distance 6.4 (300.0 m, 3405 kg)





Time Scale: 10.00 sec/div

Scale: Geo: 2.000 mm/s/div Mic: 10.000 pa.(L)/div

Amplitude Sensor Check

INDRANI PATNAIK

(MINES OWNER)

A/6, COMMERCIAL ESTATE, CIVIL TOWNSHIP, ROURKELA - 769 004 Phone: 0661-2400139, 2400014, FAX: 0661-2402226

Ref. No. IP/mm/Ochober 19/004

Date: 03.10.2019

The Member Secretary, State Pollution Control Board, Parivesh Bhawan, A/118, Nilakantha Nagar, Unit - VIII, Bhubaneswar - 751012.

Dismantling of 2.0 MTPA (2 x 185 TPH) Unchabali Iron Ore Beneficiation Plant of Smt. Indrani Patnaik, located in village in Unchabali, Tehsil Barbil, District Keonjhar, Orissa — Reg.

- Ref: 1. Environment Clearance vide no. J-11015/273/2009-IA.II(M) dt. 31.05.2011
 - Consent to establish Order 12653/IND-II-NOC-5291 dt. 30.07.2011.
 - 3. Consent Order no. 2645, vide no. 11731/IND-I-CON-6035 dt. 26.06.2013 & 2476/IND_I-CON-6035 dt. 06.02.2016

Dear Sir,

With reference to the cited subject and reference letter no., we would like to inform you that, we have established 2.0 Million TPA (2 x 185 TPH) Iron Ore Beneficiation Plant after obtaining the requisite statutory clearances say Consent to Establish from your good office vide no. 12653/IND-II-NOC-5291 dt. 30.07.2011, Environment Clearance from MoEF&CC vid no. J-11015/273/2009-IA.II(M) dt. 31.05.2011 and Consent to Operate from your good office vide no. 11731/IND-I-CON-6035 dt. 26.06.2013. SPCB. After due approvals, the iron ore beneficiation plant was in operation since 2013.

In due course of time and as per the approved review of mining plan duly approved by Indian Bureau of Mines, Govt. of India vide no. MS/FM/25-ORI/BHU/2017-18 dt. 16.11.2017; the total ROM will be handled by dry method of size separation with the help of Crusher and Screen Plants, so there will no requirement of wet beneficiation plant due to the following reasons;

"After detailed exploration, the resource has been estimated under G1 category. No additional resource has been established by drilling. The average grade of iron ore is coming around 62% Fe. Based on the estimation of the resource, it can be observed that, only 10% of total quantity is coming under sub-grade ore. Those sub-grade ore can easily be blendable with high grade ore. Hence, it is not worth to use the wet beneficiation plant as far as cost benefit analysis is concerned."

Ey

In view of the above, we would like to inform you that; since there is no such requirement of the Beneficiation Plant, so we are in the process of dismantling of the 2.0 Million TPA (2 x 185 TPH) iron ore beneficiation plant located within our mines premises of Unchabali Iron & Mn Ore Mines.

This is for your kind information, please.

Yours faithfully,

Unchabali Iron Ore Beneficiation Plant of Smt. Indrani Patnaik

Enthleren

Mines Manger Manabali Iron & Mn. Mines

Indrani Patnaik Mahaparvat

Enclosed: Approved review of Mining Plan copy is attached.

CC to: The Director (S), Ministry of Environment, Forest & Climate Change, Eastern

Regional Office, A/3, Chandrasekharpur, Bhubaneswar, Odisha - 751023

OFFICE OF THE PRINCIPAL CCF (WILDLIFE) & CHIEF WILDLIF	F
WARDEN, ORISSA5 TH FLOOR, B.D.A. APARTMENT, PRAKRUTI BHAWAN,	
NILAKANTHA NAGAR, BHUBANESWAR- 751012.	

To

The Chief Conservator of Forests (Nodal), O/o the Principal CCF, Orissa, Bhubaneswar.

Sub: Approval of Site Specific Wildlife Conservation Plan for Unchabali Iron & Manganese Mines of Smt. Indrani Patnaik in Keonjhar district

Sir,

I am directed to inform you that the Site Specific Wildlife Conservation Plan for Unchabali Iron & Manganese Mines of Smt. Indrani Patnaik in Keonjhar district has been approved by PCCF(WL) & Chief Wildlife Warden, Orissa with revised financial forecast of Da 101000 lokas for the following activities.

3. For activities to be implemented by User agency---- Rs. 34.00 lakhs.

4. For activities to be implemented by DFO, Keonjhar Division

Rs.70.00 lakhs.

Total Rs. 104 lakhs

Various activities in the lease hold area will be executed by User Agency by themselves under the guidance of DFO, Keonjhar Division & Rs.70.00 lakhs may be deposited with DFO, Keonjhar division under CAMP for execution of various activities in Project Impact Area.

Copy forwarded to the DFO, Keonjhar Division for information & necessary action with reference to Memo No. 3185 dt. 27.8.09 of CF., Rourakela Circle.

1260 Memo No. ______ Dt. 15.2.2010

Copy forwarded to CF, Rourkela Circle for information & necessary action with reference to his office Memo No. 3184 dt.27.8.09


Memo No.

Conservator of Forests (WL)


Copy forwarded to the Smt. Indrani Patnaik, Mine Owner, A/6, Commercial Estate, Civl Township, Rourkela-769004 for information & necessary action with reference to his letter dated 22.9.09.

Conservator of Forests (WL)

Annexure - 11



AAQ MONITORING STATION



SL. No	Reference	Location
1	AAQ-C1	Employee Camp
2	AAQ-C2	Mines Entry And Exit Gate
3	AAQ – C3	Beneficiation Plant

SL.No	Reference	Location
1	AAQ-B1	Village Unchabali
2	AAQ-B2	Village Balda
3	AAQ-B3	Village Nayagardh







INDRANI PATNAIK

(MINES OWNER)

A/6, COMMERCIAL ESTATE, CIVIL TOWNSHIP, ROURKELA - 769 004 Phone: 0661-2400139, 2400014, FAX: 0661-2402226

REFERENCE: UIMM/IP/ENV/MAY/20/02

DATE: 26.05.2020

To

The Member Secretary, State Pollution Control Board, Orissa, 118/A, Nilakanthanagar, Unit – VIII, Bhubaneswar – 751012

Subject: Submission of Six Monthly Ambient Air Quality & Fugitive Dust Emission Report for the period from October 2019 to March 2020 in respect of Unchabali Iron & Mn. Mines of Smt. Indrani Patnaik

Reference: Special Condition no. 26 in approved Consent order No. 2645 vide letter no 2746 / IND-I-CON-6035 dated on 06.02.2016.

Dear Sir,

With reference to the above cited subject and reference to the above special condition no, we are hereby submitting the six **Monthly Ambient Air Quality & Fugitive Emission** monitoring report **in Appendix** - 1 for the period from October 2019 to March 2020 in respect of Unchabali Iron & Mn. Mines of Smt. Indrani Patnaik under the stipulated special compliance condition in approved consent order.

This is for your kind information, please.

Thanking you,

For, Unchabali Iron & Mn. Mines of Smt. Indrani Patnaik

Mines Manager

Enthelopero

(Authorized designations)

Indrani Pasialk Mahaparvat

Enclosed: Appendix - 1 & As above

Copy to: The Regional Officer, SPCB, Orissa, Regional Office, Collage Road, Dist. -

Keonjhar, and Orissa.

Ambient Air Quality Monitoring Report - October 2019 to March 2020

SUMMARIZED AMBIENT AIR QUALITY MONITORING REPORT: UNCHABALI IRON & MN ORE MINING PROJECT OF SMT. INDRANI PATNAIK, DISTRICT; KEONJHAR, ORISSA.

Period: OCTOBER 2020 to MARCH 2020

	100		Quality P	arameter, Re	sults, micro	.gm/CUM	
	Month	Range	PM10	PM2.5	SO_2	NO_x	CO
AAQ-C1 – Mines	OCT-19		58.2	27.2	7.5	19.1	0.286
main gate	NOV-19		63.1	28.5	7.1	19.8	0.279
(Core zone)	DEC-19		69.20	31.70	7.70	21.70	0.306
	JAN-20	AVG	75.20	33.40	8.30	23.60	0.319
	FEB-20		72.40	32.70	8.10	22.70	0.306
	MARCH-20		71.40	32.30	8.0	22.40	0.302
	OCT-19		55.6	26.0	7.2	18.3	0.242
- Company	NOV-19		62.0	29.1	6.9	19.4	0.274
AAQ-C2 -	DEC-19		66.90	31.30	7.50	21.0	0.295
Employees Camp (Core Zone)	JAN-20	AVG	72.50	32.80	7.80	22.80	0.308
(Core Zone)	FEB-20		72.70	34.10	8.10	22.80	0.308
	MARCH-20		70.40	33.0	7.90	22.0	0.297
	OCT-19	AVG	59.0	27.5	7.7	19.3	0.289
	NOV-19		63.6	28.5	7.1	19.9	0.281
AAQ-C3-	DEC-19		71.80	31.60	8.0	22.50	0.317
Beneficiation plant	JAN-20		72.80	32.40	7.80	23.20	0.312
(Core Zone)	FEB-20		74.30	33.30	8.30	23.30	0.314
	MARCH-20		72.20	32.40	8.10	22.60	0.305
	OCT-19		55.2	29.6	7.2	18.1	0.240
	NOV-19		66.2	30.5	7.2	20.6	0.293
AAQ-B2	DEC-19		63.0	27.20	6.70	19.0	0.264
Village Balda	JAN-20	AVG	64.80	30.40	6.70	19.0	0.252
(Buffer Zone)	FEB-20		70.70	33.10	7.20	23.70	0.275
	MARCH-20		70.40	31.80	7.90	22.10	0.298
A CONTRACTOR OF THE CONTRACTOR	OCT-19		55.4	29.9	7.2	18.2	0.242
	NOV-19		69.4	30.5	7.6	21.6	0.307
AAQ-B3	DEC-19		65.0	27.60	6.90	20.0	0.257
Village Nayagarh (Buffer Zone)	JAN-20	AVG	66.50	31.20	6.90	20.60	0.248
(Bullet Zolle)	FEB-20		77.0	35.50	7.40	25.20	0.249
	MARCH-20		71.10	32.10	8.0	22.30	0.301
	OCT-19		54.7	29.4	7.1	18.0	0.239
	NOV-19		69.5	30.8	7.6	21.6	0.308
AAO D1	DEC-19		64.10	27.60	6.80	19.90	0.271
AAQ-B1 Village Unchabali	JAN-20	AVG	67.60	31.70	6.90	20.80	0.251
(Buffer Zone)	FEB-20	2100	71.10	33.30	7.0	20.50	0.249
	MARCH-20		69.30	31.30	7.80	21.70	0.293

OCT-19	51.75	19.99	5.64	15.14	0.36
NOV-19	-	-	-	-	-
DEC-19	88.99	17.22	3.0	81.0	0.60
JAN-20	61.44	19.71	2.89	51.11	0.505
FEB-20	38.08	20.62	2.98	32.99	0.46
MARCH-20	38.94	12.29	3.05	31.71	0.40
	NOV-19 DEC-19 JAN-20 FEB-20	NOV-19 - DEC-19 88.99 JAN-20 61.44 FEB-20 38.08	NOV-19 DEC-19 88.99 17.22 JAN-20 61.44 19.71 FEB-20 38.08 20.62	NOV-19 - - DEC-19 88.99 17.22 3.0 JAN-20 61.44 19.71 2.89 FEB-20 38.08 20.62 2.98	NOV-19 - - - DEC-19 88.99 17.22 3.0 81.0 JAN-20 61.44 19.71 2.89 51.11 FEB-20 38.08 20.62 2.98 32.99

Fugitive Emission Monitoring Report - October 2019 to March 2020

		MONITORING LOCATIONS							
Periods		CRUSHER PLANT	WORK SHOP	HAUL ROAD	SCREEN PLANT	MINES FACE	DUMP AREA		
		Results, micro.gm/CUM							
Oct - 19	AVG	572	551	566	562	544	544		
Nov-19	AVG	546	559	542	572	559	556		
Dec- 19	AVG	638	647	656	645	649	655		
Jan-20	AVG	700	696	698	716	689	695		
Feb-20	AVG	714	702	726	720	704	715		
Mar-20	AVG	705	704	711	715	714	713		


NOTE - The monitoring and analysis has been carried by the Global Tech Enviro Experts Pvt. Ltd.

Date: 26.05.2020

Authorized Signatory 26

Unchabali Iron & Mn.Mines Indrani Psinaik Mahaparvat

Monitoring of Ambient Air quality and fugitive dust emission of the mine shall be done twice in a week (24 hourly) at particular site and data shall be submitted to the starpollution control board, once in six months.



INDRANI PATNAIK

(MINES OWNER)

A/6, COMMERCIAL ESTATE, CIVIL TOWNSHIP, ROURKELA - 769 004

Phone: 0661-2400139, 2400014, FAX: 0661-2402226

REFERENCE: UIMM/IP/ENV/MAY/19/02

DATE: 09.05.2019

To

The Member Secretary
State Pollution Control Board, Orissa
Parivesh Bhawan, A/118
Nilakantha Nagar, Unit – VIII,
Bhubaneshwar – 751012

Subject: Environmental Statement of "Unchabali Iron & Mn. Mines of Smt. Indrani Patnaik located in villages(s) Unchabali & Balda, Tehsil-Barbil, Dist: Keonjhar for the year 2018-2019.

Dear Sir,

With reference to the above subject, we are herewith submitting the Environmental Statement for the financial year 2018-2019 in the form – V as per rule – 14 under Environment (protection) Rules, 1986 in respect of Unchabali Iron & Mn. Mines of Smt. Indrani Patnaik.

This is for your kind information, please.

Thanking You,

For Unchabali Iron & Mn. Ore Mines of Smt. Indrani Patnaik

Authorized Signatory

Mahaparval

Copy to:

The Regional Officer,

SPCB, Orissa

Regional Office, College Road,

Dist: Keonjhar, Orissa

図のできているのでのできないのできないのできます。KALYANI LABORATORIES PVT. LTD.

Kalyani Laboratories

78/944, PAHAL, BHUBANESWAR-752101, ODISHA

AMBIENT AIR QUALITY MONITORING REPORT

Name of the Mines

Costumers Reference

UNCHABALI IRON & MANGANESE MINES

(Smt. Indrani Pattnaik)

A/6, Civil Township, Rourkela, Odisha

UIMM/IP/ENV/APRIL/2019-20/WO/01

Period

: February-2020

Sampling Location

: Unchabali Camp

Sample No

: KLPL/02/AAQ/202002/A1-1 to 28

Report No.

: KLPL/02/AAQ/202002/R-01

Issue Date: 05.03.2020

Date: 01.04.2019

Date	PM ₁₀ in (μg/m ³)	PM _{2.5} in (μg/m ³)	SO ₂ in (μg/m ³)	NOx in (μg/m³)	Carbon monoxide (CO) in mg/m ³
01.02.2020	69.7	32.6	7.8	21.8	0.295
02.02.2020	02.02.2020 71.8		8.0	22.5	0.304
03.02.2020			8.1	22.7	0.306
04.02.2020	73.8	34.6	8.3	23.1	0.312
05.02.2020	68.0	31.9	7.6	21.3	0.288
06.02.2020	69.8	32.7	7.8	21.9	0.295
07.02.2020	74.0	34.7	8.3	23.2	0.313
08.02.2020	67.7	31.7	7.6	21.2	0.286
09.02.2020	73.3	34.4	8.2	23.0	0.310
10.02.2020	80.0	37.5	9.0	25.1	0.338
11.02.2020	74.0	34.7	8.3	23.2	0.313
12.02.2020	72.8	34.1	8.2	22.8	0.308
13.02.2020	70.5	33.0	7.9	22.1	0.298
14.02.2020	77.0	36.1	8.6	24.1	0.326
15.02.2020 75.9		35.6	8.5	23.8	0.321
16.02.2020			8.8 8.9	24.5 24.8	0.330 0.334
17.02.2020					
18.02.2020	78.2	36.7	8.8	24.5	0.331
19.02.2020	73.2	34.3	8.2	23.0	0.310
20.02.2020	78.8	36.9	8.8	24.7	0.333
21.02.2020	68.8	32.2	7.7	21.6	0.291
22.02.2020	76.8	36.0	8.6	24.1	0.325
23.02.2020	77.9	36.5	8.7	24.4	0.330
24.02.2020	58.9	27.6	6.6	18.5	0.249
25.02.2020	California de la califo	Monito	ring not carried out	due to rain	
26.02.2020	59.3	27.8	6.6	18.6	0.251
27.02.2020	63.8	29.9	7.1	20.0	0.270
28.02.2020	75.0	35.1	8.4	23.5	0.317
29.02.2020	78.4	36.8	8.8	24.6	0.332
Average	72.7	34.1	8.1	22.8	0.308
AAQ Standard 2009	100	60	80	80	2
Protocols	IS-5182 (Part-23) 2006, Gravimetric	USEPA CFR-40, Part-50 Appendix L	IS-5182 (Part-2) 2001, West & Gaeke	IS-5182 (Part-6) 2006, Jacob & Hieocher	IS 5182 : Part.10 -1999 (NDIR)

Authorized Signatory

Kalvani Laharatary Privata Limitad

Kalyani Laboratories

78/944, PAHAL, BHUBANESWAR-752101, ODISHA

AMBIENT AIR QUALITY MONITORING REPORT

Name of the Mines

UNCHABALI IRON & MANGANESE MINES

(Smt. Indrani Pattnaik)

A/6, Civil Township, Rourkela, Odisha

Costumers Reference

UIMM/IP/ENV/APRIL/2019-20/WO/01

Date: 01.04.2019

Period

: February-2020 : Balda Village

Sampling Location Sample No

: KLPL/02/AAQ/202002/A4-1 to 8

Report No.

: KLPL/02/AAQ/202002/R-04

Issue Date: 05.03.2020

Date	PM ₁₀ in (μg/m ³)	PM _{2.5} in (μg/m ³)	SO ₂ in (μg/m ³)	NOx in (μg/m³)	Carbon monoxide (CO) in mg/m ³
04.02.2020	73.4	34.4	7.4	24.6	0.285
07.02.2020	70.7	33.1	7.2	23.7	0.275
11.02.2020	69.6	32.6	7.0	23.3	0.270
14.02.2020	72.8	34.1	7.4	24.4	0.283
18.02.2020	75.1	35.2	7.6	25.1	0.292
21.02.2020	71.6	33.6	7.3	24.0	0.278
26.02.2020	59.4	27.8	6.0	19.9	0.231
29.02.2020	73.1	34.3	7.4	24.5	0.284
Average	70.7	33.1	7.2	23.7	0.275
AAQ Standard 2009	100	60	80	80	2
Protocols	IS-5182 (Part-23) 2006, Gravimetric	USEPA CFR-40, Part-50 Appendix L	IS-5182 (Part-2) 2001, West & Gaeke	IS-5182 (Part-6) 2006, Jacob & Hieocher	IS 5182 : Part.10 -1999 (NDIR)

Authorized Signatory

Kalyani Laboratory Private Limited



OOOOOOOOOOOOOOOOOOOOOOOOOO KALYANI LABORATORIES PVT. LTD.

78/944, PAHAL, BHUBANESWAR-752101, ODISHA

FUGITIVE DUST MONITORING REPORT

Name of the Mines

UNCHABALI IRON & MANGANESE MINES

(Smt. Indrani Pattnaik)

A/6, Civil Township, Rourkela, Odisha

Costumers Reference

UIMM/IP/ENV/APRIL/2019-20/WO/01 Date: 01.04.2019

Period

Kalyani Laboratories

February-2020

Sampling Location

Crusher Area

Sample No

KLPL/02/FUG/202002/F1-1 to 28

Report No.

KLPL/02/FUG/202002/R-01

Issue Date: 05.03.2020

Sl. No.	Date	Result in μg/m ³		
1	01.02.2020	695		
2	02.02.2020	721		
3	03.02.2020	707		
4	04.02.2020	724		
5	05.02.2020	714		
6	06.02.2020	701		
7	07.02.2020	724		
8	08.02.2020	731		
9	09.02.2020	715		
10	10.02.2020	726		
11	11.02.2020	752		
12	12.02.2020	724		
13	13.02.2020	729		
14	14.02.2020	744		
15 15.02.2020		755		
16	16.02.2020	721		
17	17.02.2020	747		
18	18.02.2020	731		
19	19.02.2020	724		
20	20.02.2020	729		
21	21.02.2020	741		
22	22.02.2020	713		
23	23.02.2020	706		
24	24.02.2020	637		
25	25.02.2020	Monitoring not carried out due to rain		
26	26.02.2020	561		
27	27.02.2020	627		
28	28.02.2020	724		
29	29.02.2020	759		
	Average	714		
Protocols		IS: 5182 (Part 4):1999		

Digamber Double Authorized Signatory



> KALYANI LABORATORIES PVT. LTD.

Kalyani Laboratories

78/944, PAHAL, BHUBANESWAR-752101, ODISHA

TEST REPORT

NABL ULR NO : TC704320000003950F

Test Report No 2120 | 4370F6CKLPL/2/20/WATER/02364 Amendment No

Issue Date: 04-Mar-2020

Reference

: UIMM/IP/ENV/APRIL/2019-20/WO/01 : UNCHABALI IRON & MANGANESE MINES

Amendment Date : -DATE: 01.04.2019

Customer Name Address

: (SMT. INDRANI PATTNAIK)A/6, CIVIL TOWNSHIP, ROURKELA, ODISHA

Test Commenced On: 26-Feb-2020

Test Completion On: 04-Mar-2020

Date of receipt Sample Description : 26-Feb-2020 : DRINKING WATER (IS 10500:2012)

Sample Condition Sample Identification *:

: SEALED

GROUND WATER : NA

MFG Date: NA

Sampling Date: 21-Feb-2020

Batch No , Lot No Received Quantity

1LTR X 2

EXP Date: NA

Sample Collected By

: By Customer

Place of Collection: NAYAGARH VILLAGE DT-21.02.2020

Ref. To Sampling Procedure:

Para	meters	Unit	Requirement	Resu	It Test Method
BATI	ERIOLOGICAL QUALITY				
	Total Coliforms	MPN/100 ml	Shall not be detected in any 100 ml sample	<2	IS 1622:1981 RA 2009
CHE	MICAL PARAMETER				
i	Arsenic (As)	mg/l, max	0.01	<0.001	IS 3025 (Part 37):1988,RA 2009
ii	Electrical Conductivity	ms/cm		0.210	APHA 22nd Edition (02510B), 2012
iii	Total Dissolved Solid	mg/l, Max	500	132	IS 3025 (PART 16):1984 RA 2002
iv	Sodium	PPM	55%	1.0	IS 3025 (PART 45):1993, RA 2003
V	Calcium (as Ca)	mg/l, Max	75	19.2	IS 3025 (Part 40):1991 RA 2009
vi	Chloride (as CI)	mg/l, Max	250	26	IS 3025 (Part 32):1988 RA 2009
vii	Copper (as Cu)	mg/l, Max	0.05	<0.02	IS 3025 (Part 42):1992 RA 2009
viii	Fluoride (as F)	mg/I, Max	1	0.12	IS 3025 (Part 60):2008
ix	Iron (as Fe)	mg/I, Max	1	0.06	IS 3025 (Part 53):2003 RA 2014
x	Magnesium (as Mg)	mg/l, Max	30	5.83	IS 3025 (Part 46):1994 RA 2003
κi	Manganese (as Mn)	mg/l, Max	0.1	<0.05	IS 3025 (Part 59):2006 RA 2012
kii	Phenolic compounds (as C6H5OH)	mg/l, Max	0.001	<0.001	IS 3025 (Part 43):1992 RA 2009
xiii	Selenium (as Se)	mg/l, Max	0.01	<0.005	IS 3025 (Part 56):2003 RA 2009
kiv .	Sulphate (as SO4)	mg/l, Max	200	8	IS 3025 (Part 24):1986 RA 2009
ζV	Total alkalinity (as CaCO3),	mg/l, Max	200	102	IS 3025 (Part 23):1085 DA 2000
(vi	Total hardness (as CaCO3),	mg/l, Max	200	72	IS 3025 (Part 21):2009
cvii	Zinc (as Zn)	mg/l, Max	5	<0.05	15 3025 (Part 49):1994 KA 2009
viii	Ammonical Nitrogen (as NH3-N)	mg/l, Max	0.5	<0.3	APHA-22nd Edition (4500-NH3-B),2012
ix	Total Suspended Soilds	mg/l, Max		<0.4	APHA 22nd Edition (2540 D),2012
X	Oil & Grease	mg/l, Max	*	<0.025	APHA 22nd Edition (5520B),2012
χi	Chromium Hexavalent	mg/l, Max	***	<0.05	APHA 23rd Edition (3500-CR-B):2017

2118 | 4370F6C

KLPL- 340111A

78/944, PAHAL, BHUBANESWAR-752101, ODISHA Kalyani Laboratories

Parai	meters	Unit	Requirement	Result	Test Method
xxii	Total Chromium	mg/l, Max	0.05	<0.02	IS 3025 (PART 52): 2003 RA 2009
cxiii	Residual Chlorine	mg/l, Max		0.2	IS 3025 (PART 26): 1986 RA 2003
cxiv	Nitrate Nitrogen as NO3	mg/l, Max		0.18	Cl. 3.0 of IS 3025 (Part 34)
XV	Calcium Hardness as CaCO3	mg/l, Max		48	APHA-22nd Edition (2340 C),2012
ivx	Aluminum (as Al)	mg/l, Max	0.03	<0.02	IS 3025 (PART 55):2003 RA 2009
orvil	Boron (as B)	mg/l, Max	0.5	<0.1	Annex H OF IS 13428 : 2005 RA 2009
xviii	phosphate as (PO4)	mg/l		<0.1	APHA 22nd Edition (4500-P-D)
XIX	Potassium (as K)	mg/l, Max		<1.0	APHA 22nd Edition (3500-K-B)
××	Magnesium Hardness (as CaCO3)	mg/l,Max		24	IS 3025 (Part 46):1994 RA 2003
xxi	Silica	mg/l		0.28	APHA 23rd Edition (4500-SiO2-C) 2017
HYS	ICAL PARAMETER				
	Colour	Hazen, Max	5	<1.0	IS 3025 (Part 4:1983 RA 2012
	Odour	**	Agreeable	AGREEABLE	IS 3025 (Part 5):1983 RA 2012
i	pH value	***	6.5-8.5	7.2	IS 3025 (Part-11):1983, RA 2012
/	Taste		Agreeable	AGREEABLE	IS 3025 (Parts 8):1984 RA 2006
	Turbidity	NTU, Max	1	0.5	IS 3025 (Part 10):1984 RA 2006
i	Total Solid	Mg/I	1	132	IS 3025 (PART 16):1984 RA 2002
OXIC	SUBSTANCES				
	Cadmium (as Cd)	mg/l, Max	0.003	<0.001	IS 3025 (Part 41):1992 RA 2009
	Lead (as Pb)	mg/l, Max	0.01	<0.005	IS 3025 (Part 47):1994 RA 2009
i	Mercury (as Hg)	mg/l, Max	0.001	<0.0005	IS 3025 (Part 48):1994 RA 2009

Remarks

: NIL

Any unusual feature observed during determination

Diganter Asukt Authorized Signatory

For Kalyani Laboratories Pvt. Ltd

phora BBSR

OOOOOOOOOOOOOOOOOOOOOOOOOOOOO KALYANI LABORATORIES PVT. LTD.

Kalyani Laboratories

78/944, PAHAL, BHUBANESWAR-752101, ODISHA

TEST REPORT

NABL ULR NO : TC704320000003965F

Test Report No Amendment No

2130 | 4350F7DKLPL/2/20/WATER/02360

Issue Date: 04-Mar-2020

Amendment Date : -

Reference

: UIMM/IP/ENV/APRIL/2019-20/WO/01

Customer Name

: UNCHABALI IRON & MANGANESE MINES

DATE: 01.04.2019

Address

: (SMT. INDRANI PATTNAIK)A/6, CIVIL TOWNSHIP, ROURKELA, ODISHA Test Commenced On: 26-Feb-2020

Test Completion On: 04-Mar-2020

Date of receipt Sample Description : 26-Feb-2020 : SURFACE WATER

Sample Condition

: SEALED

Sample Identification *:

SURFACE WATER

Sampling Date: 21-Feb-2020

Batch No , Lot No

: NA

MFG Date: NA

EXP Date: NA

Place of Collection: BAITARANI RIVER DOWN STREAM DT-21.02.2020

Received Quantity Sample Collected By

1LTR X 3 : By Customer

Ref. To Sampling Procedure:

Para	meters	Unit	Requirement	Result	Test Method
BATE	RIOLOGICAL QUALITY				
l	Total Coliforms	MPN/100ml.	5000	>1600	IS: 1622:1981 RA 2009
CHEN	IICAL PARAMETER				
i	Nitrate as NO3	mg/l, Max	50	2.4	APHA 23rd Edition (4500-NO3E), 201
ii	Fluoride as F	mg/l, Max	1.5	0.25	APHA 23rd Edition (4500-F D,-C), 201
iii	Total Dissolved Solid	mg/l, Max	1500	76	APHA 23rd Edition (2540 C), 2017
iv	Dissolved Oxygen	mg/l, Max	4.0	5.6	APHA 23rd Edition(4500-O-C), 2017
٧	Biochemical Oxygen Demand(For 3 days 27deg C)	mg/l, Max		1.5	APHA 23rd Edition 2012(5210 B), 2017
vi	Chloride (as CI)	mg/l, Max	600	10	IS 3025 (Part 32):1988, RA 2009
vii	Copper (as Cu)	mg/l, Max	1.5	<0.01	IS 3025 (Part 42):1992 RA 2009
viii	Iron (as Fe)	mg/l, Max	50	4.5	APHA-23rd Edition (3500-Fe-B , 3111 B) 2017
ix	Phenolic compounds (as C6H5OH)	mg/l, Max	0.002	<0.001	IS 3025 (Part 43):1992 RA 2009
×	Selenium (as Se)	mg/l. Max	0.01	<0.01	IS 3025 (Part 56):2003 RA 2009
xi	Zinc (as Zn)	mg/l, Max	15	0.10	IS 3025 (Part 49):1994 RA 2009
xii	Total Chromium	mg/l, Max	0.05	<0.01	IS 3025 (Part 52):2003 RA 2009
xiii	Residual Chlorine	mg/l, Max	777	< 0.04	APHA-23rd Edition (4500 Cl B) 2017
xiv .	Anionic Surface Active Agents (as MBAS)	mg/I		<0.1	Annex K of IS 13428:2005
xv	Sulphate as SO4	mg/l, Max	400	22	APHA 23rd Edition (4500-So42E), 201
xvi	Oil & Grease	mg/l, Max		<0.025	APHA-23rd Edition (5520 B) 2017
PHYS	ICAL PARAMETER				
1	Color		300	11	APHA 23rd Edition (2120 B), 2017
ii	pH Value		6.5-8.5	7.4	APHA 23rd Edition (4500-H+-B), 2017
тохі	C SUBSTANCES				
į.	Cadmium (as Cd)	mg/l, Max	0.01	<0.001	IS 3025 (Part 41):1992 RA 2009
ii	Cyanide (as CN)	mg/l, Max	0.05	<0.01	IS 3025 (Part 27) :1986 RA 2003

2130 | 4350F7D

Kalyani Laboratories

78/944, PAHAL, BHUBANESWAR-752101, ODISHA

Test Report No : Parameters		: 2130 4350F	7DKLPL/2/20/WATER/0236	0		
			Unit Requirement		Result Test Method	
III	Lead (as Pb)	mg/l, Max	0.1	<0.01	IS 3025 (Part 47):1994 RA 2009	
iv	Arsenic (as As)	mg/l, Max	0.05	<0.01	IS 3025 (Part 37):1988 RA 2009	

Remarks

: NIL

Any unusual feature observed during determination

: NIL



Digamber Asulate Authorized Signatory For Kalyani Laboratories Pvt. Ltd

Kalyani Laboratories

78/944, PAHAL, BHUBANESWAR-752101, ODISHA

TEST REPORT



NABL ULR NO

: TC704320000003944F

Test Report No

2114 | 4346F68KLPL/2/20/WATER/02356

Issue Date: 04-Mar-2020

Amendment No

: -

Amendment Date : -

Reference

: UIMM/IP/ENV/APRIL/2019-20/WO/01

Customer Name

: UNCHABALI IRON & MANGANESE MINES

Address

: (SMT. INDRANI PATTNAIK)A/6, CIVIL TOWNSHIP, ROURKELA, ODISHA Test Commenced On: 26-Feb-2020

Test Completion On: 04-Mar-2020

Date of receipt Sample Description : 26-Feb-2020 : WASTE WATER

Sample Condition

: SEALED

Sample Identification *:

Ref. To Sampling Procedure:

ETP INLET

Sampling Date: 07-Feb-2020

APHA 22nd Edition (4500-H+-B), 2012

Batch No , Lot No Received Quantity : NA

1LTR X 2

MFG Date: NA

EXP Date: NA

Place of Collection: ETP INLET 07.02.2020

DATE: 01.04.2019

Sample Collected By

: By Customer

Unit Requirement **Parameters** Result Test Method CHEMICAL PARAMETER Chloride as Cl mg/l, Max APHA 22nd Edition (4500-CL - -B), 2012 H Total Dissolved Solid APHA 22nd Edition (2540 C), 2012 mg/l, Max 200 III Chemical Oxygen Demand APHA 23rd Edition (5220 B), 2017 mg/l, Max 210 iv Biochemical Oxygen Demand(For 3 days mg/l, Max 40 APHA 23rd Edition 2012(5210 B), 2017 27deg C) Iron (as Fe) APHA 22nd Edition (3500FE-B,3111B), 2012 mg/l, Max Manganese (as Mn) mg/l, Max < 0.1 IS 3025 (Part 34) 1988 RA 2003 vi APHA 23rd Edition (2540 D),2017 vii Total Suspended Soilds mg/l,Max 530 viii Oil & Grease mg/l, Max 1.6 APHA 22nd Edition (5520B),2012 PHYSICAL PARAMETER

Remarks

pH Value

: NIL

Any unusual feature observed during determination

Disamba Boulde Authorized Signatory For Kalyani Laboratories Pvt. Ltd

aborato

7.25

2114 | 4346F68

Page 1 of 1

KLPL- 340165A

Kalyani Laboratories

78/944, PAHAL, BHUBANESWAR-752101, ODISHA

TEST REPORT

NABL ULR NO **Test Report No** : TC704320000003945F

2115 | 4347F69KLPL/2/20/WATER/02357

Issue Date: 04-Mar-2020 Amendment Date : -

Amendment No

Reference

: UIMM/IP/ENV/APRIL/2019-20/WO/01

DATE: 01.04.2019

Customer Name

: UNCHABALI IRON & MANGANESE MINES

Address

: (SMT. INDRANI PATTNAIK)A/6, CIVIL TOWNSHIP, ROURKELA, ODISHA

Test Completion On: 04-Mar-2020

Date of receipt Sample Description : 26-Feb-2020 : WASTE WATER

Sample Condition Sample Identification * : : SEALED

Sampling Date: 07-Feb-2020

Batch No , Lot No

ETP OUTLET : NA

MFG Date: NA

Test Commenced On: 26-Feb-2020

EXP Date: NA

Received Quantity

1LTR X 2 : By Customer

Place of Collection: ETP OUTLET DT-07.02.2020

Sample Collected By Ref. To Sampling Procedure:

Para	Parameters		Unit Requirement		It Test Method
CHE	MICAL PARAMETER				
i	Chloride as Cl	mg/l, Max	-	18	APHA 23rd Edition (4500-CLB), 2017
ii	Total Dissolved Solid	mg/l, Max	-	160	APHA 23rd Edition (2540 C), 2017
ili	Chemical Oxygen Demand	mg/l, Max	250	50	APHA 23rd Edition (5220 B), 2017
iv	Biochemical Oxygen Demand(For 3 days 27deg C)	mg/l, Max	30	10	APHA 23rd Edition 2012(5210 B), 2017
V	Iron (as Fe)	mg/l, Max	3	1.62	APHA 22nd Edition (3500FE-B,3111B), 2012
vi	Manganese (as Mn)	mg/l, Max	2	<0.1	IS 3025 (Part 34) 1988 RA 2003
vii	Total Suspended Soilds	mg/l,Max		80	APHA 23rd Edition (2540 D),2017
vili	Oil & Grease	mg/l, Max	10	<0.4	APHA 22nd Edition (5520B),2012
PHYS	SICAL PARAMETER				
H	pH Value	***	5.5-9.0	7.4	APHA 23 rd Edition (4500-H+-B), 2017

Remarks

: NIL

Any unusual feature observed during determination

: NIL

Authorized Signatory

For Kalyani Laboratories Pvt. Ltd



Kalyani Laboratories

78/944, PAHAL, BHUBANESWAR-752101, ODISHA

TEST REPORT

Issue Date: 04-Mar-2020

NABL ULR NO Test Report No Amendment No

: TC704320000003940F :

2110 | 4342F64KLPL/3/20/WATER/02352

Amendment Date : -

: -

: UIMM/IP/ENV/APRIL/2019-20/WO/01

Reference

DATE: 01.04.2019

Customer Name Address

: UNCHABALI IRON & MANGANESE MINES

Place of Collection: STP INLET DT-07.02.2020

Date of receipt

: (SMT. INDRANI PATTNAIK)A/6, CIVIL TOWNSHIP, ROURKELA, ODISHA : 26-Feb-2020

Test Commenced On: 26-Feb-2020

Test Completion On: 04-Mar-2020

Sample Description

: WASTE WATER

Sample Condition

: SEALED STP INLET

Sampling Date: 07-Feb-2020

Sample Identification *: Batch No , Lot No

: NA

MFG Date: NA

EXP Date: NA

Received Quantity Sample Collected By 1 LTR X 1

: By Customer

Ref. To Sampling Procedure:

Para	Parameters		Requirement	Result	Test Method
CHE	MICAL PARAMETER				
i	Chloride as Cl	mg/l, Max	1.	54	APHA 22nd Edition (4500-CLB), 2012
ii	Total Dissolved Solid	mg/l, Max	-9	202	APHA 22nd Edition (2540 C), 2012
iii	Chemical Oxygen Demand	mg/l, Max		430	APHA 23rd Edition (5220 B), 2017
iv	Biochemical Oxygen Demand(For 3 days 27deg C)	mg/l, Max	-	62	APHA 23rd Edition 2012(5210 B), 2017
٧	Iron (as Fe)	mg/l, Max		1.3	APHA 22nd Edition (3500FE-B,3111B), 2017
vi	Manganese (as Mn)	mg/l, Max	-	<0.1	IS 3025 (Part 34) 1988 RA 2003
vii	Total Suspended Soilds	mg/I,Max		30	APHA 23rd Edition (2540 D),2017
PHY	SICAL PARAMETER				
i	pH Value			6.6	APHA 22nd Edition (4500-H+-B), 2012

Remarks

: NIL

Any unusual feature observed during determination

Didambon Asulle Authorized Signatory

For Kalyani Laboratories Pvt. Ltd



2110 | 4342F64

Page 1 of 1

KLPL-340170A

Kalyani Laboratories

78/944, PAHAL, BHUBANESWAR-752101, ODISHA

TEST REPORT



NABL ULR NO Test Report No : TC704320000003941F

2111 | 4343F65KLPL/3/20/WATER/02353

Issue Date: 04-Mar-2020

Amendment No

Amendment Date : -

Reference

: UIMM/IP/ENV/APRIL/2019-20/WO/01

Customer Name

: UNCHABALI IRON & MANGANESE MINES

DATE: 01.04.2019

Address

: (SMT. INDRANI PATTNAIK)A/6, CIVIL TOWNSHIP, ROURKELA, ODISHA : 26-Feb-2020

Test Commenced On: 26-Feb-2020

Test Completion On: 04-Mar-2020

Date of receipt Sample Description

: WASTE WATER

Sample Condition

: SEALED

Sample Identification *:

STP OUTLET

Sampling Date: 07-Feb-2020

Batch No , Lot No

: NA

MFG Date: NA Place of Collection: STP OUTLET DT-07.02.2020

EXP Date: NA

Received Quantity Sample Collected By

1LTR X 2 : By Customer

Ref. To Sampling Procedure:

Parameters		Unit Requirement		Resu	It Test Method
CHE	MICAL PARAMETER				
i	Total Suspended Soilds	mg/I,Max	10	6	APHA 23rd Edition (2540 D),2017
II	Chloride as Cl	mg/l, Max	-	42	APHA 22nd Edition (4500-CLB), 2012
iii	Total Dissolved Solid	mg/l, Max	¥	238	APHA 22nd Edition (2540 C), 2012
iv	Chemical Oxygen Demand	mg/l, Max	50	40	APHA 23rd Edition (5220 B), 2017
V	Biochemical Oxygen Demand(For 3 days 27deg C)	mg/l, Max	10	7	APHA 23rd Edition 2012(5210 B), 2017
vi	Iron (as Fe)	mg/l, Max	**	0.85	APHA 22nd Edition (3500FE-B,3111B), 201
vii	Manganese (as Mn)	mg/l, Max	-	<0.1	IS 3025 (Part 34) 1988 RA 2003
PHYS	SICAL PARAMETER				
1	pH Value		6.5-9.0	6.95	APHA 23rd Edition (4500-H+-B), 2017

Remarks

: NIL

Any unusual feature observed during determination

Disamber Asulal Authorized Signatory

For Kalyani Laboratories Pvt. Ltd

00/8/

2111 | 4343F65

Page 1 of 1

KLPL- 340111A