# NAME OF THE PROJECT: UNCHABALI IRON & MN. MINES OF SMT. INDRANI PATNAIK

### **CLEARANCE LETTER NO. & DATE:**

MOEF&CC CLEARANCE LETTER NO. J-110515/214/2008 IA.II (M), DATED.23.07.2009.

## PERIOD OF COMPLIANCE REPORT:

October, 2022 to March, 2023

# INDRANI PATNAIK

(MINES OWNER)

A/6, COMMERCIAL ESTATE, CIVIL TOWNSHIP, ROURKELA - 769 004 Phone 0661-2400139, 2400014, Fax: 0661-2402226

REFERENCE NO: UIMM/IP/ENV/JUNE/23/01

DATE: 01.06.2023

To

The Director (S)

Eastern Regional Office, Ministry of Environment & Forest, Government of India, A-3 Chandrasekharpur, Bhubaneswar - 751 023

Subject

: Submission of Environmental Clearance compliances stipulated in approved EC for iron ore production of 4.00 MTPA in respect of Unchabali Iron & Mn. Mines of Smt. Indrani Patnaik.

Reference: 1. Ministry's Clearance letter no. J-110515/214/2008-IA.II (M), dated 23.07.2009 for 4.00 MTPA Iron ore Production.

> MoEF &CC notification no. 4624 (Published in Gazette of India) Dt. 26.11.2018.

Dear Sir.

With reference to the above cited subject and gazette notification, we are submitting herewith the six monthly compliance report in soft copy by E-mail i.e. roez.bsr-mef@nic.in and also uploading the same in our company website for 4.00 MTPA Iron ore production with comprehensive data analysis reports (supporting photographs and monitoring reports) for the period OCTOBER 2022 to MARCH 2023 in respect of Unchabali Iron & Mn. Mines of Smt. Indrani Patnaik.

Thanking you.

Yours faithfully,

For Unchabali Iron & Mn. Mines of Smt. Indrani Patnaik

Mines Manager Mines Mikrobil

andred every

Unchabalitron & Min. Mines.

Enclosed

: As above & Compliance Copy with detailed analysis report and supporting photographs and monitoring data.

#### Copy to:

#### The Zonal Officer,

Central Pollution Control Board Eastern Zonal Office Kolkata

#### The Chairman,

Sate Pollution Control Board, Odisha A/118, Nilakanthanagar, Unit – VIII, Bhubaneswar – 751 012

#### The Regional Director,

Central Ground Water Board, Government of India, South Eastern Region, Bhubaneswar – 751 030

SP.		
Cond.	SPECIFIC CONDITION	PRESENT STATUS
NO.	SI ECIFIC CONDITION	IREGENI SIAIUS
I.	The project proponent shall obtain	As per requirement, the project has been
1.	Consent to Establish and Consent	obtained Consent to establish & Consent to
	_	Operate from SPCB, Orissa for 4.00 MTPA
	Pollution Control Board, Orissa,	Iron ore production. The obtained Consent
	and effectively implement all the	to Operate includes two numbers of 200 TPH
	conditions stipulated therein.	mobile crusher plant, two numbers of 150
		TPH mobile crusher plant, three numbers of
		250 TPH mobile screen plant. The
		compliance to the conditions stipulated in
		the approved consent to establish & consent
		to operate has been implemented effectively.
		The latest consent to operate compliance
		report has been submitted to SPCB, Orissa
		for the year 2022-23, and the same is
77		enclosed as ANNEXURE-1.
II.	Necessary forestry clearance under	
	the Forest (Conservation) Act,	
	1980 for an area of 103.432ha	
	forest land involved in the project	A
	shall be obtained before starting	As per condition, the forest clearance has
	mining operation in that area. Till	been obtained from MoEF for an area of
	such time mining activities shall	103.432 Ha in two phases under the Forest
	be restricted to an area of	(Conservation) Act, 1980. First phase forest
	67.16haof forestland for which	clearance was obtained on 03.05.2007 for an
	approval under section-2 of the forest (Conservation) Act, 1980	area of 35.275 Ha., vide MoEF letter no: 8
	was granted by the Ministry of	(21)40/2004-FCE dated 03.05.2007, and second phases forest clearance has been
	Environment and Forests on	obtained on 31.09.2015 over an area of
	03.05.2007. Environmental	68.157 Ha., vide MoEF&CC letter no F.NO.8-
	Clearance is subject to grant of	67/2014-FC dated on 31.09.2015.
	forestry clearance. No mining	The copy of the forest clearances obtained
	shall be undertaken in the forest	from MoEF&CC is attached as <b>ANNEXURE</b> -
	area without obtaining requisite	2 (First phase for 35.275 Ha) & ANNEXURE
	prior forestry clearance.	- <b>3</b> (Second phase for 68.157 Ha).
	No activity relating to the project	2 (2000) phase for ootio, may.
	shall be undertaken in the	
	forestland for which forestry	
	clearance under the forest	

(conservation) Act, 1980 has no	
been obtained. The environmenta	
clearance is subject to grant o	
forestry clearance.	
III. The environmental clearance i	
subject to the approval of the	
State Land use Department	·
Government of Orissa for the	<u> </u>
diversion of agricultural land fo	r applicable.
Non-agricultural use.	
IV. The mining operations shall be	The present mining operation is restricted to
restricted to the above	above the groundwater table and there is no
groundwater table and it should	proposal to intersect the groundwater table
not intersect the groundwate	as per the approved Scheme of Mining.
table. In case of working below the	
groundwater table, prior approva	hydrology and hydrogeological study
of the Ministry of Environment &	
Forests and Central Ground Wate	
Authority shall be obtained, fo	
which a detailed hydrologica	
study shall be carried out.	In case of groundwater table intersection in
	the future, the project will abide by the said
	condition and will get prior approval from
	CGWA.
V. The project proponent shall ensure	
that no natural watercours	,
and/or water resources shall be	8
obstructed due to any mining	1 3
operations. Adequate measure	Ş
shall be taken for conservation	
and protection of the seasona streams if any emanating from the	•
· ·	
mine lease area during the cours	
of mining operation.	and around the mine lease area.
Appropriate mitigation measure	
should be taken to preven	
pollution of the Baitarani river, in	_
consultation with the Stat	
Pollution Control Board.	direct discharge from the mine lease area.
	Hence, the entire generation of mines runoff
	_
	water (during monsoon period) is collected to
	_

cum Sedimentation by giving adequate retention period, the final water is allowed to discharge. However, the entire mine area and check dams/check weirs connectivity is properly made by proper drainage pattern.

All the implementations have been carried out with consideration of maximum rainfall and technical design followed as per KRG rainwater harvesting recommendation. The detailed implementation of check dams and check weirs is given in **Table -1**.

#### **Nallah Protections measures:**

In addition to the site-specific mitigation measures, the project has been carried out various Nallah protection measures around the mine's premises. The implementations are as follows.

- ✓ Nallah banks are protected by a Guard wall with proper filtration arrangements to avoid entry of any silt carried over to the water bodies during the rainy season from other sources.
- ✓ Check weirs/check dams are conferred along the Nallah passing area to persuade silt sedimentations.
- ✓ Nallah de-siltation is undertaken during the pre-monsoon period to maintain its bio cycle.
- ✓ Nallah both side slopes are pitched with loose boulders to avoid barrier erosion during the monsoon period.

Plantation and Vettiver plantation was carried out all along the Nallah boundaries and a few areas is converted as green

barriers. The detailed implementation is given in **table -2** and photo evidence for the same is given below.

#### Water Harvesting:

The project has constructed/ developed four numbers water harvesting ponds in surrounding villages to encourage the water table. The ponds are regularly de-silted and well maintained on regular basis. The detailed implementation is given in **table -3**.

#### **Dump Management:**

**Dump Preparation:** Proper terracing, slope level, and sub benches are maintained in all mines waste/subgrade dump.

**Retention wall:** Bottom of the OB dump and subgrade dump provided/constructed with adequate size of retention wall to avoid the dump failure during the monsoon period. **Drainage Pattern:** Proper drainage pattern is provided at bottom of the waste/subgrade dumps and other required areas to collect & treat the mine's runoff water.

**Coir-mat and plantation:** The surface area of the waste /subgrade dump is covered with plantation/coir geotextile application along with local grass seeds to avoid dump erosion during the monsoon period. The detailed implementation is given in **Table – 4.** 

Photo evidence is given below as PHOTOS-1.

VI. The topsoil, if shall temporarily be stored at the earmarked site(s) only and should not be kept unutilized for long, topsoil should be used for land reclamation and plantation.

No topsoil was generated during this reporting period because the current mining operation is restricted within the already diverted forest area and there is no new development in the reporting period. In case top soil generation takes place in the future, it will be stored in an earmarked area and necessary safeguard measures will be undertaken to preserve its nutrient values so that it will be used for future land reclamation and raising of plantations.

VII. The project proponent shall not undertake beneficiating of the mineral as part of this project. For understanding beneficiation, necessary prior approval under the provisions of EIA Notification, 2006 shall be obtained.

In this regard project has been obtained Environment clearance from the Ministry of Environment & Forest, Government of India vide letter no. J-11015/273/2009-IA.II (M) dated 31.05.2011 for setting up an iron ore beneficiation plant for a capacity of 2.0 MTPA (2 x 185 TPH). A copy of the same has been given as **Annexure - 4.** The same got established inside the mines and was in operation till Jan 2016. In the meantime, the detailed mineral exploration indicated that there is no such requirement of beneficiation of iron ore. Accordingly, the mining plan got approved by the Indian Bureau of Mines, Govt. of India vide No. MS/FM/25-ORI/BHU/2017-18 dated 10.11.2017 by mentioning that there is no more requirement for beneficiation of iron ore as "the total ROM will be handled by the dry method of size separation with the help of crusher and screen plants, so there will no requirement of wet beneficiation plant due to the following reasons: **After detailed** exploration, the resource has been estimated under G1 category. No additional resource has been established by drilling. The average grade of iron ore is coming around 62% Fe. Based on the estimation of the resource, it can be observed that only 10% of the total quantity is coming under sub-grade ore. That sub-grade ore can easily be bendable with high-grade ore. Hence, it is not worth using the wet beneficiation plant as far as cost-benefit analysis is concerned.

In view of the above, we would like to inform

you that; since there is no such requirement for beneficiation of ore, so we dismantled the 2.0 MTPA iron beneficiation plant located within our mines premises and the same got informed to your good office through our letter no. IP/MM/OCTOBER 19/004 dated 03.10.2019. The copy of the submission of the letter at your good office is enclosed as **ANNEXURE - 4A** & the copy of the approved mining plan is enclosed as Annexure – 5. VIII. The overburden (OB) generated The generated overburden and / waste is during the mining operation shall stacked at earmarked dump site As per the be temporarily stacked at the approved review of mining plan duly earmarked dump site(s) only for approved by Indian Bureau of Mines, Govt. Backfilling India vide backfilling. shall of No. MRMP/A/04commence from the year 2011-ORI/BHU/2021-22/904 dated 10.09.2021, 2012 onwards. The accumulated 2670480 CUM quantity of overburden/ waste shall be liquidated by the waste has to be backfilled for the period of year 2016 and there shall be no 2021-23. Accordingly, the project has external dump thereafter. The backfilled 2991775 Tons quantity of waste back-filled area shall be reclaimed inside the mines at the earmarked area till by the plantation. Monitoring and For this reporting year of 2022-23. As the concurrent backfilling is going on and it will management of rehabilitated areas shall continue until vegetation continue once it reaches its ultimate level. becomes self-sustaining. However, the existing O.B/ waste dump is Compliance status should properly stabilized at an earmarked area submitted to the Ministry with proper terracing, dozing, sloping, etc. Environment & Forests and its with the construction of a retaining wall Regional office, Bhubaneswar on a followed by garland drains at the toe of the six-monthly basis. dump. IX. Catch drains and siltation ponds The project has undertaken various Mitigate measures on the above. The detailed of appropriate size should be constructed around the implementation is as follows. mine working the soil, mineral temporary OB dumps to prevent **Dump Management:** runoff water and flow of sediments directly into the Baitarani river, **Dump Preparation:** Proper terracing, slope the Jalpanadi, the Kasinallah, the level, and sub benches are maintained in all Dolkonallah, Dalkinallah, the mines waste/subgrade dump. Retention wall: Bottom of the OB dump Ghaghara nallah, Jagdharanadi, the Gahirjalanallah, and subgrade dump provided/constructed

the Mithida spring, and other water bodies. The water collected should be utilized for watering the mine area, roads, green belt development, etc. The drains shall be regularly de-silted particularly after the monsoon and maintained properly. Garland drains, settling tanks, and check dams of appropriate size, gradient and length shall be constructed both around the mine pit and the temporary OB dumps to prevent runoff water and flow of sediments directly into the Baitarani river, the Jalpanadi, the Kasinallah, the Dolkonallah. Dalkinallah, Ghagaranallah, the Jagdharanadi, the Gahirjalanallah, the Mithida spring and other water bodies and dump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Dump capacity should also provide an adequate retention period to allow the proper settling of silt material. Sedimentation pits should constructed at the corners of the garland drains and de-silted at regular intervals.

with adequate size of retention wall to avoid the dump failure during the monsoon period.

**Drainage Pattern:** Proper drainage pattern is provided at bottom of the waste/subgrade dumps and other required areas to collect & treat the mine's runoff water.

**Coir-mat and plantation:** The surface area of the waste /subgrade dump is covered with plantation/coir geotextile application along with local grass seeds to avoid dump erosion during the monsoon period.

# Mines runoff management during monsoon period:

The mine's runoff water is not allowed to be directly discharged from the mine lease area. Hence, the entire generation mines runoff water (during monsoon period) is collected to the bottom of the mines pit, checks dams and check weirs and after treatment (Silt Sedimentation by giving adequate retention period) process the final water is allowed to discharge. However, the entire mine area and check dams/check weirs connectivity is properly made by a preplanned drainage pattern.

All the implementations have been carried out with consideration of maximum rainfall and technical design is followed as per KRG rainwater harvesting recommendation.

#### Nallah Protections measures:

In addition to the site-specific mitigation measures, the project has been carried out various Nallah protection measures around the premises of the mine. The implementations are as follows.

✓ Nallah banks are protected by a Guard wall with proper filtration

	ononaban a baraa, bab arvibion	arrangements to avoid entry of any
		silt carried over to the water bodies
		during the rainy season from other
		sources.
		✓ Check weirs/check dams are
		conferred along the Nallah passing
		area to persuade silt sedimentations.
		✓ Nallah de-siltation is undertaken
		during the pre-monsoon period to
		maintain its bio cycle.
		✓ Nallah both side slopes are pitched
		with loose boulders to avoid barrier
		erosion during the monsoon period.
		✓ Plantation and Vettiver plantation
		was carried out all along the Nallah
		boundaries and a few areas is
		converted as green barriers.
		Water Harvesting:
		The project has been constructed/ developed
		four numbers of water harvesting ponds in
		surrounding villages to encourage the water
		table. The ponds are regularly de-silted and
		well maintained regularly.
X.	Dimension of the retaining wall at	Based on rainfall data, the retaining wall has
	the toe of the temporary	been constructed at various locations like
	overburden dumps and OB benches	the bottom of the OB dump, subgrade dump
	within the mine to check run-off	& other required areas to check the runoff.
	and siltation should be based on	Photos Are Attached Below As <b>PHOTO-2</b>
	the rainfall data.	
XI.	Plantation shall be raised in an	As per condition, the plantation will be
	area of 98.8627ha including a 7.5	raised for an area of 98.8627 Ha after
	m green belt in the safety zone around the mining lease,	completion of the mines life/end of the mine operation in mine lease, backfilled area, and
	backfilled and reclaimed area,	reclaimed area, mine benches, along with
	mine benches, along the roads,	the roads, etc. However, during running
	etc. by planting the native species	mine operation project has carried
	The state of the s	project has carried

in consultation with the local DFO / Agriculture Department. The density of the trees should be around 2500 plants per hectare.

A green belt of adequate width shall be developed all around the plant by planting the native species in consultation with the local DFO/Agriculture department within the first five years.

Plantation at various locations like a safety zone, waste dump, mines plant area, mines haul road, village roads, villages schools, and railway sidings in consultation with the local DFO.

Till reporting period a total number of 105803 numbers of saplings has been planted which comprises of gap-filling planation over the years on the damaged area/replacement of the dead plants and the survival rate is 70%, on an average of 74062 species survived up to this reporting period. In this reporting period we have planted 6500 No. in the mines dump area and safety zone gap plantation. The comprised yearwise plantation details are enclosed as **TABLE-5A** and the type of plants planted in the year was given in **TABLE-5B**. Photo evidence for the plantation inside and out lease area is given below.

Photos Are Given Below As **PHOTOS-3** 

Effective safeguard measures such as regular water sprinkling should be carried out in critical areas prone to air pollution and having high levels of SPM and RSPM such haul road. loading as and unloading point, and transfer points. It shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.

XII.

The Project Proponent shall carry out the conditioning of the ore with water to mitigate fugitive dust emission.

Necessary safeguard measures shall be taken for effective control of particulate levels (PM10) in the area. The safeguard measures shall The project has implemented a different type of dust suppression system to arrest the air pollution from the source level in and around the mine's premises.

The detailed implementations are as follows.

- ✓ Fixed type water sprinklers of the length of 1500 meters implemented in mines permanent haul roads and dispatch roads.
- ✓ Mines benches, temporary haul roads, and other processing areas dust generation are suppressed by the use of mobile water tankers. In this regard, the project has engaged three no. of 12 KL mobile water tanker, which is inbuilt with a high-pressure hydraulic sprinkling system.
- ✓ Three numbers of 8 KL capacity mobile water tankers are being used for dust suppression in the Public

REPORTING PERIOD: OCTOBER 2022 TO MARCH 2023

> be implemented within the first three months and their effectiveness shown with supporting data of actual air quality monitoring.

roads, railway sidings approaching roads & railway yards.

Haulage roads are being maintained with grader and water sprinkling to avoid any sort of ruts and potholes. Detailed implementation is given in table - 6.

#### **DUST SUPPRESSION IN CRUSHER &** SCREEN PLANT:

An effective dry fog system is implemented in all the crusher and screen plants. To avoid the flow of air-born dust from conveying belt movement the conveyor belts of crusher and screen Plants are covered with hoods.

#### **MONITORING**

The monitoring of AAQ is being done in the core as well as the buffer zone of the ML area, there are 4 no. of monitoring stations in the core zone i.e. Mines Entry and exit area, employees camp, New store area, and near office area and there are 3 no. of monitoring stations in the buffer zone such Unchabali Village, Balda Village. Nayagarh Village, Monitoring of AAQ is carried out every month. The monitoring report reveals that parameters like PM10, PM2.5, SO2, and NOx are well within the norms as per NAAQs notifications made by the CPCB.

A comprised AAQ monitoring report for the reporting period is enclosed as **TABLE.-7**. Photos Are Given Below As **PHOTOS-4** 

XIII. Regular monitoring of the flow rate of the springs and perennial Nallah shall be carried out and records maintained.

Regular monitoring of the flow rate of different water bodies is being carried out seasonally by covering the Nallah/rivers i.e. Baitarani River, Unchabali Nallah, Kashi Nallah, Jalpa Nallah, Gahirajala Nallah. Dolko Nallah & Dalki Nallah. The latest flow rate monitoring reports are enclosed as TABLE-8.

VIV Domilos societas con contrata de la contrata del contrata del contrata de la contrata del contrata de la contrata del contrata de la contrata del contrata del contrata del contrata de la contrata de la contrata del contrata de la contrata del contra	Manifestina of the control of Division
XIV. Regular monitoring of water	
quality upstream and downstream	River, Unchabali Nallah, Kasi Nallah, Jalpa
of the Kasinallah, the Dolkonallah,	, , ,
the Dalkinallah, the Ghagranallah,	
the Gahirajalanallah, and the	seasonally. The monitoring data results are
Mithida spring shall be carried out	very well within the norms. The data is being
and record of monitored data	maintained and submitted to authorities
should be maintained and	regularly. The latest surface water quality
submitted to the Ministry of	report analyzed during the last monsoon is
Environment and Forest, its	enclosed as <b>Annexure - 6.</b>
Regional Office, Bhubaneswar, the	
Central Ground Water Authority,	
the Regional Director, the Central	
Ground Water Board, the State	
Pollution Control Board and	
Central Pollution Control Board.	
XV. The project authority should	In this regard, the project has been engaged
implement suitable conservation	KRG RAINWATER FOUNDATION, CHENNAI
measures to augment ground	in consultation with Regional Director,
resources in the area in	CGWB, and Bhubaneswar for technical
consultation with the Regional	
Director, Central Ground Water	conservation measures to augment the
Board.	groundwater resources in and around the
20014.	mine lease area. The detail for the same is as
	follows;
	ROOFTOP RAINWATER HARVESTING:
	Rooftop rainwater harvesting system has
	been implemented at mines employee camp
	and Unchabali Medical Center towards water
	augment. The technical design and other
	parameters are followed as recommended by
	1 -
	KRG rainwater harvesting with the consultation of the regional director, CGWB,
	Bhubaneswar. From this establishment
	4200, CUM/ANNUAL water is recharged to
	the ground.
	The project has developed/ constructed four
	numbers of water harvesting ponds in mines
	surrounding villages to encourage water to
	augment. The ponds are regularly de-silted
	and well maintained. Total harvesting pond
	water holding capacity is 1.5 Lakh

vinage(s) Unchaban & Baida, Sub-division	CUM/ANNUM. The details are given in <b>TABLE3.</b>
	SETTLING CUM PERCOLATION POND & CHECK DAMS: Based on the hydrology study the project has implemented five check dams where the soil is having a high percolation rate and one percolation pond is provided at the south side ML area by considering the water flow. The same details are given in TABLE.NO1. The photo evidence is attached as PHOTOS-5
XVI. Regular monitoring of groundwater	- GROUNDWATER QUALITY:
level and quality should be carried out around the mine lease by establishing a network of existing wells and installing new piezometers during the mining operation. The periodic monitoring [(at least four times in a year Pre-monsoon (April-May), Monsoon (August), Post monsoon (November) and Winter (January); once in each season)] shall be carried out in consultation with the state Ground Water Board/Central Ground Water Authority and the data thus collected may be sent regularly to	Groundwater quality is being monitored regularly by seasonally at 6 locations including core and buffer zone. The monitoring locations are namely 1) Inside Mining lease area, 2) Unchabali village, 3) Balda Village, 4) Nayagarh Village, 5) Belda Village, 6) Employee's camp. The latest groundwater quality report is enclosed as Annexure - 7.  - GROUNDWATER LEVEL: The groundwater level is being monitored seasonally i.e. pre-monsoon, monsoon, post-monsoon, and winter. The latest groundwater level report is given in Table-09.
Ministry of Environment and	- INSTALLING OF PIEZOMETER:
Forests and its Regional Office, Bhubaneswar, Central Ground Water Authority and Regional Director, Central Ground Water Board. If at any stage, it is observed that the groundwater table is getting depleted due to the mining activity; necessary corrective measures shall be carried out.	The project has installed Piezometers at mines observation bore wells. The groundwater fluctuations are being observed in the bore well & results are recorded at regular intervals. The latest month piezometer observation data is given as ANNEXURE -8.
XVII. Appropriate mitigation measures	Site-specific mitigation measures to prevent
should be taken to prevent	silt carried into nearby natural water bodies

village(s) Unchabali & Baida, Sub-division	
pollution of the Baitarani river	.   9
the Jalpanadi, and Jagdharanad	i management structures, retaining wall
in consultation with the State	followed garland drains, check dam, settling
Pollution Control Board.	cum percolation ponds, etc. Apart from that,
	guard walls have been constructed across
	the bank of the natural water bodies. The
	above structures got developed in
	consultation with SPCB, Orissa. The detailed
	Site implementation details are given in
	TABLE.NO1, 2, 3 & 4.
XVIII. The project proponent shall obtain	The project has obtained the groundwater
the prior permission of the	NOC from Central Ground Water Authority
competent Authorities for the	vide letter No.21-4 (88YSER/GGWA/2008-
drawl of the requisite quantity of	, , , , , ,
water (surface water and	1 0
groundwater) required for the	, , ,
project.	The renewal application for the same is
project.	submitted online, it is under progress.
VIV Switchle main-mater homostic	
XIX. Suitable rainwater harvesting	
measures on a long-term basi	The musicat has implemented a mostlem
shall be planned and implemented	noinviotan harrosting aristom at the project
in consultation with Regiona	
Director, Central Ground Wate	employee's camp and Unchabali Medical
Board.	Center towards groundwater re-charges. The
	technical design and other parameters are
	followed as recommended by KRG rainwater
	harvesting with the consultation of the
	regional director, CGWB, Bhubaneswar.
	From this establishment 4200, CUM
	quantity of groundwater is recharged to the
	groundwater table every year.
	groundwater table every year.
	- WATER HARVESTING PONDS AT
	VILLAGES:
	VIDERGES.
	The project has developed four numbers of
	water harvesting ponds to encourage water
	percolation and water harvesting in
	surrounding villages. The ponds are
	regularly de-silted and well maintained.
	Total harvesting pond water holding capacity
	is 1.5 lakh CUM/ANNUM. Details of
	harvesting ponds developed in surrounding
	villages are given in <b>TABLE NO3.</b>

	on Chaban & Baida, Sub-division	- PERCOLATION POND & CHECK DAMS:
		Based on the hydrology study the project
		has implemented five check dams, settling
		cum percolation pits where the soil is having
		a highly percolating rate and one number of
		percolation ponds is provided at the south
		side of the broken up area. Details of check
		dams and check weirs are following as
VV	Which are a minimum about the track	TABLE NO1.
XX.	Vehicular emissions shall be kept	The project is ensuring vehicle emission
	under control and regularly	monitoring for all mining and other
	monitored. Measures shall be	supporting vehicles/equipment. The
	taken for the maintenance of	monitoring of vehicle emission is carried out
	vehicles used in mining operations	through Diesel Smoke Meter by Pollution
	and transportation of minerals.	Testing Centre. A sample HEMM emission
	The mineral transportation shall	test result is attached as <b>ANNEXURE-10</b> .
	be carried out through the covered	Apart from testing of transporting vehicles
	trucks only and vehicles carrying the mineral shall not be	emission on a random basis, the project has
		been introduced a software technology RF-ID
	overloaded. No transportation of	system in entry gate of the mines, this
	ore outside the mine lease area	system is having automatic functions to read
	shall be carried out after the	the status of the vehicle pollution certificate
	sunset.	validity and other relevant parameters.
		The mineral transportation is being carried out through the covered trucks only and
		vehicles carrying the mineral shall not be
		overloaded.
XXI.	No blasting shall be carried out	No blasting is carried out after the sunset
1 22 22.	after the sunset. Blasting	and blasting are carried out only in the
	operation shall be carried out only	daytime. The control blasting is practiced
	during daytime. Controlled	using a larger top stemming column, the
	blasting shall be practiced. The	Nonel technology, and proper blast design&
	mitigation measures for control of	firing pattern with effective supervision of
	ground vibrations and to arrest fly	total blasting operations as per the
	rocks and boulders should be	recommendation of the CIMFR, DHANBAD.
	implemented.	As of date, no records reveals beyond the
	_	permissible limit during the reporting period.
		a sample report is enclosed as <b>ANNEXURE</b> -
		11.
XXII.	Drills shall either be operated with	The drilling operation is being carried out
	dust extractors or equipped with a	with both a dust extractor and a water
	water injection system.	injection system. Presently the project is
	· · · · · · · · · · · · · · · · · · ·	

7	)	
		using an excavator-mounted drill machine
		for drilling operation. The said drilling
		machine is inbuilt with both a water
		injection system and dust extraction
		systems. The photo evidence for the same is
		given below.
		PHOTO evidence is given below as <b>PHOTOS</b> -
		6
VVIII	A minoral bondling plant about be	
XXIII.	A mineral handling plant should be	1) Effective dry fog system is implemented in
	provided with an adequate number	all the crusher and screen plants.
	of high-efficiency dust extraction	2) The conveyor belts of the crusher and
	systems. Loading and unloading	screen Plants are covered with hoods.
	areas including all the transfer	3) Regular water sprinkling is carried out in
	points should also have efficient	the loading and unloading area.
	dust control arrangements. These	
	should be properly maintained and	
	operated.	
XXIV.	A sewage treatment plant should	STP is provided/implemented along with the
AAIV.	_	I
	be installed for the colony. ETP	
	should also be provided for	employee's camp for treatment and reuse of
	workshops and wastewater	the waste domestic water from the Kitchen,
	generated during the mining	toilet, etc. The treated water is used for
	operation.	plantation and dust suppression activities.
		ETP is provided at mines workshop for the
		treatment of wastewater from water service
		of equipment. The existing ETP is having a
		physical separation of oil and grease by oil
		trapping system and silt sedimentation pit.
		Both STP and ETP final discharge water is
		being monitored fortnightly once to ensure
		the final discharge water is in line with the
		approved CTO and record maintained for the
		same. The latest monitoring data is enclosed
		here as Table. No - 10 and Table. No 11.
		Photo evidence is given below as <b>PHOTOS-7</b>
XXV.	Pre-placement medical	Initial Medical Examination & Periodical
	examination and periodical	Medical Examination is being carried out to
	medical examination of the	all company & contractors employees on
	workers engaged in the project	regular basis. The IME & MPE is being
	shall be carried out and records	carried as per in compliance to Mines Act
	maintained. For this purpose, a	1952 & rules 1956 and amendments
	schedule of health examinations of	thereto. During the reporting period (October
	the workers should be drawn and	
1	the workers should be grawn and	2022 to March 2023) there is 46 Employee

followed accordingly.	who has undergone IME & PME. The IME &
ionowed accordingly.	PME tests include PFT, X-Ray, and lung
	spirometer, etc. The certificate of the same is
	attached herewith as <b>Annexure – 12.</b>
VVVII /Mha anglash mananant ahali kala	
XXVI. The project proponent shall take	The Site-Specific Wildlife Conservation Plan
all precautionary measures during	got prepared by Sri. S. K. Patnaik, Retd. IFS
mining operation for conservation	& Shri S.K.Mohanty, Retd. OFS with an
and protection of endangered	estimated cost of Rs. 104 lakh and approved
fauna namely elephant, sloth bear,	by PCCF-Wild Life and Chief Wild Life
etc. spotted in the study area. An	Warden. In which Rs. 34 lakh has been
action plan for the conservation of	earmarked for implementation of Site-
flora and fauna shall be prepared	Specific Wild Life Conservation Plan within
and implemented in consultation	the Mining Lease area and Rs. 70 Lakh has
with the State Forest and Wildlife	been earmarked for implementation for the
Department. All the safeguard	purpose in the buffer zone i.e. within the
measures brought out in the	zone of influence. An amount of Rs. 15, 91,
wildlife conservation plan	691/- rupees has been made towards
prepared specifically for this	Regional Wild Life Management Plan and Rs.
project site shall be effectively	21, 75, 000/- rupees towards the site-
implemented. Necessary allocation	specific Wild Life Management Plan.
of the funds for implementation of	Various activities have been undertaken
the conservation plan shall be	towards the protection of wild animals by
made and funds so allocated shall	the implementation of solar electric fencing
be included in the project cost. A	in mines operation boundary area to avoid
copy of the action plan may be	the fall down of any wild animals to mines
submitted to the Regional Office	operation, awareness program among local
of the Ministry of Environment	and staffs members, etc. The approved
and Forests, Bhubaneswar.	budgetary forecast for the site-specific
and Forests, Disubaneswai.	wildlife conservation plan is enclosed as
	-
VVVIII Duranisian shall be made for the	ANNEXURE - 13.
XXVII. Provision shall be made for the	Not Applicable. As there is no such
housing of the construction labor	construction activity
within the site with all necessary	
infrastructure and facilities such	
as fuel for cooking, mobile toilets,	
mobile STP, safe drinking water,	
medical health care, crèche, etc.	
The housing may be in the form of	
temporary structures to be	
removed after the completion of	
the project.	
4 9 7 7 7 7	
XXVIII The critical parameters such as	All these critical parameters are being

air within the impact zone, peak particle velocity at 300m distance or within the nearest habitation. whichever is closer shall be monitored periodically. Further, the quality of discharge water shall also be monitored [TDS, DO, pH, and total suspended solids (TSS)]. The monitored data shall be uploaded on the website of the company as well as displayed on a display board at the project site at a suitable location near the main gate of the company in the public domain. The circular no. 20012/1/2006-IA.II (M) dated 27.05.2009 issued by Ministry of Environment and Forests, which is available on the website of the Ministry www.envfor.nic.in shall also be referred in this regard for its compliance.

company website i.e. www.uimm-ip.com. The said monitored parameters i.e. for AAQ; PM10, PM2.5, SO2, NOx, STP, discharge, for surface runoff discharge from the mine (treated), etc. is being displayed through an Electronic display board installed at the main gate of the project site of the company for the public domain. photo of the display board are given below AS PHOTO-8.

XXIX.

A Final Mine Closure Plan along with details of Corpus Fund should be submitted to the Ministry of Environment & Forests 5 years in advance of final mine closure for approval.

The Project has submitted a bank guarantee of Rs. 17,43,693/-for reclamation and rehabilitation of 69.7477 Ha mined out and other allied activities area @ 25, 000/- Ha as a part of the management of the closure of the mines of the Project.

Sl. No	General condition		Present	Status	
I.	No change in mining technology	The Minir	ng method o	of the pro	oject is fully
	and scope of work should be made	mechanize	d having	shovel	s, dumper
	without prior approval of the	combinatio	ons, and sor	ting and s	sizing of Iron
	Ministry of Environment & Forest.	Ore and it	's being follow	ved as per	the approved
		Scheme of	Mining/Plan.		
II.	No change in the calendar plan	There is n	o change in	the calen	dar plan, the
	including excavation, the quantum	excavation	, quantum o	f mineral	iron ore, and
	of mineral iron ore, and waste			_	the approved
	should be made.		-		of the iron ore
		and waste	are as follows	3;	·
		Year	Approved Quantity (In Mt.)	ROM (In Mt.)	OB Removed (In Mt.)
		2020-21	3999982	3000660	5132818
		2021-22	3989312	1621310	4240920
		2022-23	3999752	1054740	2991775
III.	At least Four Ambient Air Quality –	The monito	oring of AAO	is being do	ne in the core
	Monitoring stations should be			•	IL area, There
	established in the core zone as				the core zone
	well as in the buffer zone for RPM,	, i.e. and there are 3 no. of monitoring stations in			ng stations in
	SPM, SO2& NOX monitoring. The				abali Village,
	location of the stations should be	Balda Villa	age, Nayagarl	h Village,	Monitoring of
	decided based on the	AAQ is car	ried out every	month. T	he monitoring
	meteorological data, topographical	report for t	the period of	October to	o March 2023
	features, and environmentally and	reveals tha	t parameters	like PM10	, PM2.5, SO2,
	ecologically Sensitive targets and	and NOx a	are as per NA	AQs notif	ications made
	frequency of monitoring should be	"			in the norms.
	undertaken in consultation with		_	g location i	s enclosed as
	the State Pollution Control Board.	ANNEXUR			
IV.	Data on ambient air quality (RPM,		-	5 (	0, PM2.5, and
	SPM SO2&NOx) should be regularly		, .		ce in yearly is
	submitted to the Ministry				d. The latest
	including its Regional office	submission	n is enclosed	as <b>ANNEX</b>	URE -15.
	located at Bhubaneswar, and the				
	State Pollution Control Board /				
	Central Pollution Control Board				
_	once in six months.				
V.	Fugitive dust emissions from all	The projec	t has implem	ented a di	fferent type of

7 2440	the sources should be controlled	dust suppression system to arrest the fugitive
	regularly water spraying	dust emission from the source level in and
	arrangement on haul roads,	around the mine's premises.
	loading and unloading and transfer	The detailed implementations are as follows.
	points should be provided and	✓ Fixed type water sprinklers are
	properly maintained.	implemented in mines permanent haul
		roads and dispatch roads.
		✓ Mines benches, temporary haul roads,
		and other processing areas dust
		generation are suppressed by the use of
		mobile water tankers. In this regard, the
		project has engaged three no. of 12 KL
		mobile water tanker, which is inbuilt
		with a high-pressure hydraulic
		sprinkling system.
		✓ Three numbers of 8 KL capacity mobile
		water tankers are being used for dust
		suppression in the Public roads, railway
		sidings approaching roads & railway
		yards.
		✓ A portable type trolley mounted sprinkler
		has been placed in loading & unloading
		points to avoid dust generations.
		✓ Haulage roads are being maintained with
		grader and water sprinkling to avoid any
		sort of ruts and potholes.
		-
		The latest monitoring report is enclosed here as
		Table. No – 12.
VI.	Measures should be taken for	
	control of noise levels below 85	plants is being carried out to minimize the noise
	dB(A) in the work environment.	level from the source. Apart from that, proper
	Workers engaged in operations of	PPEs like an earplug, muffles are also provided
	HEMM, etc. should be provided	to employees. Further, to ensure the noise limit,
	with earplugs/muffs.	regular noise monitoring is carried out on
		fortnightly basis for work zones like crusher
		plant premises, screen plant premises, ROM
		loading point, beneficiation plant premises,
		grilling area & workshop. The noise levels are
		well within prescribed norms, the monitoring
		reports are given in <b>Table -13.</b>
		100000000000000000000000000000000000000
VII.	Industrial wastewater (workshop	STP is provided/implemented at mines
v 11.	industrial wastewater (workshop	orr is provided/implemented at innies

and wastewater from the mine)	employee's camp for treatment and reuse of the
should be properly collected,	waste domestic water from the Kitchen, toilet,
treated so as to conform to the	etc. The treated water is used for plantation and
standards prescribed under GSR	dust suppression activities.
422 (E) dated 19th May 1993 and	ETP is provided at mines workshop for the
31st December 1993 or as	treatment of wastewater from water service of
amended from time to time. Oil	equipment. The existing ETP is having a
and grease traps should be	physical separation of oil and grease by oil
installed before the discharge of	trapping system and silt sedimentation pit.
workshop effluents.	Both STP and ETP final discharge water are
wormsnop cirruents.	being monitored fortnightly once to ensure the
	final discharge water is in line with the
	approved CTO and record maintained for the
	same. The test results are very well within the
	norms. The latest monitoring report is enclosed
	here as <b>Table. No – 10and Table. No 11.</b>
VIII. Personnel working in dusty areas	Initial Medical Examination & Periodical
should wear protective respiratory	Medical Examination is being carried out to all
	_
devices and they should also be	company & contractors employees on regular
provided with adequate training	basis. The IME & PME is being carried as per in
and information on safety and	compliance to Mines Act 1952 & rules 1956 and
health aspects. Occupational	amendments thereto.
health surveillance program of the	During the reporting period of (October 2022 to
workers should be undertaken	March 2023) there is 46 Employee who has
periodically to observe any	undergone IME & PME. The IME & PME tests
contractions due to exposure to	include PFT, X-Ray, and lung spirometer, etc.
dust and take corrective measures	The certificate of the same is attached herewith
if needed	as Annexure – 12.
IX. A separate environmental	We have established an Environmental Cell
management cell with suitably	headed by the General Manager to look after
qualified personnel should be set	the implementation of the various pollution control measures and other Environment
up under the control of a senior	
executive, who will report directly	Management System requirements. The detail
to the head of the organization.	of the Environment Cell structure is enclosed as
V M1 - C1	ANNEXURE- 16.
X. The funds earmarked for	
environmental protection	The finds commended for a lower to
measures should be kept in a	The funds earmarked for environmental
separate account and should not	Protection are being utilized for the same only.
be diverted or other proposes.	The same expenses details are mentioned in
Year-wise expenditure should be	Table no14
reported to the Ministry and	
Regional Office located at	

		ion onumpuu, Bistriot riconjirur, Orissu.
	Bhubaneswar.	
XI.	The project authorities should	
	inform the Regional Office located	
	at Bhubaneswar regarding the date	We will abide by the said condition.
	of financial closures and final	we will ablue by the said condition.
	approval of the project by the	
	concerned authorized and the date	
	of start of land development work.	
XII.	The Regional Office of the Ministry	
	located at Bhubaneswar shall	
	monitor complaints of the	
	stipulated conditions. The project	We are extending all our cooperation during
	authorities should extend full co-	inspections by the Authority.
	operations to the officer (S) of the	
	regional office by furnishing the	
	requisite data/information/	
	monitoring reports.	
XIII.	The project proponent shall	
71111.	submit six-monthly reports under	The Project is uploading the last six-monthly
	the status of the implementation	EC Compliance reports on the website bearing
	of the stipulated EC conditions	address <u>www.uimm-ip.com</u> on regular basis.
	including results of monitored	The details of submission of the six-monthly
	data (both in hard copies as well	compliance reports on the status of the
	as by e-mail) to the Ministry of	implementation of the stipulated conditions are
	Environmental and Forests, its	enclosed as <b>TABLE NO15.</b>
	regional Office, Bhubaneswar, the	
	respective zonal offices of CPCB	
	and the SPCB. The proponent shall	
	upload the status of the EC	
	conditions, including results of	
	monitored data on their website	
	and shall update the same	
	periodically. It shall	
	simultaneously be sent to the	
	Regional Office of the Ministry of	
	Environment and Forests,	
	Bhubaneswar, the respective Zonal	
	Officer of CPCB, and the SPCB.	
XIV.	A copy of clearance latter shall be	It has been complied with intimating the letters
	sent by the proponent to	to local Gram Panchayat, Municipality, DDM
	concerned Panchayat, Zillah	Office, Zillah Parishad, Divisional Forest Officer,
	Parishad /Municipal Corporation,	etc. and a copy of environmental clearance
-		

	Urban local body, and local NGO, if	letter also made available in the company's
	any, from whom	website i.e. www.uimm-ip.com.
	suggestions/representations, if	website i.e. www.ammi ip.com.
	any, were received while	
	processing the proposal. The	
	clearance letter shall also be put	
	_	
	on the website of the company by	
XV.	the proponent.  The State Pollution Control Board	
AV.		
	should display a copy of the	To be a consulted
	clearance letter at the Regional	It has complied.
	Office, District Industry Centre,	
	and Collector's office/ Tehsildar's	
	Office for 30 days.	
XVI.	The environment statement for	
	each financial year ending 31st	
	March in form-V as is mandated to	
	be submitted by the project	The Environmental statement in Form - V is
	proponent to the concerned State	being submitted regularly to the state pollution
	Pollution Control Board as	control board for the financial year. We are also
	prescribed under the Environment	uploading the annual environment statement
	(Protection) Rules, 1986, as	along with the six-monthly environmental
	amended subsequently, shall also	compliance reports on the company website i.e.
	be put on the website of the	www.uimm-ip.com. The latest Form – V for the
	company along with the status of	FY 2021-22 is submitted to the board, copy
	compliance of EC conditions and	enclosed as <b>ANNEXURE - 17</b> .
	shall also be sent the Regional	
	Office of the Ministry of	
	Environment and forests, at	
	Bhubaneswar by e-mail.	
XVII.	The project authorities should	
	advertise at least in two local	
	newspapers widely circulated, one	
	of which shall be in the vernacular	When Devices the state of the s
	language of the locality concerned,	The Project has already advertised for iron ore
	within 7 days of the issue of the	mining and projects in two newspapers about
	clearance letter informing that the	the issuance of the environment clearance of
	project has been accorded	the Project, one is advertised in the vernacular
	environmental clearance and a	language of the locality concerned.
	copy of the clearance letter is	
	available with the State Pollution	
	Control Board and also at the web	
	site of the Ministry of	
<u> </u>		

	Environment and Forests at HTTP: // envfor.nic.in and a copy of the same should be forwarded to the Regional Office of this Ministry located at Bhubaneswar.	
XVIII.	The mining leaseholder shall, after	At present project is in operational status and
	ceasing mining operations,	as per the mining plan approved by IBM,
	undertake re-grassing the mining	2991775 Tons quantity of waste inside the
	area, and any other areas which	mines at the earmarked area till in this Fy
	may have been disturbed due to	2022-2023. As per approved Scheme of Mining.
	their mining activities and restore	Whenever the reclamation started leaseholder
	the land to a condition that is fit	was ready to make activities to restore the land
	for the growth of fodder, flora,	to a condition that is fit for the growth of fodder,
	fauna, etc.	flora, fauna, etc.

#### PHOTOS-1:



Photo showing check dams & Check weirs implementation within ML





Photo Showing varies Nallah protection measures undertaken outside ML





Photos showing village harvesting pond developed in surrounding villages

PHOTOS -2:





Retaining wall provided at the toe end of the dump

#### PHOTOS -3:







Photos showing various area plantations undertaken

#### PHOTOS -4:





Photos showing mobile water tankers engaged for dust suppression





Photos showing automatic fixed sprinkler installed at mines permanent Haul road






Photo showing motor grader under use for road maintenance







Photos showing dry fog implementations of various screens and crusher plant.

#### PHOTOS -5:







#### PHOTO SHOWING ROOF RAINWATER HARVESTING SYSTEMS EMPLOYEE'S CAMP







PHOTO SHOWING ROOFTOP RAINWATER HARVESTING SYSTEMS UNCHABALI DISPENSARY





Photos showing village harvesting pond developed in surrounding villages

#### PHOTOS - 6:





Photo Showing Excavated Mounted Drilling Machine equipped with dust extractor & wet drilling mechanism

#### **PHOTOS -7:**





PHOTO SHOWING ETP PLANT PROVIDED IN WORK SHOP SERVICE CENTER





PHOTOS SHOWING STP EXISTING PLANT

#### **PHOTOS - 8:**





Photo Showing Electronic Display board placed in the mines entrance gate to display the Environmental parameters

**TABLE - 1** 

SL.NO	Description	Dimensions/Capacity
1	Check Dam cum Settling pond -1	9800 CUM
2	Check Dam - 4	689 CUM
3	Check Dam - 5	2000 CUM

# # TABLE - 1 SHOWING CHECK DAM AND CHECK WEIR DETAILS IMPLEMENTED WITHIN THE ML AREA

**TABLE-2** 

SL.NO	Description	Location	Dimensions/Capacity
1	Check Dam - 13	21º 52' 41.96" N	15 M X 2 M X 1.5 M
1		85º 25'41.97" E	13 W X 2 W X 1.3 W
2	Check Dam - 14	21º 52' 42.88" N	15 M X 1.5 M X 1.5 M
	Check Dain - 14	85º 25'50.81" E	13 M A 1.3 M A 1.3 M
3	Check Dam - 15	21º 52' 36.75" N	10 M X 1.5 M X 1.5 M
	Clicck Dain - 15	85º 25'58.75" E	10 W X 1.5 W X 1.5 W
4	Check Dam - 16	21º 52' 35.55" N	12 M X 1.5M X 1.5 M
		85º 25'59.51" E	12 W A 1.5W A 1.5 W
5	Guard Wall	21°52'41.14"N	300 M
	Guaru wan	85°25'54.05"E	300 W
6	Nallah Slope	21°52'45.66"N	_
	pitching	85°25'2.67"E	_
7	Plantation	21°52'41.59"N	150
,	Tamanon	85°25'53.87"E	130

#### # TABLE - 2 SHOWING CHECK DAMS IMPLEMENTATION OUT SIDE THE ML TABLE-3

SL.NO	DESCRIPTION	CAPACITY IN CUM
1	NAMIRA POND -1	8100
2	NAMIRA POND -2	92400
3	BELDA POND -1	13200
4	BELDA POND -2	43160

#### # TABLE - 3 SHOWING IMPLEMENTED VILLAGE HARVESTING PONDS DETAILS

TABLE-4

S1. No	Description of the dump	Location of the dump	Protections Measures
1	Over Burden - 2	Near Garage	2000 Sq. Mt of dump surface area covered with Geotextile applications. And 750-meter retaining wall has been constructed followed by a siltation pond; drainage water is connected to bottom check dams.
2	Over Burden-1	Near Pillar No L2	14000 Sq. Mt of dump surface are covered with Geotextile application. A retaining wall along with garland drainage is constructed with a settling pit. 130 Meters. of Hume pipe drainage patterns have been constructed.

# # TABLE-4 SHOWS VARIOUS DUMP PROTECTIONS MEASURES IMPLEMENTATION

#### TABLE-5A

		Plantation Details as of 2	022-2023		
Sl. No	Year	Number of Saplings	Survival Rate	Remarks	
1	2022-2023	6500	90%	Dump and Nallah Gap plantation and safety zone gap plantation	
2	2021-2022	4200	90%	Nallah Gap Plantation	
3	2020-2021	1250	70%	Dump and Safety zone	
4	2019-2020	1850	80%	Dump and gap plantation	
5	2018-2019	5860	85%	Dump, safety zone and village plantation	

### # TABLE-5A SHOWING YEAR-WISE PLANTATION DETAILS

TABLE-5B

SL. NO	LOCATION	Description	2022-23	Area in Ha.	PLANTS TYPE	Remarks
1	IN Side ML	Nallah Gap Filling	1500	1.00	Neem, karanja, Chakunda, Radha chuda,	
2	IIV SIGE WIL	Dump Plantation	5000	2.50	krishna chuda,cha kunda, saru cha kundha, karanja,siru tree, Arjuna.	

### **# TABLE-5B SHOWING PLANTATION DETAILS**

# **TABLE-6**

SL. No.	Description	Unit	Quantity	Remarks
1	Automatic Fixed Sprinkler	R.M	2500	Dispatch Road and Permanente Haul Road
2	High-Frequency mobile water Tanker	25 KL	3	Mines Benches, Stockyard, plant area,
3	Mobile water tanker	8 KL	3	and other mines premises including Village Roads & Railway Sidings

## # TABLE-6 SHOWING PRACTICE OF DUST SUPPRESSING ACTIVITIES

**TABLE-7** 

SUMMARIZED AMBIENT AIR QUALITY MONITORING REPORT: UNCHABALI IRON & MN ORE MINING PROJECT OF SMT. INDRANI PATNAIK, DISTRICT; KEONJHAR, ORISSA.

### Period: October 2022 To March 2023

			Quality I	Parameter, Re	esults, micro	o.gm/CUM	
	Month	Range	PM10	PM2.5	SO <sub>2</sub>	NOx	СО
AAQ-C1 – Mines	Oct-22		76.90	35.10	8.70	24.40	0.326
main gate	Nov-22		74.50	33.70	8.30	23.30	0.312
(Core zone)	Dec-22	AVG	76.70	34.70	8.60	24.0	0.322
	Jan-23	AVG	79.10	35.80	8.90	24.80	0.332
	Feb-23		78.0	35.30	8.70	24.50	0.327
	March-23		76.40	34.50	8.60	23.90	0.320
	Oct-22		77.0	36.10	8.60	24.10	0.321
	Nov-22		76.0	35.60	8.50	233.80	0.317
AAQ-C2 –	Dec-22	4770	78.30	36.70	8.80	24.50	0.327
Employees Camp (Core Zone)	Jan-23	AVG	80.70	37.80	9.0	25.30	0.337
(Core Zone)	Feb-23		79.60	37.30	9.10	24.90	0.332
	March-23		77.90	36.50	8.90	24.40	0.325
	Oct-22	AVG	78.60	35.20	8.80	24.60	0.332
	Nov-22		77.80	34.90	8.70	24.40	0.329
AAQ-C3-New Store (Core Zone)	Dec-22		80.10	35.90	9.0	25.10	0.339
	Jan-23		82.70	37.10	9.30	25.90	0.350
	Feb-23		81.50	36.50	9.10	25.50	0.345
	March-23		79.80	35.80	8.90	25.0	0.337
	Oct-22		55.80	25.20	6.20	17.50	0.236
	Nov-22		59.70	27.0	6.70	18.70	0.252
AAQ-B2	Dec-22	4440	58.80	26.60	6.60	18.40	0.249
Village Balda	Jan-23	AVG	59.30	26.80	6.60	18.60	0.251
(Buffer Zone)	Feb-23		58.90	26.60	6.60	18.50	0.249
	March-23		56.90	25.70	6.40	17.80	0.241
	Oct-22		59.60	25.70	6.40	17.80	0.241
	Nov-22		61.50	27.80	6.90	19.30	0.260
AAQ-B3	Dec-22	ATTO	60.60	24.70	6.80	19.0	0.256
Village Nayagarh (Buffer Zone)	Jan-23	AVG	61.10	27.60	6.80	19.20	0.258
(Bullet Zolle)	Feb-23		60.70	27.40	6.80	19.0	0.257
	March-23		58.60	26.50	6.60	18.40	0.248
	Oct-22		54.70	24.70	6.10	17.10	0.231
	Nov-22		58.50	26.40	6.50	18.30	0.247
AAQ-B1	Dec-22	ATTO	57.70	26.0	6.50	18.10	0.244
Village Unchabali (Buffer Zone)	Jan-23	AVG	58.20	26.30	6.50	18.20	0.246
(Duller Zolle)	Feb-23		57.80	26.10	6.50	18.10	0.244
	March-23		55.80	25.20	6.20	17.50	0.236

Note – The monitoring and testing are carried by Kalyani Laboratory which is a MoEF, SPCB and NABL accredited laboratory.

Monitoring is done through CAAQMS										
	Oct-22		62.34	32.51	9.60	17.25	0.45			
044016001	Nov-22		78.62	42.68	8.24	16.85	0.14			
CAAQMS-C1 MINES ENTRY	Dec-22	AVG	64.32	22.54	11.25	19.52	0.62			
AND EXIT GATE	Jan-23		57.25	54.23	14.27	15.15	0.51			
TIND DAIT GITTE	Feb-23		95.28	34.26	19.34	14.68	0.12			
	March-23		79.52	21.48	6.45	17.91	0.16			

# # TABLE-7 SHOWING AAQ MONITORING REPORT FOR THE REPORTING PERIOD.

**TABLE-8** 

	Surface Water Fl	ow Rate in CU	JM/SEC	
SL. No	Monitoring Station	Oct -22	Dec-22	Feb-23
1	Baitarani river	18.0	30	22
2	Dalko Nallah	16.0	17	163
3	Jalpa Nallah	20.0	20	16
4	Kashi Nallah	34.0	34	18
5	Unchabali Nallah	32.0	32	14
6	Dalki Nallah	28.0	26	15
7	Ghairajal Nallah	24.0	30	12

# TABLE-8 SHOWS THE SURFACE WATER FLOW RATE FOR THE REPORTING PERIOD

Table-09

Monitoring	ALL	Description	GWL (BGL in M)						
Station			June- 22	July- 22	Oct-22	Dec- 22	Jan-23	Mar-23	
Inside ML area	510	Bore Well	10.00	9.0	8.0	2.0	1.80	2.40	
Unchabali	504	Open Well	9.80	8.0	7.60	1.0	1.60	3.0	
Kalimatti	550	Open Well	11.00	6.08	6.20	1.20	1.0	2.60	
Balda	568	Open Well	9.80	9.0	5.90	2.10	1.40	3.10	
Malda	507	Bore Well	10.40	7.0	3.40	2.10	1.50	2.80	
Nayagarh	504	Open Well	10.20	8.09	4.20	1.80	2.0	2.60	

# #TABLE NO. 09 SHOWING GROUND WATER LEVEL MONITORING DATA TABLE - 10

SL. NO	DESCRIPTION	Unit	Norms	Oct- 22	Nov- 22	Dec- 22	Jan- 23	Feb-23	Mar- 23
1	рН	-	6.5-9.0	7.42	8.05	7.63	10.56	9.78	8.93
2	Total Suspended Solids (TSS)	Mg / 1	100	33	29	37	37	41	28
3	(BOD)	Mg / 1	30	12.40	8.20	9.6	11.10	10.60	9.80
4	Fecal Coliform	MPN/100 ml	<1000	47	34	28	28	27	37

Note – The monitoring and testing are carried by Kalyani Laboratory which is a MoEF, SPCB and NABL accredited laboratory.

# #TABLE NO.10 SHOWING SEWAGE WATER TREATMENT PLANT WATER DISCHARGE REPORT

**TABLE - 11** 

SL .NO	DESCRIP TION	Unit	Norms	Oct-22	Nov- 22	Dec-22	Jan-23	Feb-23	Mar-23
1	рН	-	6.5-8.5	7.39	7.35	7.67	7.67	7.10	8.33
2	Total Suspende d Solids	Mg/1	50	25	41	4	37	21	36
3	Oil & Grease	Mg/1	10	1.5	1.2	1.2	1.10	0.90	1.22
4	COD	Mg/1	150	72	58	5	38	2	36

Note - The monitoring and testing are carried by Kalyani Laboratory which is a MoEF, SPCB and NABL

# #TABLE NO.11 SHOWING EFFLUENT WATER TREATMENT PLANT WATER DISCHARGE REPORT

TABLE – 12 FUGITIVE EMISSION DUST MONITORING REPORT

				MONITORING	LOCATIONS	<b>.</b>			
Periods		CRUSHER PLANT	Ore Storage and loading	HAUL ROAD	SCREEN PLANT	MINES FACE	DUMP AREA		
		Results, micro.gm/CUM							
Oct-22	AVG	516	451	459	504	512	494		
Nov-22	AVG	658	579	586	448	537	439		
Dec-22	AVG	606	533	539	412	537	439		
Jan-23	AVG	631	556	562	429	515	421		
Feb-23	AVG	600	528	534	414	515	405		
March-23	AVG	615	541	547	424	501	416		

Note – The monitoring and testing are carried by Kalyani Laboratory which is a MoEF, SPCB and NABL accredited laboratory.

#### # TABLE NO.-12 SHOWING FUGITIVE EMISSION MONITORING REPORT

**TABLE - 13** 

S1.		NOISE LE	EVEL, Leq. I	n dB (A) fron	the data lo	g of the m	onitor.
No	Locations	Oct-22	Nov-22	Dec-22	Jan-23	Feb-23	Mar-23
		W	ork Zone No	ise Report			
1	MINES PIT	57.0	56.70	52.80	58.70	56.70	54.10
2	LOADING POINT	75.60	70.70	72.10	72.70	56.70	72.0
3	OPERATOR CABIN	64.80	64.80	62.60	60.90	59.10	60.50
4	WORK SHOP	66.60	63.40	62.60	61.0	63.0	63.70
5	SCREEN PLANT	76.70	73.90	72.80	77.0	77.30	78.60
		I	Ambient Noi	se Report			
1	BALDA	44.70	31.10	34.20	39.20	41.0	44.80
2	MALDA	46.60	32.40	37.10	36.60	44.80	44.80
3	NAYAGARH	50.80	46.0	50.60	46.80	48.50	50.80
4	UNCHABALI	42.40	40.40	34.80	34.0	33.80	43.70
5	OFFICE AREA	41.30	32.70	34.70	36.90	36.90	46.30
6	CAMP AREA	43.80	37.70	38.80	40.70	40.60	41.70
	1	Residential	. Leq: Day Ti	me : 55 dB ( <i>A</i>	Night Tir	ne : 45 dB	(A)
	Norms	Industrial,	Leq: Day Tir	ne : 75 dB (A	), Night Tir	ne: 70 dB	(A)
Work-zone during 8 Hr exposure: 85 dB (A) – Leq.							

# TABLE NO.-13 SHOWING NOISE MONITORING REPORT

**TABLE - 14** 

SI. No	DESCRIPTION	2020-21	2021-22	202-2023
	Environmental Monito	ring Parameter Te	sting charges	
1	AAQ, Ground Water, Surface Water, STP, ETP, Soil Test, Fugitive Test, etc.	45.96	43.40	41.20
	Dump Stab	oilization & Plantati	on	
2	Retaining wall, garland drain & its maintenance	29.20	10.50	10.50
3	Plantation, dump stabilization by coir matting	19.0	5.35	8.00
	Dus	st Suppression		
4	Mobile Sprinkler	15.00	37.00	36.00
5	Fixed Sprinkler	14.30	2.50	1.50
6	Dry fog	1.27	1.15	1.0
	Environmental Instrument	s and its maintena	nce & calibratio	n
7	RDS, Noise Meter, PPV Instruments, etc.	2.0	1.25	1.50
8	ETP and its maintenance	1.20	1.50	1.50
9	STP and its maintenance	1.20	3.95	1.20
	Miscell	aneous Expenses		
10	Rainwater harvesting and its maintenance	0.50	0.50	0.70
11	Occupational Health & Hygiene monitoring	4.0	5.20	4.20
12	Others (Including Nallah Protection measures)	2.95	2.90	1.90
	Total	136.58	115.20	109.20

**TABLE - 15** 

S1.	PERIOD	DATE OF SUBMISSION
No.	r ERIOD	DATE OF SUBMISSION
1.	April-2022 to September-2022	30.11.2022
2.	October -2021 to March-2022	31.05.2022
3.	April-2021 to September-2021	25.11.2021
4.	October -2020 to March-2021	29.05.2021
5.	April-2020 to September-2020	18.11.2020
6.	October -2019 to March-2020	29.05.2020
7.	April-2019 to September-2019	28.11.2019
8.	October – 2019 to March – 2019	27.05.2019
9.	April – 2018 to Sept – 2018	01.12.2018
10.	October -2017 to March-2018	28.06.2018
11.	April-2017 to September-2017	04.12.2017
12.	October -2016 to March-2017	09.06.2017
13.	April-2016 to September-2016	25.11.2016
14.	October-2015 to March-2016	12.05.2016
15.	April-2015 to September -2015	25.11.2015
16.	October -2014 to March -2015	22.06.2015

# #TABLE NO.-15 SHOWING EC COMPLIANCE SUBMISSION DETAILS

# INDRANI PATNAIK

(MINES OWNER)

A/6, COMMERCIAL ESTATE, CIVIL TOWNSHIP, ROURKELA - 769 004 Phone: 0661-2400139, 2400014, FAX: 0561-2402226

**REFERENCE:** UIMM/IP/ENV/APR 23/03

**DATE:** 22.04.2023

To

The Member Secretary,

State Pollution Control Board, Odisha,

118/A, Nilakanthanagar, Unit – VIII, Bhubaneswar – 751012

**Subject** 

: Submission of compliance Report under Consent to operate order for

Unchabali Iron & Mn. Mines of Smt. Indrani Patnaik.

Reference

: Approved Consent order No. 2645 vide letter no 4999 / IND-I-CON-6035

dated on 29.03.2022

Dear Sir,

With reference to the above mentioned subject, we are here with submitting the compliances report to the condition stipulated under the above consent order for the period of **April 2022 to March 2023** in respect of Unchabali Iron & Mn. Mines of Smt. Indrani Patnaik.

This is for your kind information, please

For Unchabali Iron & Mn. Mines of Smt. Indrani Patnaik

Mines Manger 22/4/23

Mines Manager

Encl

: Inchabasiahoxemn. Mines

Сору То

In The Regional Officer, SPCB, Orissa, Regional Office, Collage Road,

Distapakeonjhar, Odisha.

My wearne-

Annexure - 2

F000 46500

GOVERNMENT OF INDIA MINISTRY OF ENVIRONMENT & FORESTS EASTERN REGIONAL OFFICE

A/3, CHANDRASEKHARPUR, SHUBANESWAR - 751 023 TEL. : (Off.) 2301213, 2302432, 2302443, 2302452, 2302453 FAX : : 0674-2302432, GRAM : PARYAVARAN, BHUBANESWAR

Email: mef@ori.nic.in

भारत सरकार पर्यावरण एवं वन मंत्रात्तय, पूर्वी क्षेत्रीय कार्यात्तय ए/3, चन्द्रशेखरपुर, भुवनेश्वर -751 023 तार - पर्यावरण, भुवनेश्वर

May 3, 2007

8(21)40/2004-FCE

To

The Principal Secretary,
Forest & Environment Department,
Govt. of Orissa,
Bhubaneswar.

Sub:-

Diversion of 35.275 ha of forest land in village Unchabali in Keonjhar district for Iron Ore Mining by Smt. Indrani Patnaik of Keonjhar.

I am directed to refer to your letter No. 10F(Cons)78/2004.5763/F&E dated 13.04.2007 on the above mentioned subject seeking prior approval of the Central Govt. in accordance with Section-2 of the Forest (Conservation) Act, 1980.

After careful consideration of the proposal of the State Government, the Central Government hereby conveys its approval under Section-2 of the Forest (Conservation) Act, 1980 for diversion of 35.275 ha (34.675 ha for mining and 0.6 ha for road) of forest land in village Unchabali in Keonjhar district for Iron Ore Mining by Smt. Indrani Patnaik of Keonjhar, subject to the compliance of the following conditions:-

i) Legal status of the forest land diverted shall remain unchanged.

ii) Compensatory afforestation shall be raised and maintained over 35.275 ha of nonforest land made available in village Guptaganga under Telkoi Tahasil mutated in favour of State Forest Department and handed over to Forest Department at the project cost and the non-forest land shall be declared as PF/RF. The Nodal Officer will submit a report regarding the above issue within 6 months.

iii) An undertaking from the user agency shall also be obtained to the effect that in case the rates of NPV are revised upwards, the additional/differential amount shall be paid

by the User Agency.

- The State Government shall deposit Net Present Value of Rs. 2,64,56,250.00, Compensatory Afforestation of Rs. 5,77,000.00, Safety Zone of Rs. 1,39,300.00, Afforestation of Safety Zone of Rs. 2,21,600.00, Wildlife Management Plan Scheme of Rs. 15,91,691.00, Site Specific Wildlife Management Scheme of Rs. 21,75,000.00 and cost of protection, conservation & enrichment of 64.332 ha of balance forest area not proposed for diversion with the Ad-hoc Body of Compensatory Afforestation Fund Management and Planning Authority(CAMPA), in Account No. CA 1585 of Corporation Bank (A Government of India Enterprises), Block-11, Ground Floor, CGO Complex, Phase-1, Lodhi Road, New Delhi 110 003, as per the instruction communicated vide letter No. 5-2/2006-FC dated 20.05.2006.
- v) RCC pillars of 4 feet height shall be erected to demarcate the broken up area by the user agency at the project cost and will be marked with forward and back bearing and a site map be prepared showing the positions of all the boundary pillars with G.P.S. reading for periodic manifering by the provider

The 35.275ha forest land proposed for diversion shall be used for mining (34.675 ha) vi) and road(0.600 ha) only. No overburden dumping or any other ancillary activity will be undertaken thereat.

Mining shall be done strictly as per the mining plan approved by the IBM and copy of VII) revised Mining Plan(s) for subsequent five year periods shall be furnished to the

Regional Office without fail.

The period of permission granted Under the Forest(Conservation) Act, 1980 shall be viii) co-terminus with the period of current mining lease granted under MMRD Act or 20 years whichever is earlier.

Reclamation of mined out area as well as Over Burden dumps will be done as per a reclamation plan prepared in this regard. Progress of reclamation will be periodically monitored by 'me state roles Department. Serious' rapse in deficiency religions. targets shall invite severe action leading to even closure of mine.

The Forest Department shall carry out regeneration, maintenance of safety zone area

at the funds provided by the User agency.

The Forest Department shall carry out afforestation over degraded forest land equivalent one and half times of the safety zone with the funds provided by the User Agency.

The Regional Wildlife Management Plan prepared for Bonai-Keonjhar belt shall be Xii) implemented with the funds provided by the User Agency. The specific Wildlife Management Plan, if any, approved by the Chief Wildlife Warden, shall also be implemented at project cost with the additional funds realized from the User Agency.

Blasting, if required to be undertaken, shall be done in a manner causing least disturbance to wild animals particularly elephants. The timing of blasting should be kept flexible during seasonal movement of elephants or during period of their migration or if they happen to be around otherwise in consultation with the D.F.O.

The Scheme prepared by the Forest Department for protection, conservation and enrichment of the vegetative cover over balance 64.332 ha forest land not proposed for diversion shall be implemented at project cost under supervision of the Forest Department.

Standing trees over forest land proposed for diversion shall be felled in phases only on forest land needed to be broken strictly as per the Mining Plan with prior

permission of the D.F.O.

The user agency shall ensure that no damage to the available wildlife or to the forest XVI) flora in the neighbouring forest is caused by labourers/workmen engaged by the project authorities or contractor working under them.

No labour camp shall be allowed in the forest area and Sufficient alternate fuel from XVII) the approved source shall be provided by the user agency or the contractors working under them to the labourers engaged in the project at project cost to ensure reduction of pressure on nearby forests.

The forest land shall not be used for any purpose other than that specified in the xviii)

Adequate soil and water conservation measures, as and when required, shall be taken xix) by the User Agency in consultation with Forest Officials to check any soil crosion in the lease hold area.

- All necessary measures should be taken by the user agency to protect environment.
- Any other conditions that the Central Government may impose from time to time in (ix.) the interest of afforestation, conservation and management of flora and fauna in the area shall be complied by the user agency.
- xxii) In case of non-compliance of any of the above conditions, the concerned Divisional Forest officer shall report through the State Govt. to this office as per procedure laid down in the clause 1.9 of guidelines issued under Forest(Conservation) Act, 1980 on 25.10.1992

The State Government shall ensure compliance of all the above conditions.

Yours faithfully.

(S. MOHAPATRA) DY. CONSERVATOR OF FORESTS (CENTRAL)

y to:-

- The Inspector General of Forests (FC), Ministry of Environment & Forests, Paryavaran Bhawan, CGO Complex, Lodi Road, New Delhi - 110 003.
- The Principal Chief Conservator of Forests, Govt. of Orissa, Aranya Bhawan, 2. C.S.Pur, Bhubaneswar - 16.
- The Nodal Officer, O/o the Principal Chief Conservator of Forests, Govt. of 3. Orissa, Aranya Bhawan, C.S.Pur, Bhubaneswar - 16.
  - The Divisonal Forest Officer, Keonjhar Forest Divison, Keonjhar.

Smt. Indrani Patnaik, Mines Owner, Rourkela. Guard File.

DY. CONSERVATOR OF FORESTS (CENTRAL)

### F. No. 8-67/2014-FC

Government of India

Ministry of Environment, Forests and Climate Change (Forest Conservation Division)

\*\*\*

Indira Paryavaran Bhawan Aliganj, Jorbagh Road New Delhi –110003. Dated: 11<sup>th</sup> September, 2015

To,

The Principal Secretary (Forests), Government of Odisha. Bhubaneswar.

Sub: Diversion of additional 68.157 hectares of forest land including 3.825 hectares of forest land inside safety zone, in addition to 35.275 hectares of DLC forest land already diverted, within total Mining lease area of 106.1127 hectares in Unchabali Iron & Manganese ore mines of Smt Indrani Patnaik, in Keonjhar district, Odisha.

Sir.

I am directed to refer to the Government of Odisha's letter No 10 F (Cons.) 155/ 2014-14856/ F & E dated 11<sup>th</sup> August 2014 on the above mentioned subject, seeking prior approval of the Central Government under Section-2 of the Forest (Conservation) Act, 1980. After careful examination of the proposal by the Forest Advisory Committee constituted by the Central Government under Section-3 of the said Act, 'in-principle' approval to the proposal was granted by the Ministry vide its letter of even number dated 30<sup>th</sup> December, 2014 subject to fulfillment of certain conditions prescribed therein. The State Government has furnished compliance report in respect of the conditions stipulated in the 'in-principle' approval and has requested the Central Government to grant final approval.

In this connection, I am directed to say that on the basis of the compliance report furnished by the State Government of Orissa vide their letter No. 10F (Cons)-37/2015/8276/F & E. Bhubaneswar dated 18th May, 2015, final approval of the Central Government is hereby granted under Section-2 of the Forest (Conservation) Act, 1980 for additional 68.157 hectares of forest land including 3.825 hectares of forest land inside safety zone, in addition to 35.275 hectares of DLC forest land already diverted, within total Mining lease area of 106.1127 hectares in Unchabali Iron & Manganese ore mines of Smt. Indrani Patnaik, in Keonjhar district. Odisha, subject to the following conditions:

- Legal status of the diverted forest land shall remain unchanged;
- (ii) Compensatory afforestation over the non-forest land, equal in extent to the forest land being diverted, shall be raised and maintained by the State Forest Department from funds already provided by the user agency;
- (iii) The non-forest land transferred and mutated in favour of the State Forest Department shall be notified by the State Government as RF under Section-4 or PF under Section-29 of the Indian Forest Act, 1927 or under the relevant Section(s) of the local Forest Act latest within a period of six months from the date of issue of Stage-II approval. The Nodal Officer shall report compliance in this regard along with a copy of the original



notification declaring the non-forest land under Section 4 or Section 29 of the Indian Forest Act. 1927 or under the relevant Section(s) of the local Forest Act, as PF or RF, as the case may be, within the stipulated period to the Central Government for information and record:

- (iv) Following activities, as per approved plan/schemes, shall be undertaken by the user agency under the supervision of the State Forest Department:
  - (a) Mitigative measures to minimize soil erosion and choking of streams shall be implemented in accordance with the approved Plan in consultation with the State Forest Department.
  - (b) Planting of adequate drought hardy plant species and sowing of seeds, in the appropriate area within the mining lease to arrest soil crosion in accordance with the approved scheme;
  - (c) Construction of check dams, retention /toe walls to arrest sliding down of the excavated material along the contour in accordance with the approved scheme:
  - (d) Stabilize the overburden dumps by appropriate grading/benching, in accordance with the approved scheme, so as to ensure that that angles of repose at any given place is less than 28°; and
  - (c) No damage shall be caused to the top-soil and the user agency will follow the top-soil management plan.
- (v) The User Agency shall pay the additional amount of NPV, if so determined, as per the final decision of the Hon'ble Supreme Court of India;
- (vi) The User agency shall obtain the Environment Clearance as per the provisions of the Environmental (Protection) Act, 1986, if required;
- (vii) The State Government shall seek approval of Central Government under the FC Act for diversion 0.469 ha of forest land reported to be forest kissam as on 25.10.1980 by the Tahasildar, Barbil out of the total non-forest land over 2.6827 ha treated as non-forest as per Hal RoR.
- (viii) The User agency shall implement the provisions, as contained in the Regional Wildlife Management Plan in consultation with the Chief Wildlife Warden, Odisha from the funds already provided by the user agency for this purpose:
- (ix) The User agency shall implement the provisions, as contained in the approved site specific Wildlife Conservation Plan in consultation with the Chief Wildlife Warden, Odisha from the funds already provided by the user agency for this purpose;
- (x) User agency shall take appropriate measures such as construction of ponds, water conservation / harvesting structure etc. to ensure conservation of water in and around the project site;
- (xi) The State Forest Department shall organize environmental awareness programme to generate awareness among the employees as well as local residents on issues pertaining to conservation and protection of environment from the funds already provided by the User agency;

1

- (xii) The user agency shall abide by the provision shall take appropriate measures which will be suggested by the State Government based on the outcome of study, being conducted by the National Institute of Technology, Rourkela to assess impact of this project on floral and faunal biodiversity;
- (xiii) Tree felling should be taken up in phases strictly as per requirement under the supervision of the Divisional Forest Officer, Keonihar Forest Division;
- (xiv) User agency shall execute the Phased Reclamation Plan at their cost; and
- (xv) The user agency shall surrender mined out and biologically reclaimed forest area to the State Forest Department as per the schedule for surrendering of such land submitted by the State Government;
- (xvi) Following activities shall be undertaken by the user agency for the management of safety zone:
  - (a) User agency shall ensure demarcation of boundary of safety zone (7.5 meter strip all along the outer boundary of the mining lease area), and its protection by erecting adequate number of 4 feet high RCC boundary pillars inscribed with DGPS coordinates and deploying adequate number of watchers under the supervision of the State Forest Department.
  - (b) In case of the mining leases adjoining the habitation stretch of the boundary of the safety zone of the lease adjacent to the habitation/roads should be properly fenced by the user agency at the project cost to protect the vegetation /regeneration activities in the safety zone.
  - (c) Safety zone shall be maintained as green belt around the mining lease and to ensure dense canopy cover in the area, regeneration shall be taken in this area by the user agency at the project cost under the supervision of the State Forest Department.
  - (d) Afforestation on degraded forest land, to be selected elsewhere, measuring one and a half times the area under safety zone shall also be done by the user agency at the project cost under the supervision of the State Forest Department.
- (xvii) Period of diversion of the said forest land under this approval shall be for a period coterminus with the period of the mining lease to be granted under the Mines and Minerals (Development and Regulation) Act, 1957, as amended or Rules framed there under;
- (xviii) User agency either himself or through the State Forest Department shall undertake gap planting and soil & moisture conservation activities to restock and rejuvenate the degraded open forests (having crown density less than 0.4), if any, located in the area within 100 m. from outer perimeter of the mining lease;
- (xix) User agency shall undertake de-silting of the village tanks and other water bodies located within five km from the mine lease boundary so as to mitigate the impact of siltation of such tanks/water bodies, whenever required;
- (xx) User agency shall undertake mining in a phased manner after taking due care for reclamation of the mined over area. The concurrent reclamation plan shall be executed by the User Agency from the very first year, and an annual report on implementation thereof shall be submitted to the Nodal Officer, Forest (Conservation) Act, 1980, Government of

(v

Odisha and the Addl. Principal Chief Conservator of Forests (Central), Ministry of Fravironment & Forests, Regional Office (Eastern Zone), Bhubaneswar. If it is found from the annual report that the activities indicated in the concurrent reclamation plan are not being executed by the User Agency, the Nodal Officer or the Addl. Principal Chief Conservator of Forests (Central) may direct that the mining activities shall remain suspended till such time, such reclamation activities are satisfactorily executed;

- (xxi) No labour camp shall be established on the forest land;
- (xxii) User agency shall provide firewood preferably alternate fuel to the labourers and the staff working at the site so as to avoid any damage and pressure on the adjacent forest areas;
- (xxiii) The boundary of the mining lease and safety zone shall be demarcated on ground at the project cost, by erecting four feet high reinforced cement concrete pillars, each inscribed with its serial number, forward and back bearing and distance from pillar to pillar;
- (xxiv) Forest land shall not be used for any purpose other than that specified in the proposal;
- (xxv) The user agency shall submit the annual self-compliance report in respect of the above conditions to the State Government and to the concerned Regional Office of the Ministry regularly;
- (xxvi) Any other condition that the Regional Office (Eastern Zone), Bhubaneswar of this Ministry and the Government of Odisha may stipulate, from time to time, in the interest of conservation, protection and development of forests & wildlife; and
- (xxvii) The User Agency and the State Government shall ensure strict compliance of conditions of Stage-I approval for which undertakings has been obtained from the User Agency and also provisions of the all Acts, Rules, Regulations and Guidelines, for the time being in force, as applicable to the project.

Yours faithfully,

(Nisheeth Saxena)

Assistant Inspector General of Forests

Copy to:

- 1. The Principal Chief Conservator of Forests, Government of Odisha, Bhubaneswar.
- The Nodal Officer, the Forest (Conservation) Act, 1980 Forest Department. Government of Odisha, Bhubaneswar.
- 3. The Addl. Principal Chief Conservator of Forests (Central), Regional Office (Eastern Zone), Bhubaneswar.

4. User Agency.

5. Monitoring Cell, FC Division, MoEF & CC, New Delhi,

6. Guard File.

(Nisheeth Saxena)

Assistant Inspector General of Forests

# No. J-11015/273/2009-IA.II(M)

Government of India Ministry of Environment & Forests

> Paryavaran Bhawan, C.G.O. Complex, Lodi Road, New Delhi – 110 003

Dated the 31st May, 2011

To

M/s Indrani Patnaik A/6 Commercial Estate, Civil Township, Rourkela-769 004

Subject: Unchabali Iron Ore Beneficiation Plant of Smt. Indrani Patnaik, located in Village Unchabali, Tehsil Barbil, District Keonjhar, Orissa -environmental clearance regarding.

Sir,

This has reference to your letter No. UIMM/BF/MOEF/EC/2010/10 dated 30.10.2010 and subsequent letters dated 31.12.2010 and 21.01.2011 on the subject mentioned above. The project was earlier prescribed Terms of Reference (TORs) by the Ministry of Environment and Forests on 16.11.2009 for undertaking detailed EIA study for the purpose of obtaining environmental clearance. The proposal is for setting up of a iron ore beneficiation plant with a capacity of 2.0million tonnes per annum (million TPA) throughput within the existing mining lease area. The Unchaballi Iron Ore and Manganese Ore Mining Project of M/s Indrani Patnaik located in Village(s) Unchaballi & Balda, Tehsil Champua, District Keonjhar, Orissa was accorded environmental clearance by the Ministry vide letter No. J-11015/214/2008-IA.II(M) dated 23<sup>rd</sup> July, 2009 for production capacity of 4million TPA of iron ore involving mining lease area 106.1127ha.

2. The proposed beneficiation plant will be located within the existing mine lease area for which environment clearance has already been obtained for a rated capacity of 4million TPA. Out of the total mine lease area of 106.1127ha (including 103.432ha of forestland); the land requirement for the beneficiation plant will be 2.35ha. Out of 2.35ha land requirement for beneficiation plant, an area of 1.05ha is kept for plant facilities, 1.1ha for water storage and 0.2ha for approach roads. The Baitarni River is flowing in the buffer zone of the project at a distance of 2.5km from the mine lease boundary. In addition, eight water bodies namely the Jalpa Nadi(1.5km), the Kasi Nallah(3.5km), the Dolko Nallah(7km), the Dalki Nallah(7.5km), the Ghagra Nallah and the Jagdhara Nadi(8km), the Gahirajala Nallah(8.5km) and the Mithida Spring(9km) are located in the buffer zone of the project.

..2/-

- 3. No national park/wildlife sanctuary/biosphere reserve/tiger reserve/elephant reserve etc. are reported to be located in the core and buffer zone of the project. The Conservator of Forests(Wildlife) approved site specific wildlife conservation plan for the mine on 15.02.2010.
- 4. The beneficiation plant will adopt wet process with the latest State of Art Technology comprising of drum scrubbers, double deck wet screens, jigs, dewatering and rinsing screens, thickening cyclones, high frequency screens, filter press etc. The throughput capacity of the beneficiation plant will be two million TPA. The life of the beneficiation plant is reported to be 10 years only based on the mineral available from this mine and accordingly proponent have sought for clearance only for 10 years. Selection of filter press eliminates the necessity of tailing pond and the final sludge comes in the form of cake. The project is based on zero discharge. The effluent generated will be recycled and reused and there will be no effluent discharge outside the plant area. The cake generated from the filter press will be dumped initially for two years along with the overburden as inter mixed layers and thereafter it will be filled back into the mined out area. The peak water requirement of the project is estimated as 1025m³ per day, which will be obtained from the groundwater.
- 5. The public hearing of the project was held on 05.10.2010 for establishment of 2million TPA iron ore beneficiation plant within the mining lease hold area of Unchaballi Iron Ore and Manganese Ore Mining Project of M/s Indrani Patnaik located in Village(s) Unchaballi & Balda, Tehsil Champua, District Keonjhar, Orissa. The Ministry of Environment and Forests conveyed its approval under Section-2 of the Forest (Conservation) Act, 1980 for diversion of 35.275 ha forestland (34.675ha for mining and 0.6ha for road) on 03.05.2007. The capital cost of the project is Rs.3000Lakhs and the capital cost for the environmental protection measures is proposed as Rs.320Lakhs. The annual recurring cost towards the environmental protection measures is proposed as Rs.25Lakhs. It has been stated that there is no court case to the project or related activity.
- 6. The Ministry of Environment and Forests has examined the application in accordance with the EIA Notification, 2006 and hereby accords environmental clearance under the provisions thereof to the above mentioned Unchabali Iron Ore Beneficiation Plant of Smt. Indrani Patnaik for an annual production capacity of Two(2)million tonnes throughput involving project area of 2.35ha, within the existing mining lease area of 106.1127ha of the applicant for a period of ten years only, subject to implementation of the following conditions and environmental safeguards.

# A. Specific Conditions

(i) No activity relating to the project shall be undertaken in the forestland for which forestry clearance under the Forest (Conservation) Act, 1980 has not been obtained. The environmental clearance is subject to grant of forestry clearance.

- (ii) The project proponent shall obtain Consent to Establish and Consent to Operate from the State Pollution Control Board, Orissa and effectively implement all the conditions stipulated therein.
- (iii) The water recovery and spill way system shall be so designed that the natural water resources are not affected and that no spill water goes into the nearby rivers.
- (iv) The project proponent shall carry out conditioning of the ore with water to mitigate fugitive dust emission.
- (v) The cake generated from the filter press shall be dumped initially for two years along with the overburden as inter mixed layers and thereafter it shall be filled back into the mined out area. Compliance status shall be submitted to the Ministry of Environment & Forests and its Regional Office located at Bhubaneswar on six monthly basis.
- (vi) Necessary safeguard measures shall be taken for effective control of particulate levels ( $PM_{10}$ ) in the area. The safeguard measures shall be implemented within first three months and their effectiveness shown with supporting data of actual air quality monitoring.
- (vii) A green belt of adequate width shall be developed all around the plant by planting the native species in consultation with the local DFO/Agriculture Department within first five years.
- (viii) Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as around crushing and screening plant, loading and unloading point and transfer points. Extensive water sprinkling shall be carried out on haul roads. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.
- (ix) The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board.
- (x) Regular monitoring of ground water level and quality shall be carried out in and around the project area by establishing a network of existing wells and installing new piezometers during the operation. The periodic monitoring [(at least four times in a year- pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January); once in each season)] shall be carried out in consultation with the State

M41-

Ground Water Board/Central Ground Water Authority and the data thus collected may be sent regularly to the Ministry of Environment and Forests and its Regional Office Bhubneswar, the Central Ground Water Authority and the Regional Director, Central Ground Water Board. If at any stage, it is observed that the groundwater table is getting depleted due to the mining activity, necessary corrective measures shall be carried out.

- (xi) The project proponent shall obtain necessary prior permission of the competent authorities for drawl of requisite quantity of water(surface water and groundwater) required for the project.
- (xii) Suitable rainwater harvesting measures on long term basis shall be planned and implemented in consultation with the Regional Director, Central Ground Water Board.
- (xiii) Appropriate mitigative measures shall be taken to prevent pollution of the Baitarni River in consultation with the State Pollution Control Board.
- (xiv) Pre-placement medical examination and periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly.
- (xv) Occupational health surveillance program of the workers shall be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed. Health records of the workers shall be maintained.
- (xvi) Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- (xvii) The project proponent shall take all precautionary measures during mining operation for conservation and protection of endangered fauna namely elephant, sloth bear etc. spotted in the study area. All the safeguard measures brought out in the approved site specific wildlife conservation plan shall be effectively implemented in consultation with the State Forest and Wildlife Department. Necessary allocation of funds for implementation of the conservation plan shall be made and the funds so allocated shall be included in the project cost. A copy of approved conservation plan shall be submitted to the Ministry of Environment and Forests and its Regional Office, Bhubaneswar.

## B. General conditions

- (i) No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests.
- (ii) Atleast four ambient air quality-monitoring stations should be established in the core zone as well as in the buffer zone for RSPM (Particulate matter with size less than 10micron i.e.,  $PM_{10}$ ) and  $NO_X$  monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.
- (iii) Data on ambient air quality [(RSPM(Particulate matter with size less than 10micron i.e.,  $PM_{10}$ ) and  $NO_X$ ] should be regularly submitted to the Ministry including its Regional office located at Bhubaneswar and the State Pollution Control Board / Central Pollution Control Board once in six months.
- (iv) Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.
- (v) Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc. should be provided with ear plugs / muffs.
- (vi) Industrial waste water (workshop and waste water from the mine) should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19<sup>th</sup> May, 1993 and 31<sup>st</sup> December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.
- (vii) Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.

Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.

(viii) A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.

- (ix) The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Bhubaneswar.
- (x) The project authorities should inform to the Regional Office located at Bhubaneswar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.
- (xi) The Regional Office of this Ministry located at Bhubaneswar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.
- (xii) The project proponent shall submit six monthly reports on the status of compliance of the stipulated environmental clearance conditions including results of monitored data (both in hard copies as well as by email) to the Ministry of Environment and Forests, its Regional Office Bhubneswar, the respective Zonal Office of Central Pollution Control Board and the State Pollution Control Board. The proponent shall upload the status of compliance of the environmental clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the Ministry of Environment and Forests, Bhubneswar, the respective Zonal Officer of Central Pollution Control Board and the State Pollution Control Board.
- (xiii) A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parisad/ Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- (xiv) The State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Centre and the Collector's office/ Tehsildar's Office for 30 days.
  - (xv) The environmental statement for each financial year ending 31<sup>st</sup> March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Office of the Ministry of Environment and Forests, Bhubneswar by e-mail.

- (xvi) The project authorities should advertise at least in two local newspapers of the District or State in which the project is located and widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at <a href="http://envfor.nic.in">http://envfor.nic.in</a> and a copy of the same should be forwarded to the Regional Office of this Ministry located at Bhubaneswar.
- 7. The Ministry or any other competent authority may alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
- 8. Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.
- 9. The above conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and rules made thereunder and also any other orders passed by the Hon'ble Supreme Court of India/ High Court of Orissa and any other Court of Law relating to the subject matter.

(SATISH C. GARKOTI) Scientist 'F'

# Copy to:

- The Secretary, Ministry of Mines, Government of India, Shastri Bhawan, New Delhi.
- (ii) The Secretary, Department of Environment, Government of Orissa, Secretariat, Bhubaneswar.
- (iii) The Secretary, Department of Mines and Geology, Government of Orissa, Secretariat, Bhubaneswar.
- (iv) The Secretary, Department of Forests, Government of Orissa, Secretariat, Bhubaneswar.
- (v) The Chairman, Central Pollution Control Board, Parivesh Bhawan, CBD-cum-Office Complex, East Arjun Nagar, Delhi-110032.

..8/-

- (vi) The Chief Conservator of Forests, Regional Office (EZ), Ministry of Environment and Forests, A-3 Chandrashekharpur, Bhubaneshwar-751023.
- (vii) The Chairman, Orissa State Pollution Control Board, Parivesh Bhawan, A/118 Nilakantha Nagar, Unit-VIII, Bhubaneshwar-751012.
- (viii) The Member Secretary, Central Ground Water Authority, A2, W3 Curzon Road Barracks, K.G. Marg, New Delhi-110001.
- (ix) The District Collector, District Keonjhar, Government of Orissa.
- (x) EI Division, Ministry of Environment & Forests, EI Division, New Delhi.
- (xi) Monitoring File.
- (xii) Guard File.

(xiii) Record File.

(SATISH C. GARKOTI)
Scientist 'F'

Scie

# INDRANI PATNAIK

(MINES OWNER)

A/6. COMMERCIAL ESTATE, CIVIL TOWNSHIP, ROURKELA - 769 004 Phone: 0661-2400139, 2400014, FAX: 0661-2402226

Ref. No. IP/mm/October 19/004

Date: 03.10.2019

The Member Secretary, State Pollution Control Board, Parivesh Bhawan, A/118, Nilakantha Nagar, Unit - VIII, Bhubaneswar - 751012.

Sub: Dismantling of 2.0 MTPA (2 x 185 TPH) Unchabali Iron Ore Beneficiation Plant of Smt. Indrani Patnaik, located in village in Unchabali, Tehsil Barbil, District Keonjhar, Orissa — Req.

- Ref: 1. Environment Clearance vide no. J-11015/273/2009-IA.II(M) dt. 31.05.2011
  - Consent to establish Order 12653/IND-II-NOC-5291 dt. 30.07.2011.
  - Consent Order no. 2645, vide no. 11731/IND-I-CON-6035 dt. 26.06.2013 & 2476/IND\_I-CON-6035 dt. 06.02.2016

Dear Sir.

With reference to the cited subject and reference letter no., we would like to inform you that, we have established 2.0 Million TPA (2 x 185 TPH) Iron Ore Beneficiation Plant after obtaining the requisite statutory clearances say Consent to Establish from your good office vide no. 12653/IND-II-NOC-5291 dt. 30.07.2011, Environment Clearance from MoEF&CC vid no. J-11015/273/2009-IA.II(M) dt. 31.05.2011 and Consent to Operate from your good office vide no. 11731/IND-I-CON-6035 dt. 26.06.2013. SPCB. After due approvals, the iron ore beneficiation plant was in operation since 2013.

In due course of time and as per the approved review of mining plan duly approved by Indian Bureau of Mines, Govt. of India vide no. MS/FM/25-ORI/BHU/2017-18 dt. 16.11.2017; the total ROM will be handled by dry method of size separation with the help of Crusher and Screen Plants, so there will no requirement of wet beneficiation plant due to the following reasons;

"After detailed exploration, the resource has been estimated under G1 category. No additional resource has been established by drilling. The average grade of iron ore is coming around 62% Fe. Based on the estimation of the resource, it can be observed that, only 10% of total quantity is coming under sub-grade ore. Those sub-grade ore can easily be blendable with high grade ore. Hence, it is not worth to use the wet beneficiation plant as far as cost benefit analysis is concerned."

Eny\_

In view of the above, we would like to inform you that; since there is no such requirement of the Beneficiation Plant, so we are in the process of dismantling of the 2.0 Million TPA (2 x 185 TPH) iron ore beneficiation plant located within our mines premises of Unchabali Iron & Mn Ore Mines.

This is for your kind information, please.

Yours faithfully,

Unchabali Iron Ore Beneficiation Plant of Smt. Indrani Patnaik

Entherin

Mines Mangerhabali Iron & Mn. Mines

Indrani Patnaik

Mahaparvat

Enclosed: Approved review of Mining Plan copy is attached.

CC to: The Director (S), Ministry of Environment, Forest & Climate Change, Eastern

Regional Office, A/3, Chandrasekharpur, Bhubaneswar, Odisha - 751023



भारत सरकार GOVERNMENT OF INDIA खान मंत्रालय MINISTRY OF MINES भारतीय खान ब्यूरो INDIAN BUREAU OF MINES क्षेत्रीय खान नियंत्रक के कार्यालय OFFICE OF THE REGIONAL CONTROLLER OF MINES



TeleFax: 0674-2352490 E-mail: ro.bhubaneshwar@ibm.gov.in

Plot No.149, Pokhariput BHUBANESWAR-751020

ANNEXURE - 5

No. MS/FM/25-ORI/BHU/2017-18

Date: 16.11.2017

To

Smt. Indrani Patnaik, Mine Owner, Village- Unchabali, PO-Bamebari, Barbil, Dist-Keonihar. Odisha-758034

Sub: Approval of Review of Mining Plan of Unchabali Iron & Mn Mine along with Progressive Mine Closure Plan (PMCP), over an area of 106.1127 ha in Keonjhar district of Odisha State, submitted by Smt. Indrani Patnaik under Rule 17 of Mineral Concession Rules, 2016.

Ref: i) Your letter No. Nil dated 04.10.2017.

- ii) This office letter of even no. dated 04.10.2017.
- iii) This office letter of even no. dated 04.10.2017 addressed to Director of Mines, Government of Odisha copy endorsed to you.
- iv) This office letter of even no. dated 23.10.2017.
- v) Your Qualified Person letter No. PMP/IBM/05/2017-18 dated 08.11.2017.

Sir,

In exercise of the power delegated to me vide Gazette Notification No. S.O. 1857(E) dated 18.05.2016, I hereby Approve the Review of Mining Plan including Progressive Mine Closure Plan of Unchabali Iron & Mn Mine over an area of 106.1127 ha of Smt. Indrani Patnaik in Keonjhar district of Odisha State submitted under Rule 17 of Mineral Concession Rules, 2016. This approval is subject to the following conditions:

- The Review of Mining Plan is approved without prejudice to any other law applicable to the mine area from time to time whether made by the Central Government, State Government or any other authority and without prejudice to any order or direction from any court of competent jurisdiction.
- II. The proposals shown on the plates and/or given in the document is based on the lease map /sketch submitted by the applicant/ lessee and is applicable from the date of approval.
- III. It is clarified that the approval of aforesaid Review of Mining Plan does not in any way imply the approval of the Government in terms of any other provision of Mines & Minerals (Development & Regulation) Act, 1957, or the Mineral Concession Rules. 2016 and any other laws including Forest (Conservation) Act, 1980, Environment (Protection) Act, 1986 or the rules made there under, Mines Act, 1952 and Rule & Regulations made there under.
- IV. Indian Bureau of Mines has not undertaken verification of the mining lease boundary on the ground and does not undertake any responsibility regarding correctness of the boundaries of the leasehold shown on the ground with reference to lease map & other plans furnished by the applicant / lessee.

V. At any stage, if it is observed that the information furnished, data incorporated in the document are incorrect or misrepresent facts, the approval of the document shall be revoked with immediate effect.

VI. If this approval conflicts with any other law or court order/ Direction under any statute,

it shall be revoked immediately.

VII. Validity of this document shall expire on 31.03.2023.

VIII. Next Financial Assurance shall be due for submission on 31.03.2023.

भवदीय/ yours faithfully,

Encl: - One copy of approved Review of Mining Plan

(HARKESH MEENA)

क्षेत्रीय खान नियंत्रक / Regional Controller of Mines

Copy for kind information to:-

 The Director of Mines, Directorate of Mines, Government of Odisha, Heads of the Department Building, Bhubaneswar-751001, Odisha along with one copy of Review of Mining Plan by REGISTERED PARCEL.

2. Shri Pradeept Mohapatra, Post Box No. 1, P.o- Joda, At - Unchabali, Bamebari, Dist -

Keonihar, Odisha - 758034.

(HARKESH MEENA)

क्षेत्रीय खान नियंत्रक / Regional Controller of Mines

# SMT INDRANI PATNAIK (MINING LESSEE) (EXTENT-106.1127HA)

# REVIEW OF THE MINING PLAN IN RESPECT OF UNCHABALI IRON & MN MINES UNDER RULE 17(1) OF MCR 2016

Existing Dumps						
Name of the Dump	Location	Length (Max) (m)	Breadth (Max)	Area oc	cupied (ha)	Grade
1	E 336850 - 337115 N 2419290 -2419725	440	140	61600	6.16	-45% Fe.
. 2	E 336920 - 337110 N 2419930 - 2420050	170	90	15300	1.53	-45% Fe.

## **Existing Sub-grade Ore Stacks**

SI. No	Name of the Stack	Location	Area in Ha.	Quantity (t)
1	Sub Grade No 1	Near ML Pillar C1 337495 – 2419155	3.09	540018.67
	odb Grade 140 1	337295 - 2419000	3.05	340018.67

### Existing stock as on 01.09.2017

SI no	Size	Grade	Quantity (MT)	
1	Lumps (10-30mm)	62-65%Fe	33077.909	
SI no 1 2 3 4	Lump (5-18mm)	62-65%Fe	40171.673	
3	Fines (0-10mm)	62-65%Fe	419528.65	
4	Fines (0-10mm)	60-62%Fe	4374.669	

## (a - 2) Proposed Method of Mining:

Fully Mechanized method shall be adopted for production of iron ore. The existing benches shall be extended outside the broken up area as the forest clearance over total area has been granted. After getting tree felling order, the forest growth shall be cleared for advancement of benches and access of road to the benches. Advancement of the upper bench shall be done to permit development of adequate working width at lower bench. Based on the exploration result, the ore body has been earmarked in the geological plan. Considering the ore body configuration it has been planned to extend the existing benches laterally as well as depth ward. The benches shall be developed in a systematic manner with 10m height and 15m width. It has been planned to produce 4.00mt of ROM per annum. The ROM constitutes saleable ore and sub-grade ore. Production planning has been made for 5 years from 2018-19 to 2022-23.

# Dismantling of Beneficiation plant

Only dry method of size separation will be adopted for processing of ROM. The existing wet beneficiation plant will not be utilized because of the following reasons:

 After detail exploration the resource has been estimated under G1 category. No additional resource has been established by the drilling. The average grade of iron ore is coming

A.GURUBALASUBRAMANIAM

**Qualified person** 

PRADEEPT WOHAPATRA
Qualified person

# SMT INDRANI PATNAIK (MINING LESSEE) (EXTENT-106.1127HA)

# REVIEW OF THE MINING PLAN IN RESPECT OF UNCHABALI IRON & MN MINES UNDER RULE 17(1) OF MCR 2016

around 62% Fe. Based on the estimation of resource, it can be observed that only 10% of total quantity is coming under sub-grade ore. This sub-grade ore can easily be blendable with high grade ore. Hence, it is not worth to use the beneficiation plant as far as cost benefit analysis is concerned.

 The bench movement towards east cannot be possible during next scheme period due to the existence of beneficiation plant. To make the benches systematic towards depth lateral development is required.

# Hence, it is proposed to dismantle the beneficiation plant from 2016-17 onwards Haul Road:

The layout of roads for haulage of ore/ waste and access to different installation in the mine will be developed complying with the statutory regulations stipulated in the Metalliferrous Mines Regulations, 1961. Overburden and sub-grade ore will be dispatched to the dumping and sub-grade stacking sites located in the lease area. It is proposed to maintain two 30m wide haul road in the eastern part of the quarry to keep the overall slope of the quarry below 45°. Besides these two 30m benches, it is proposed to maintain fifteen meter wide haul road in the lease area as per need at a gradient up to 1:14. Regular maintenance of haul road will be done throughout the mine life to protect the road from damage and vehicles from wear & tear.

#### Site Services:

As far as day to day mine operation is concerned, the infrastructure such as site office, weigh bridge, rest shed, First-aid centre, blasting shed security house, magazine, guard house etc are already made available in the lease area.

#### Machineries to be deployed.

The mine will be operated in a three shift basis as per the existing practice. Process of excavation and loading of overburden/waste will be done by deploying hydraulic excavators and dumpers. Excavators of 2.1m<sup>3</sup> to 4.3m<sup>3</sup> capacities will be deployed for excavation & loading of ROM ore and dumpers of 30t to 85t capacity shall be deployed for transportation of ore and OB. Hard iron ore will be loosened through drilling & blasting. For the purpose, DTH drill like DP1100 of 115mm dia, etc. will be used during ensuing scheme

A.GURUBALASUBRAMANIAM
Qualified person

PRADEEPT MOHAPATRA
Qualified person

## GLOBAL TECH ENVIRO EXPERTS PVT. LTD. (FORMERLY GLOBAL EXPERTS)

C-23, BJB Nagar, Bhubaneswar-751014 Ph.: 0674-2436853 Fax:- 0674-2433487

**ANNEXURE - 6** 

E-mailvisit us: globalexperts@rediffmail.com alobal1experts@gmail.com www.globaltechenvexpt.com

GTEEPL/LQR/56

An ISO-9001:2008 Certified Company

# TEST REPORT

NABL ULR NO

Report No.

TC1010122000000229P

GTEEPL/11/22/SW/229A

Issue Date: 21.11.2022

TC-10101

Name of the Client

:

:

**UNCHABALI IRON & MANGANESE MINES** 

Address

(Smt. Indrani Pattnaik), A/6, Commercial Estate, Civil Township, Rourkela, Odisha

Date of Sampling

08.11.2022

Date of Receiving: 09.11.2022

Date of Testing

10.11.2022 to 16.11.2022

Sampling Location

Baitarani River Up Stream

Identification of Sample

Surface Water

Quantity of Sample Sampling procedure 1LTR X 2 CTEEDI /I SOD/00

SI. No.	Parameters	Unit	Testing Method	Standards as per IS-2296 Class-'C'	Analysis Result
Phys	ical Parameters				
1	рН	****	IS 3025( Part-11)1983 RA 2017	6.5 to 8.5	7.07
2	Odour		IS 3025(Part 5) 2018	Unobjectionable	Unobjectionable
3	Colour	Hazen	IS 3025(Part 4) 2021	300	10
4	Electrical Conductivity	μs/cm	IS 3025(Part-14) :2021		121
5	Total Dissolved solids	mg/l	IS 3025( Part-16)1984 RA 2017	1500 (max)	79
6	Total Suspended Solids	mg/l	IS 3025( Part-17):1984RA 2017		17
7	Turbidity	NTU	IS 3025( Part-10)1984 RA 2017	******	37
Cher	nical Parameters				
8	Dissolved Oxygen	mg/l	IS 3025( Part-38)1989 RA 2019	4(min)	6.1
9	Biochemical Oxygen Demand (for 3 days 27 °C)	mg/l	IS 3025( Part-44):1998	3(max)	19 .
10	Chemical oxygen Demand	mg/l	APHA 23rd Ed.(5220-D): 2017		72
11	Total Hardness as CaCo3	mg/l	IS 3025(Part-21)2009 RA 2019		60
12	Total Alkalinity as CaCo3	mg/l	IS 3025(Part-23) 1986 RA 2019		54
13	Calcium as Ca	mg/l	IS 3025 (Part-40) 1991 RA 2019		16.84
14	Magnesium as Mg	mg/l	APHA 23rd Ed(3500-Mg-B): 2017	******	4.37
15	Chloride as Cl	mg/l	IS 3025( Part-32)1988 RA 2019	600(max)	14
16	Sulphate as SO4	mg/l	IS 3025( Part-24)1986 RA 2019	400(max)	24
17	Fluoride as F	mg/l	APHA 23rd Ed.(4500-F-D):2017	1.5(max)	0.12
18	Nitrate as NO3	mg/l	APHA 23 <sup>rd</sup> Ed(4500-NO <sub>3</sub> -B): 2017	50(max)	4.6
19	Ammo. Nitrogen as (NH3-N)	mg/l	IS 3025(Part-34): 1988		0.9
20	Oil & Grease	mg/l	APHA 23 <sup>rd</sup> Ed.(5520-B): 2017	0.1(max)	< 0.05
21	Iron as Fe	mg/l	IS 3025( Part-53)2003 RA 2019	50.0(max)	0.86
22	Hexavalent Chromium as Cr <sup>+6</sup>	mg/l	IS 3025( Part-52)2003 RA 2019	0.05(max)	<0.01

C-23, BJB Nagar, Bhubaneswar-751014 Ph.: 0674-2436853 Fax: 0674-2433487 E-mail-

visit us:

globalexperts@rediffmail.com global1experts@gmail.com www.globaltechenvexpt.com

Report No: GTEEPL/11/22/SW/229A

38	Total Coliform Bacteria	MPN/ 100ml	IS 1622:1981 RA 2019	5000(max)	520
Bacte	riological Quality	MDNI			
37	Anionic detergent as MBAS	mg/l	Annex K of IS 13428	1.0(max)	<0.2
36	Mercury as Hg	mg/l	IS 3025(Part 48) 1994 RA 2009	******	<0.001
35	Cadmium as Cd	mg/l	IS 3025(Part-41)1992 RA 2019	0.01(max)	0.001
34	Zinc as Zn	mg/l	IS 3025(Part-49)1994 RA 2019	15(max)	0.05
33	Nickel	mg/l	IS 3025(Part-54)2003 RA 2019	0.02	<0.01
32	Selenium as Se	mg/l	IS 3025(Part-56)2003 RA 2019	0.05(max) .	<0.001
31	Lead as Pb	mg/l	IS 3025(Part-47)1994 RA 2019	0.1(max)	<0.01
30	Manganese as Mn	mg/l	IS 3025( Part-59)2006 RA 2017	******	<0.05
29	Copper as Cu	mg/l	IS 3025(Part-42)1992 RA 2019	1.5(max)	<0.01
28	Arsenic as As	mg/l	IS 3025(Part-37)1988 RA 2019	0.05(max)	<0.01
27	Cyanide as CN	mg/l	IS 3025(Part-27)1986 RA 2019	0.05(max.)	<0.01
26	Dissolved Phosphate as(P)	mg/l	APHA 23 <sup>rd</sup> Ed (4500 P- D)2017	******	<0.05
25	Sulphide as H2S	mg/l	IS 3025(Part-29)1986 RA 2019		<0.05
24	Phenolic Compounds as C <sub>6</sub> H <sub>5</sub> OH	mg/l	IS 3025(Part-43)1992 RA 2019	0.005 (max)	<0.001
23	Total Chromium	mg/l	IS 3025(Part-52) 2003 RA 2009	0.05(max)	<0.02

-END OF REPORT-

Global Tech Enviro Experts Pvi

N.B.:

• The results relate to the sample received in respect to the Parameters tested.

Liability for return of sample ceases after 15 days from the date of Test certificate.
The report cannot be reproduced either in full or in part, without prior written consent of Director.

• In case of any complaint, Please mail us globalexperts@rediffmail.com

ENVIROR

Authorised Biggrate

# GLOBAL TECH ENVIRO EXPERTS PVT. LTD. (FORMERLY GLOBAL EXPERTS)

C-23, 8JB Nagar, Bhubaneswar-751014 Ph.: 0674-2436853 Fax:- 0674-2433487 E-mail-

visit us:

globalexperts@rediffmail.com giobal1experts@gmail.com www.giobaltechenvexpt.com

GTEEPL/LQR/56

An ISO-9001:2008 Certified Company

# **TEST REPORT**

NABL ULR NO

TC1010122000000229P

Report No.

GTEEPL/11/22/SW/ 229B

Issue Date: 21.11.2022

TC-10101

Name of the Client

**UNCHABALI IRON & MANGANESE MINES** 

Address

(Smt. Indrani Pattnaik), A/6, Commercial Estate, Civil Township, Rourkela, Odisha

Date of Sampling

08.11.2022

Date of Receiving: 09.11.2022

**Date of Testing** 

Sampling Location

10.11.2022 to 16.11.2022 Baitarani River Down Stream

Identification of Sample

Surface Water

Quantity of Sample

ILTR X 2

Sampling procedure

GTEEPL/LSOP/09

Sl. No.	Parameters	Unit	Testing Method	Standards as per IS-2296 Class-'C'	Analysis Result
Physica	l Parameters				L
1	pН		IS 3025 ( Part-11)1983 RA 2017	6.5 to 8.5	7.39
2	Odour	****	IS 3025 (Part 5) 2018	Unobjectionable	Unobjectionable
3	Colour	Hazen	IS 3025 (Part 4) 2021	300	15
4	Electrical Conductivity	μs/cm	IS 3025 (Part-14) :2021	****	144
5	Total Dissolved solids	mg/l	IS 3025 ( Part-16)1984 RA 2017	1500 (max)	93
6	Total Suspended Solids	mg/l	IS 3025 ( Part-17):1984RA 2017		23
7	Turbidity	NTU	IS 3025 ( Part-10)1984 RA 2017	·	49
Chemic	al Parameters				
8	Dissolved Oxygen	mg/l	IS 3025 ( Part-38)1989 RA 2019	4(min)	6.4
9	Biochemical Oxygen Demand (for 3 days 27 °C)	mg/l	IS 3025 ( Part-44):1998	3(max)	1.4
10	Chemical oxygen Demand	mg/l	APHA 23rd Ed.(5220-D): 2017		68
11	Total Hardness as CaCo3	mg/l	IS 3025(Part-21)2009 RA 2019		56
12	Total Alkalinity as CaCo3	mg/l	IS 3025(Part-23) 1986 RA 2019	******	52
13	Calcium as Ca	mg/l	IS 3025 (Part-40) 1991 RA 2019	******	15.23
14	Magnesium as Mg	mg/l	APHA 23 <sup>rd</sup> Ed (3500-Mg-B): 2017	******	4.37
15	Chloride as Cl	mg/l	IS 3025 ( Part-32)1988 RA 2019	600(max)	22
16	Sulphate as SO4	mg/l	IS 3025 ( Part-24)1986 RA 2019	400(max)	30.6
17	Fluoride as F	mg/l	APHA 23rd Ed.(4500-F-D):2017	1.5(max)	0.08
18	Nitrate as NO3	mg/l	APHA 23rd Ed(4500-NO3-B): 2017	50(max)	10.4
19	Amm.Nitrogen a (NH3-N)	mg/l	IS 3025 (Part-34): 1988	******	1.1
20	Oil & Grease	mg/l	APHA 23 <sup>rd</sup> Ed.(5520-B): 2017	0.1(max)	< 0.05
21	Iron as Fe	mg/l	IS 3025 ( Part-53)2003 RA 2019	50.0(max)	1.5
22	Hexavalent Chromium as Cr <sup>+6</sup>	mg/l	IS 3025 ( Part-52)2003 RA 2019	0.05(max)	<0.02

C-23, BJB Nagar, Bhubaneswar-751014 Ph.: 0674-2436853 Fax:- 0674-2433487 E-mail- globales

visit us:

globalexperts@rediffmail.com global1experts@gmail.com www.globaltechenvexpt.com

## Report No: GTEEPL/11/22/SW/229B

N.B.:

23	Total Chromium	mg/l	IS 3025(Part-52) 2003 RA 2009	0.05	<0.02
24	Phenolic Compounds as C6H5OH	mg/l	IS 3025(Part-43)1992 RA 2019	0.005 (max)	<0.001
25	Sulphide as H2S	mg/l	IS 3025(Part-29)1986 RA 2019		<0.05
26	Dissolved Phosphate (P)	mg/l	APHA 23 <sup>rd</sup> Ed (4500 P- D)2017		0.15
27	Cyanide as CN	mg/l	IS 3025(Part-27)1986 RA 2019	0.05(max.)	< 0.01
28	Arsenic as As	mg/l	IS 3025(Part-37)1988 RA 2019	0.05(max)	<0.01
29	Copper as Cu	mg/l	IS 3025(Part-42)1992 RA 2019	1.5(max)	<0.01
30	Manganese as Mn	mg/l	IS 3025( Part-59)2006 RA 2017	*****	<0.1
31	Lead as Pb	mg/l	IS 3025(Part-47)1994 RA 2019	0.1(max)	<0.01
32	Selenium as Se	mg/l	IS 3025(Part-56)2003 RA 2019	0.05(max)	< 0.001
33	Nickel	mg/l	IS 3025(Part-54)2003 RA 2019	0.02	<0.01
34	Zinc as Zn	mg/l	IS 3025(Part-49)1994 RA 2019	15(max)	0.08
35	Cadmium as Cd	mg/l	IS 3025(Part-41)1992 RA 2019	0.01(max)	< 0.001
36	Mercury as Hg	mg/l	IS 3025(Part 48) 1994 RA 2009	******	< 0.001
37	Anionic detergent as MBAS	mg/l	Annex K of IS 13428	1(max)	<0.2
Bacte	eriological Quality				
38	Total Coliform Bacteria	MPN/ 100ml	IS 1622:1981 RA 2019	5000(max)	724

-END OF REPORT-

Authorised Signatory
Global Tech Enviro Experts Put Ltd

• The results relate to the sample received in respect to the Parameters tested.

Liability for return of sample ceases after 15 days from the date of Test certificate.

 The property of Piperson of P

• The report cannot be reproduced either in full or in part, without prior written consent of Director.

• In case of any complaint, Please mail us globalexperts@rediffmail.com

BUB NAGA

# GLOBAL TECH ENVIRO EXPERTS PVT. LTD. (FORMERLY GLOBAL EXPERTS)

C-23, BJB Nagar, Bhubaneswar-751014 Ph.: 0674-2436853 Fax:- 0674-2433487 E-mail- globales

globalexperts@rediffmail.com visit us: www.globaltechenvexpt.com

GTEEPL/LQR/56

An ISO-9001:2008 Certified Company

# TEST REPORT

TC-10101

NABL ULR NO

TC1010122000000229P

Report No.

GTEEPL/11/22/SW/229C

Issue Date: 21.11.2022

Name of the Client

**UNCHABALI IRON & MANGANESE MINES** 

Address

(Smt. Indrani Pattnaik), A/6, Commercial Estate, Civil Township, Rourkela, Odisha

Date of Sampling **Date of Testing** 

08.11.2022

Date of Receiving: 09.11.2022

Sampling Location

10.11.2022 to 16.11.2022

Identification of ample

Unchabali Nallah Up Stream

Quantity of Sample

Surface Water 1LTR X 2

Sampling procedure

GTEEPL/LSOP/09

SI. No.	Parameters	Unit	Testing Method	Standards as per IS-2296 Class-'C'	Analysis Result
Physic	al Parameters				10.
1	pН		IS 3025( Part-11)1983 RA 2017	6.5 to 8.5	6.77
2	Odour		IS 3025(Part 5) 2018	Unobjectionable	Unobjectionable
3	Colour	Hazen	IS 3025(Part 4) 2021	300	05
4	Electrical Conductivity	μs/cm	IS 3025(Part-14) :2021		104
5	Total Dissolved solids	mg/l	IS 3025( Part-16)1984 RA 2017	1500 (max)	70
6	Total Suspended Solids	mg/l	IS 3025( Part-17):1984RA 2017		15
7	Turbidity	NTU	IS 3025( Part-10)1984 RA 2017	******	35
Chem	ical Parameters				
8	Dissolved Oxygen	mg/l	IS 3025( Part-38)1989 RA 2019	4(min)	6.2
9	Biochemical Oxygen Demand (for 3 days 27 °C)	mg/l	IS 3025( Part-44):1998	3(max)	1.8
10	Chemical oxygen Demand	mg/l	APHA 23rd Ed.(5220-D): 2017		52
11	Total Hardness as CaCo3	mg/l	IS 3025(Part-21)2009 RA 2019	****	44
12	Total Alkalinity as CaCo3	mg/l	IS 3025(Part-23) 1986 RA 2019	*****	38
13	Calcium as Ca	mg/l	IS 3025 (Part-40) 1991 RA 2019	****	11.23
14	Magnesium as Mg	mg/l	APHA 23rd Ed(3500-Mg-B): 2017		3.89
15	Chloride as Cl	mg/l	IS 3025( Part-32)1988 RA 2019	600(max)	12
16	Sulphate as SO4	mg/l	IS 3025( Part-24)1986 RA 2019	400(max)	18
17	Fluoride as F	mg/l	APHA 23rd Ed.(4500-F-D):2017	1.5(max)	0.06
18	Nitrate as NO3	mg/l	APHA 23 <sup>r</sup> Ed(4500-NO <sub>3</sub> -B):2017	50(max)	4.8
19	Amm.Nitrogen a (NH3-N)	mg/l	IS 3025(Part-34): 1988		1.0
20	Oil & Grease	mg/l	APHA 23rd Ed.(5520-B): 2017	0.1(max)	<0.05
21	Iron as Fe	mg/l	IS 3025( Part-53)2003 RA 2019	50.0(max)	1.1
22	Hexavalent Chromium as Cr+6	mg/l	IS 3025( Part-52)2003 RA 2019	0.05(max)	< 0.02

C-23, BJB Nagar, Bhubaneswar-751014 Ph.: 0674-2436853 Fax:- 0674-2433487

globalexperts@rediffmail.com E-mail-

globallexperts@gmail.com www.globaltechenvexpt.com visit us:

#### Report No: GTEEPL/10/22/SW/ 229C

N.B.:

23	Total Chromium	mg/l	IS 3025(Part-52) 2003 RA 2009	0.05	<0.02
24	Phenolic Compounds as C6H5OH	mg/l	IS 3025(Part-43)1992 RA 2019	0.005 (max)	<0.001
25	Sulphide as H2S	mg/l	IS 3025(Part-29)1986 RA 2019		<0.05
26	Dissolved Phosphate as (P)	mg/l	APHA 23 <sup>rd</sup> Ed (4500 P- D) 2017		<0.05
27	Cyanide as CN	mg/l	IS 3025(Part-27)1986 RA 2019	0.05(max.)	<0.01
28	Arsenic as As	mg/l	IS 3025(Part-37)1988 RA 2019	0.05(max)	<0.01
29	Copper as Cu	mg/l	IS 3025(Part-42)1992 RA 2019	1.5(max)	<0.01
30	Manganese as Mn	mg/l	IS 3025( Part-59)2006 RA 2017		<0.1
31	Lead as Pb	mg/l	IS 3025(Part-47)1994 RA 2019	0.1(max)	<0.01
32	Selenium as Se	mg/l	IS 3025(Part-56)2003 RA 2019	0.05(max)	<0.001
33	Nickel	mg/l	IS 3025(Part-54)2003 RA 2019	0.02	<0.01
34	Zinc as Zn	mg/l	IS 3025(Part-49)1994 RA 2019	15(max)	0.08
35	Cadmium as Cd	mg/l	IS 3025(Part-41)1992 RA 2019	0.01(max)	0.001
36	Mercury as Hg	mg/l	IS 3025(Part 48) 1994 RA 2009	***	< 0.001
37	Anionic detergent as MBAS	mg/l	Annex K of IS 13428	1(max)	<0.2
Bacte	eriological Quality	Ju-			
38	Total Coliform Bacteria	MPN/100ml	IS 1622:1981 RA 2019	5000(max)	621
			END OF DEDODT		

-END OF REPORT-

**Authorised Signatory** Global Tech Enviro Experts Pre

• The results relate to the sample received in respect to the Parameters tested.

Liability for return of sample ceases after 15 days from the date of Test certificate.

• The report cannot be reproduced either in full or in part, without prior written consent of Director.

• In case of any complaint, Please mail us globalexperts@rediffmail.com

(FORMERLY GLOBAL EXPERTS) An ISO-9001:2008 Certified Company C-23, BJB Nagar, Bhubaneswar-751014 Ph.: 0674-2436853 Fax:- 0674-2433487

E-mailglobalexperts@rediffmail.com globallexperts@gmail.com www.globaltechenvexpt.com visit us:

GTEEPL/LQR/56

#### TEST REPORT

NABL ULR NO

: TC1010122000000229P

Report No.

GTEEPL/11/22/SW/229D

Issue Date:21.11.2022

Name of the Client

**UNCHABALI IRON & MANGANESE MINES** 

Address

(Smt. Indrani Pattnaik), A/6, Commercial Estate, Civil Township, Rourkela, Odisha

**Date of Sampling** 

08.11.2022

Date of Receiving: 09.11.2022

**Date of Testing** 

Sampling Location

: 10.11.2022 to 16.11.2022

Identification of Sample :

Unchabali Nallah Down Stream

Quantity of Sample

Surface Water : 1LTR X 2

Sampling procedure

: GTEEPL/LSOP/09

SI. No.	Parameters	Unit	Testing Method	Standards as per IS-2296 Class-'C'	Analysis Result
Physic	cal Parameters				
1	pH		IS 3025( Part-11)1983 RA 2017	6.5 to 8.5	7.45
2	Odour		IS 3025(Part 5) 2018	Unobjectionable	Unobjectionable
3	Colour	Hazen	IS 3025(Part 4) 2021	300	15
4	Electrical Conductivity	μs/cm	IS 3025(Part-14) :2021		168
5	Total Dissolved solids	mg/l	IS 3025( Part-16)1984 RA 2017	1500 (max)	114
6	Total Suspended Solids	mg/l	IS 3025( Part-17):1984RA 2017		2,4
7	Turbidity	NTU	IS 3025( Part-10)1984 RA 2017		58
Chem	nical Parameters				
8	Dissolved Oxygen	mg/l	IS 3025( Part-38)1989 RA 2019	4(min)	6.2
9	Biochemical Oxygen Demand (for 3 days 27 °C)	mg/l	IS 3025( Part-44):1998	3(max)	1.7
10	Chemical oxygen Demand	mg/l	APHA 23 <sup>rd</sup> Ed.(5220-D): 2017	****	74
11	Total Hardness as CaCo3	mg/l	IS 3025(Part-21)2009 RA 2019		58
12	Total Alkalinity as CaCo3	mg/l	IS 3025(Part-23) 1986 RA 2019		46
13	Calcium as Ca	mg/l	IS 3025 (Part-40) 1991 RA 2019		14.44
14	Magnesium as Mg	mg/l	APHA 23 <sup>rd</sup> Ed(3500-Mg-B): 2017		5.35
15	Chloride as Cl	mg/l	IS 3025( Part-32)1988 RA 2019	600(max)	22
16	Sulphate as SO4	mg/l	IS 3025( Part-24)1986 RA 2019	400(max)	28
17	Fluoride as F	mg/l	APHA 23rd Ed.(4500-F-D):2017	1.5(max)	0.12
18	Nitrate as NO3	mg/l	APHA 23 <sup>r</sup> Ed(4500-NO <sub>3</sub> -B):2017	50(max)	12
19	Amm.Nitrogen a (NH3-N)	mg/l	IS 3025(Part-34): 1988		1.3
20	Oil & Grease	mg/l	APHA 23 <sup>rd</sup> Ed.(5520-B): 2017	0.1(max)	<0.05
21	Iron as Fe	mg/l	IS 3025( Part-53)2003 RA 2019	50.0(max).	2.2
22	Hexavalent Chromium as Cr+6	mg/l	IS 3025( Part-52)2003 RA 2019	0.05(max)	<0.02

C-23, BJB Nagar, Bhubaneswar-751014 Ph.: 0674-2436853 Fax:- 0674-2433487

E-mail- globalexperts@rediffmail.com globalexperts@gmail.com visit us: www.globaltechenvexpt.com

Report No: GTEEPL/11/22/SW/ 229D

23	Total Chromium	mg/l	IS 3025(Part-52) 2003 RA 2009	0.05	< 0.02
24	Phenolic Compounds as C6H5OH	mg/l	IS 3025(Part-43)1992 RA 2019	0.005 (max)	<0.001
25	Sulphide as H2S	mg/l	IS 3025(Part-29)1986 RA 2019		<0.05
26	Dissolved Phosphate as (P)	mg/l	APHA 23 <sup>rd</sup> Ed (4500 P- D) 2017		0.11
27	Cyanide as CN	mg/l	IS 3025(Part-27)1986 RA 2019	0.05(max.)	< 0.01
28	Arsenic as As	mg/l	IS 3025(Part-37)1988 RA 2019	0.05(max)	< 0.01
29	Copper as Cu	mg/l	IS 3025(Part-42)1992 RA 2019	1.5(max)	0.01
30	Manganese as Mn	mg/l	IS 3025( Part-59)2006 RA 2017		<0.1
31	Lead as Pb	mg/l	IS 3025(Part-47)1994 RA 2019	0.1(max)	< 0.01
32	Selenium as Se	mg/l	IS 3025(Part-56)2003 RA 2019	0.05(max)	< 0.001
33	Nickel	mg/l	IS 3025(Part-54)2003 RA 2019	0.02	< 0.01
34	Zinc as Zn	mg/l	IS 3025(Part-49)1994 RA 2019	15(max)	0.06
35	Cadmium as Cd	mg/l	IS 3025(Part-41)1992 RA 2019	0.01(max)	0.001
36	Mercury as Hg	mg/l	IS 3025(Part 48) 1994 RA 2009	***	< 0.001
37	Anionic detergent as MBAS	mg/l	Annex K of IS 13428	1(max)	<0.2
Bacte	eriological Quality				
38	Total Coliform Bacteria	MPN/ 100ml	IS 1622:1981 RA 2019	5000(max)	776

-END OF REPORT-

Authorised Signatory Global Tech Enviro Experts Pvt. Ltd.

N.B.:

• The results relate to the sample received in respect to the Parameters tested.

Liability for return of sample ceases after 15 days from the date of Test certificate.

• The report cannot be reproduced either in full or in part, without prior written consent of Director.

• In case of any complaint, Please mail us globalexperts@rediffmail.com

(FORMERLY GLOBAL EXPERTS) An ISO-9001:2008 Certified Company C-23, BJB Nagar, Bhubaneswar-751014 Ph.: 0674-2436853 Fax:- 0674-2433487

E-mailglobalexperts@rediffmail.com global lexperts@gmail.com www.globaltechenvexpt.com visit us:

#### GTEEPL/LQR/56

#### TEST REPORT

NABL ULR NO

TC1010122000000229P

Report No.

GTEEPL/11/22/SW/229E

Issue Date: 21.11.2022 TC-10101

Name of the Client

**UNCHABALI IRON & MANGANESE MINES** 

Address

(Smt. Indrani Pattnaik), A/6, Commercial Estate, Civil Township, Rourkela, Odisha

**Date of Sampling** 

08.11.2022

**Date of Testing** 

10.11.2022 to 16.11.2022

Date of Receiving: 09.11.2022

Sampling Location

: Jalpa Nallah

Identification of Sample

Surface Water

Quantity of Sample Sampling procedure

1LTR X 2 GTEEPL/LSOP/09

SI. No.	Parameters	Unit	Testing Method	Standards as per IS-2296 Class-'C'	Analysis Result
Physi	cal Parameters				
1	pH	****	IS 3025( Part-11)1983 RA 2017	6.5 to 8.5	6.64
2	Odour	****	IS 3025(Part 5) 2018	Unobjectionable	Unobjectionable
3	Colour	Hazen	IS 3025(Part 4) 2021	300	15
4	Electrical Conductivity	μs/cm	IS 3025(Part-14) :2021	******	110
5	Total Dissolved solids	mg/l	IS 3025( Part-16)1984 RA 2017	1500 (max)	73
6	Total Suspended Solids	mg/l	IS 3025( Part-17):1984RA 2017		14
7	Turbidity	NTU	IS 3025( Part-10)1984 RA 2017	******	34
Chen	nical Parameters				
8	Dissolved Oxygen	mg/l	IS 3025( Part-38)1989 RA 2019	4(min)	5.8
9	Biochemical Oxygen Demand (for 3 days 27 °C)	mg/l	IS 3025( Part-44):1998	3(max)	1.3
10	Chemical oxygen Demand	mg/l	APHA 23rd Ed.(5220-D): 2017		66
11	Total Hardness as CaCo3	mg/l	IS 3025(Part-21)2009 RA 2019	******	52
12	Total Alkalinity as CaCo3	mg/l	IS 3025(Part-23) 1986 RA 2019	******	50
13	Calcium as Ca	mg/l	IS 3025 (Part-40) 1991 RA 2019		14.44
14	Magnesium as Mg	mg/l	APHA 23rd Ed (3500-Mg-B): 2017	*****	3.89
15	Chloride as Cl	mg/l	IS 3025( Part-32)1988 RA 2019	600(max)	16
16	Sulphate as SO4	mg/l	IS 3025( Part-24)1986 RA 2019	400(max)	20
17	Fluoride as F	mg/l	APHA 23rd Ed.(4500-F-D):2017	1.5(max)	0.06
18	Nitrate as NO3	mg/l	APHA 23rd Ed.(4500-NO <sub>3</sub> -B): 2017	50(max)	8.8
19	Amm.Nitrogen a (NH3-N)	mg/l	IS 3025(Part-34): 1988		1.8
20	Oil & Grease	mg/l	APHA 23 <sup>rd</sup> Ed.(5520-B): 2017	0.1(max)	<0.05
21	Iron as Fe	mg/l	IS 3025( Part-53)2003 RA 2019	50.0(max) .	1.4
22	Hexavalent Chromium as Cr <sup>+6</sup>	mg/l	IS 3025( Part-52)2003 RA 2019	0.05(max)	<0.02

(FORMERLY GLOBAL EXPERTS)
An ISO-9001:2008 Certified Company

C-23, BJB Nagar, Bhubaneswar-751014 Ph.: 0674-2436853 Fax:- 0674-2433487 E-mail- globales

visit us:

globalexperts@rediffmail.com globallexperts@gmail.com www.globaltechenvexpt.com

Report No: GTEEPL/11/22/SW/229E

23	Total Chromium	mg/l	IS 3025(Part-52) 2003 RA 2009	0.05(max)	<0.02
24	Phenolic Compounds as C6H5OH	mg/l	IS 3025(Part-43)1992 RA 2019	0.005 (max)	<0.001
25	Sulphide as H2S	mg/l	IS 3025(Part-29)1986 RA 2019		<0.05
26	Dissolved Phosphate as (P)	mg/l	APHA 23 <sup>RD</sup> Ed (4500 P- D) 2017		0.18
27	Cyanide as CN	mg/l	IS 3025(Part-27)1986 RA 2019	0.05(max.)	<0.01
28	Arsenic as As	mg/l	IS 3025(Part-37)1988 RA 2019	0.05(max)	<0.01
29	Copper as Cu	mg/l	IS 3025(Part-42)1992 RA 2019	1.5(max)	<0.02
30	Manganese as Mn	mg/l	IS 3025( Part-59)2006 RA 2017		0.05
31	Lead as Pb	mg/l	IS 3025(Part-47)1994 RA 2019	0.1(max)	<0.01
32	Selenium as Se	mg/l	IS 3025(Part-56)2003 RA 2019	0.05(max)	<0.001
33	Nickel	mg/l	IS 3025(Part-54)2003 RA 2019	0.02	<0.01
34	Zinc as Zn	mg/l	IS 3025(Part-49)1994 RA 2019	15(max)	0.12
35	Cadmium as Cd	mg/l	IS 3025(Part-41)1992 RA 2019	0.01(max)	0.001
36	Mercury as Hg	mg/l	IS 3025(Part 48) 1994 RA 2009		<0.001
37	Anionic detergent as MBAS	mg/l	Annex K of IS 13428	1.0(max)	<0.2
Bacte	eriological Quality				
38	Total Coliform Bacteria	MPN/ 100ml	IS 1622:1981 RA 2019	5000(max)	347

-END OF REPORT-

Authorised Signatory Global Tech Enviro Experts Pvt. Ltd.

N.B.:

• The results relate to the sample received in respect to the Parameters tested.

Liability for return of sample ceases after 15 days from the date of Test certificate.

1 The report cannot be reproduced either in full or in part, without prior written consent of Director.

• In case of any complaint, Please mail us globalexperts@rediffmail.com

(FORMERLY GLOBAL EXPERTS) An ISO-9001:2008 Certified Company

C-23, BJB Nagar, Bhubaneswar-751014 Ph.: 0674-2436853 Fax:- 0674-2433487 E-mail-

globalexperts@rediffmail.com globalexperts@gmail.com www.globaltechenvexpt.com

GTEEPL/LQR/56

#### TEST REPORT

NABL ULR NO

TC1010122000000229P

Report No.

GTEEPL/11/22/SW/229F

Issue Date: 21.11.2022

visit us:

TC-10101

Name of the Client

**UNCHABALI IRON & MANGANESE MINES** 

Address

(Smt. Indrani Pattnaik), A/6, Commercial Estate, Civil Township, Rourkela, Odisha

**Date of Sampling** 

08.11.2022

Date of Receiving: 09.11.2022

Date of Testing

10.11.2022 to 16.11.2022

:

Sampling Location **Identification of Sample**  Kashi Nallah Surface Water

Quantity of Sample

1LTR X 2

Sampling procedure

GTEEPL/LSOP/09

SI. No.	Parameters	Unit	Testing Method	Standards as per IS-2296 Class-'C'	Analysis Result
Physi	cal Parameters				
1	рН		IS 3025 (Part-11)1983 RA 2017	6.5 to 8.5	6.88
2	Odour		IS 3025(Part 5) 2018	Unobjectionable	Unobjectionable
3	Colour	Hazen	IS 3025(Part 4) 2021	300	15
4	Electrical Conductivity	μs/cm	IS 3025(Part-14) :2021	*****	172
5	Total Dissolved solids	mg/l	IS 3025 ( Part-16)1984 RA 2017	1500 (max)	114
6	Total Suspended Solids	mg/l	IS 3025 ( Part-17):1984RA 2017	******	28
7	Turbidity	NTU	IS 3025 ( Part-10)1984 RA 2017		58
Chem	ical Parameters				
8	Dissolved Oxygen	mg/l	IS 3025( Part-38)1989 RA 2019	4(min)	6.0
9	Biochemical Oxygen Demand (for 3 days 27 °C)	mg/l	IS 3025( Part-44):1998	3(max)	1.2
10	Chemical oxygen Demand	mg/l	APHA 23 <sup>rd</sup> Ed.(5220-D): 2017	,,,,,	84
11	Total Hardness as CaCo3	mg/l	IS 3025(Part-21)2009 RA 2019	2010	68
12	Total Alkalinity as CaCo3	mg/l	IS 3025(Part-23) 1986 RA 2019		54
13	Calcium as Ca	mg/l	IS 3025 (Part-40) 1991 RA 2019	1.5.1.2	19.25
14	Magnesium as Mg	mg/l	APHA 23 <sup>rd</sup> Ed (3500-Mg-B): 2017		4.86
15	Chloride as Cl	mg/l	IS 3025( Part-32)1988 RA 2019	600(max)	30
16	Sulphate as SO4	mg/l	IS 3025( Part-24)1986 RA 2019	400(max)	32
17	Fluoride as F	mg/l	APHA 23rd Ed.(4500-F-D):2017	1.5(max)	0.16
18	Nitrate as NO3	mg/l	APHA 23 <sup>rd</sup> Ed.(4500-NO <sub>3</sub> -B): 2017	50(max)	12.4
19	Amm. Nitrogen a (NH3-N)	mg/l	IS 3025(Part-34): 1988		1.8
20	Oil & Grease	mg/l	APHA 23 <sup>rd</sup> Ed.(5520-B): 2017	0.1(max)	<0.05
21	Iron as Fe	mg/l	IS 3025( Part-53)2003 RA 2019	50.0(max)	1.9
22	Hexavalent Chromium as Cr <sup>+6</sup>	mg/l	IS 3025( Part-52)2003 RA 2019	0.05(max)	<0.02



C-23, BJB Nagar, Bhubaneswar-751014 Ph.: 0674-2436853 Fax:- 0674-2433487

E-mailglobalexperts@rediffmail.com globallexperts@gmail.com www.globaltechenvexpt.com visit us:

#### Report No: GTEEPL/11/22/SW/ 229F

23	Total Chromium	mg/l	IS 3025(Part-52) 2003 RA 2009	0.05	< 0.02
24	Phenolic Compounds as C <sub>6</sub> H <sub>5</sub> OH	mg/l	IS 3025(Part-43)1992 RA 2019	0.005 (max)	<0.001
25	Sulphide as H <sub>2</sub> S	mg/l	IS 3025(Part-29)1986 RA 2019		< 0.05
26	Dissolved Phosphate as (P)	mg/l	APHA 23 <sup>rd</sup> Ed (4500 P- D) 2017		0.18
27	Cyanide as CN	mg/l	IS 3025(Part-27)1986 RA 2019	0.05(max.)	< 0.01
28	Arsenic as As	mg/l	IS 3025(Part-37)1988 RA 2019	0.05(max)	< 0.01
29	Copper as Cu	mg/l	IS 3025(Part-42)1992 RA 2019	1.5(max)	0.01
30	Manganese as Mn	mg/l	IS 3025( Part-59)2006 RA 2017		0.06
31	Lead as Pb	mg/l	IS 3025(Part-47)1994 RA 2019	0.1(max)	< 0.01
32	Selenium as Se	mg/l	IS 3025(Part-56)2003 RA 2019	0.05(max)	< 0.001
33	Nickel	mg/l	IS 3025(Part-54)2003 RA 2019	0.02	< 0.01
34	Zinc as Zn	mg/l	IS 3025(Part-49)1994 RA 2019	15(max)	0.08
35	Cadmium as Cd	mg/l	IS 3025(Part-41)1992 RA 2019	0.01(max)	0.001
36	Mercury as Hg	mg/l	IS 3025(Part 48) 1994 RA 2009		< 0.001
37	Anionic detergent as MBAS	mg/l	Annex K of IS 13428	1(max)	<0.2
Bacter	riological Quality	1			
38	Total Coliform Bacteria	MPN/ 100ml	IS 1622:1981 RA 2019	5000(max)	. 554

-END OF REPORT-

**Authorised Signatory** Global Tech Enviro Experts Pvt. Ltd.

N.B.: • The results relate to the sample received in respect to the Parameters tested.

Liability for return of sample ceases after 15 days from the date of Test certificate.
 The report cannot be reproduced either in full or in part, without prior written consent of Director.

● In case of any complaint, Please mail us globalexperts@rediffmail.com



(FORMERLY GLOBAL EXPERTS) An ISO-9001:2008 Certified Company

C-23, BJB Nagar, Bhubaneswar-751014 Ph.: 0674-2436853 Fax:- 0674-2433487 E-mail-

ANNEXURE - 7

visit us:

globalexperts@rediffmail.com www.globaltechenvexpt.com

TC-10101

GTEEPL/LQR/56

#### TEST REPORT

NABL ULR NO

TC1010122000000229P

Report No.

GTEEPL/11/22/DW/229Q

Issue Date: 07.12.2022

Name of the Client

UNCHABALI IRON & MANGANESE MINES

Address

(Smt. Indrani Pattnaik), A/6, Commercial Estate, Civil Township, Rourkela, Odisha

**Date of Sampling** 

15.11.2022

Date of Receiving: 16.11.2022

**Date of Testing Sampling Location**  16.11.2022 to 20.11.2022

Identification of Sample

**CAMP- Candle Drinking Water** :

**Quantity of Sample** 

1LTR X 2

CTEEDI // COD/OO

Sl. No.	Parameters	Unit	Testing Method	Requirement as per IS 10500:2012RA 2018	Analysis Result
Physical	Parameters				
1	pH		IS 3025( Part-11)1983 RA 2017	6.5 to 8.5	6.65
2	Odour	****	IS 3025(Part 5) 2018	Agreeable	Agreeable
3	Colour	Hazen	IS 3025(Part 4) 2021	5(max)	<1.0
4	Electrical Conductivity	μs/cm	IS 3025(Part-14) :2021		164
5	Total Dissolved solids	mg/l	IS 3025( Part-16)1984 RA 2017	500 (max)	91
6	Total Suspended Solids	mg/l	IS 3025( Part-17):1984 RA 2017	*****	<1.0 .
7	Turbidity	NTU	IS 3025( Part-10)1984 RA 2017	1.0(max)	<0.05
Chemic	al Parameters				
8	Total Hardness as CaCo3	mg/l	IS 3025(Part-21)2009 RA 2019	200(max)	76
9	Calcium Hardness as CaCO3	mg/l	IS 3025( Part-40)1991 RA 2019		46
10	Magnesium Hardness as CaCO3	mg/l	IS 3025( Part-46)1994 RA 2003		30
11	Total Alkalinity as CaCo3	mg/l	IS 3025(Part-23) 1986 RA 2019	200(max)	46
12	Calcium as Ca	mg/l	IS 3025 (Part-40) 1991 RA 2019	75(max)	18.45
13	Magnesium as Mg	mg/l	APHA 3500Mg B	30(max)	7.3
14	Chloride as Cl	mg/l	IS 3025( Part-32)1988 RA 2019	250(max)	12.4
15	Sulphate as SO4	mg/l	IS 3025( Part-24)1986 RA 2019	200(max)	0.9
16	Fluoride as F	mg/l	APHA 23 <sup>rd</sup> Ed.(4500-F-D):2017	1.0(max)	0.35
17	Nitrate as NO3	mg/l	APHA 23 <sup>rd</sup> Ed.(4500-NO <sub>3</sub> -B): 2017	45(max)	1.05
18	Total Ammonia	mg/l	IS 3025( Part-34)1988RA2019	0.5(max)	<0.1
19	Free Residual Chlorine	mg/l	IS 3025: (Part-26) 2021	0.2(min)	<0.1
20	Mineral Oil	mg/l	IS 3025( Part-39) 2021	0.5(max)	<0.4
21	Iron as Fe	mg/l	IS 3025( Part-53)2003 RA 2019	1.0(max)	0.10
22	Total Chromium	mg/l	IS 3025(Part-52) 2003 RA 2009	0.05(max)	< 0.03

(FORMERLY GLOBAL EXPERTS)
An ISO-9001:2008 Certified Company

C-23, BJB Nagar, Bhubaneswar-751014 Ph.: 0674-2436853 Fax:- 0674-2433487

E-mail- globa globa visit us: www

globalexperts@rediffmail.com globallexperts@gmail.com www.globaltechenvexpt.com

#### Report No: GTEEPL/11/22/DW/229Q

23	Sodium as Na	mg/l	IS 3025: (Part-45) 1993 RA 2019		16
24	Potassium as K	mg/l	IS 3025: (Part-45) 1993 RA 2019		6.2
25	Hexavalent Chromium as Cr+6	mg/l	IS 3025( Part-52)2003 RA 2019		< 0.01
26	Phenolic Compounds as C6H5OH	mg/l	IS 3025(Part-43)1992 RA 2019	0.001 (max)	<0.001
27	Sulphide as H2S	mg/l	IS 3025(Part-29)1986 RA 2019	0.05(max)	< 0.05
28	Aluminium as Al	mg/l	IS 3025( Part-55)2003 RA 2019	0.03 (max)	< 0.02
29	Boron as B	mg/l	IS 3025( Part-57)2005 RA 2017	0.5 (max)	< 0.05
30	Cyanide as CN	mg/l	IS 3025(Part-27)1986 RA 2019	0.05(max.)	< 0.01
31	Arsenic as As	mg/l	IS 3025(Part-37)1988 RA 2019	0.01(max)	<0.01
32	Copper as Cu	mg/l	IS 3025(Part-42)1992 RA 2019	0.05(max)	< 0.01
33	Manganese	mg/l	IS 3025( Part-59)2006 RA 2017	0.1(max)	< 0.1
34	Lead as Pb	mg/l	IS 3025(Part-47)1994 RA 2019	0.01(max)	< 0.01
35	Selenium as Se	mg/l	IS 3025(Part-56)2003 RA 2019	0.01(max)	< 0.001
36	Nickel	mg/l	IS 3025(Part-54)2003 RA 2019	0.02(max)	< 0.01
37	Zinc as Zn	mg/l	IS 3025(Part-49)1994 RA 2019	5 (max)	0.08
38	Cadmium as Cd	mg/l	IS 3025(Part-41)1992 RA 2019	0.003(max)	0.001
39	Mercury as Hg	mg/l	IS 3025(Part 48) 1994 RA 2009	0.001(max)	< 0.001
40	Anionic detergent as MBAS	mg/l	Annex K of IS 13428	0.2(max)	<0.2
Bacte	riological Quality				
41	Total Coliform Bacteria	MPN/ 100ml	IS 1622:1981 RA 2019	Shall not be detected in any 100 ml sample	< 2

-END OF REPORT-

Authorised Signatory Global Tech Enviro Experts

• The results relate to the sample received in respect to the Parameters tested.

Liability for return of sample ceases after 15 days from the date of Test certificate.

1 The report cannot be reproduced either in full or in part, without prior written consent of Director.

• In case of any complaint, Please mail us globalexperts@rediffmail.com

Page 2 of 2

(FORMERLY GLOBAL EXPERTS) An ISO-9001:2008 Certified Company C-23, BJB Nagar, Bhubaneswar-751014 Ph.: 0674-2436853 Fax:- 0674-2433487 globalexperts@rediffmail.com E-mail-

TC-10101

global1experts@gmail.com www.globaltechenvexpt.com

#### GTEEPL/LQR/56

#### TEST REPORT

TC1010122000000229P GTEEPL/11/22/DW/229R

Issue Date: 07.12.2022

Report No. Name of the Client

NABL ULR NO

UNCHABALI IRON & MANGANESE MINES

Address

(Smt. Indrani Pattnaik), A/6, Commercial Estate, Civil Township, Rourkela, Odisha

Date of Receiving: 16.11.2022

Date of Sampling

15.11.2022

**Date of Testing** Sampling Location 16.11.2022 to 20.11.2022 Crusher Area- Candle

Identification of Sample

**Drinking Water** 

Quantity of Sample

1LTR X 2

CTEEDI / COD/00

Sl. No.	Parameters	Unit	Testing Method	Requirement as per IS 10500:2012RA 2018	Analysis Result
Physical	l Parameters				
1	pH		IS 3025 ( Part-11)1983 RA 2017	6.5 to 8.5	6.61
2	Odour		IS 3025(Part 5) 2018	Agreeable	Agreeable
3	Colour	Hazen	IS 3025(Part 4) 2021	5(max)	<1.0
4	Electrical Conductivity	μs/cm	IS 3025(Part-14) :2021		154
5	Total Dissolved solids	mg/l	IS 3025( Part-16)1984 RA 2017	500 (max)	88
6	Total Suspended Solids	mg/l	IS 3025( Part-17):1984 RA 2017	*****	<1.0
7	Turbidity	NTU	IS 3025( Part-10)1984 RA 2017	1.0(max)	<0.1
	al Parameters				
8	Total Hardness as CaCo3	mg/l	IS 3025(Part-21)2009 RA 2019	200(max)	58
9	Calcium Hardness as CaCO3	mg/l	IS 3025( Part-40)1991 RA 2019		38
10	Magnesium Hardness as CaCO3	mg/l	IS 3025( Part-46)1994 RA 2003		20
11	Total Alkalinity as CaCo3	mg/l	IS 3025(Part-23) 1986 RA 2019	200(max)	24
12	Calcium as Ca	mg/l	IS 3025 (Part-40) 1991 RA 2019	75(max)	15.24
13	Magnesium as Mg	mg/l	APHA 3500Mg B	30(max)	4.86
14	Chloride as Cl	mg/l	IS 3025( Part-32)1988 RA 2019	250(max)	6
15	Sulphate as SO4	mg/l	IS 3025( Part-24)1986 RA 2019	200(max)	1.0
16	Fluoride as F	mg/l	APHA 23 <sup>rd</sup> Ed.(4500-F-D):2017	1.0(max)	0.30
17	Nitrate as NO3	mg/l	APHA 23 <sup>rd</sup> Ed.(4500-NO <sub>3</sub> -B): 2017	7 45(max)	1.4
18	Total Ammonia	mg/l	IS 3025( Part-34)1988 RA 2019	0.5(max)	<0.1
19	Free Residual Chlorine	mg/l	IS 3025: (Part-26) 2021	0.2(min)	<0.1
20	Mineral Oil	mg/l	IS 3025( Part-39) 2021	0.5(max)	< 0.4
21	Iron as Fe	mg/l	IS 3025( Part-53) 2003 RA 2019	1.0(max)	0.28
22	Total Chromium	mg/l	IS 3025(Part-52) 2003 RA 2009	0.05(max)	< 0.03

(FORMERLY GLOBAL EXPERTS)
An ISO-9001:2008 Certified Company

C-23, BJB Nagar, Bhubaneswar-751014 Ph.: 0674-2436853 Fax:- 0674-2433487 E-mail- globales

E-mail- globalexperts@rediffmail.com globallexperts@gmail.com visit us: www.globaltechenvexpt.com

#### Report No: GTEEPL/11/22/DW/229R

23	Sodium as Na	mg/l	IS 3025: (Part-45) 1993 RA 2019		20.4
24	Potassium as K	mg/l	IS 3025: (Part-45) 1993 RA 2019		7.2
25	Hexavalent Chromium as Cr+6	mg/l	IS 3025( Part-52)2003 RA 2019		<0.01
26	Phenolic Compounds as C6H5OH	mg/l	IS 3025(Part-43)1992 RA 2019	0.001 (max)	<0.001
27	Sulphide as H2S	mg/l	IS 3025(Part-29)1986 RA 2019	0.05(max)	< 0.05
28	Aluminium as Al	mg/l	IS 3025( Part-55)2003 RA 2019	0.03 (max)	<0.02
29	Boron as B	mg/l	IS 3025( Part-57)2005 RA 2017	0.5 (max)	<0.05
30	Cyanide as CN	mg/l	IS 3025(Part-27)1986 RA 2019	0.05(max.)	<0.01
31	Arsenic as As	mg/l	IS 3025(Part-37)1988 RA 2019	0.01(max)	<0.01
32	Copper as Cu	mg/l	IS 3025(Part-42)1992 RA 2019	0.05(max)	<0.01
33	Manganese as Mn	mg/l	IS 3025( Part-59)2006 RA 2017	0.1(max)	< 0.05
34	Lead as Pb	mg/l	IS 3025(Part-47)1994 RA 2019	0.01(max)	<0.01
35	Selenium as Se	mg/l	IS 3025(Part-56)2003 RA 2019	0.01(max)	< 0.001
36	Nickel	mg/l	IS 3025(Part-54)2003 RA 2019	0.02(max)	<0.01
37	Zinc as Zn	mg/l	IS 3025(Part-49)1994 RA 2019	5 (max)	0.10
38	Cadmium as Cd	mg/l	IS 3025(Part-41)1992 RA 2019	0.003(max)	0.001
39	Mercury as Hg	mg/l	IS 3025(Part 48) 1994 RA 2009	0.001(max)	<0.001
40	Anionic detergent as MBAS	mg/l	Annex K of IS 13428	0.2(max)	<0.2
Bacter	riological Quality				
41	Total Coliform Bacteria	MPN/ 100m	IS 1622:1981 RA 2019	Shall not be detected in any 100 ml sample	<2

-END OF REPORT-

Authorised Signatory Global Tech Enviro Experts Pvt. Ltd

N.B.:

• The results relate to the sample received in respect to the Parameters tested.

Liability for return of sample ceases after 15 days from the date of Test certificate.

The report cannot be reproduced either in full or in part, without prior written consent of Director

• In case of any complaint, Please mail us globalexperts@rediffmail.com

BHUBANESV

(FORMERLY GLOBAL EXPERTS) An ISO-9001:2008 Certified Company

C-23, BJB Nagar, Bhubaneswar-751014 Ph.: 0674-2436853 Fax:- 0674-2433487 E-mail-

visit us:

globalexperts@rediffmail.com www.globaltechenvexpt.com

TC-10101

GTEEPL/LQR/56

#### **TEST REPORT**

NABL ULR NO

: TC1010122000000229P

Report No. Name of the Client GTEEPL/11/22/DW/229S

UNCHABALI IRON & MANGANESE MINES

Address

(Smt. IndraniPattnaik), A/6, Commercial Estate, Civil Township, Rourkela, Odisha

Date of Sampling

15.11.2022

Date of Receiving: 16.11.2022

Issue Date: 07.12.2022

Date of Testing

16.11.2022 to 20.11.2022

**Sampling Location** 

Loading Point (Pump House)- Bore Well

**Identification of Sample** 

**Drinking Water** 

Quantity of Sample	:	1 LTR X 2
Sampling procedure	:	GTEEPL/LSOP/09

Sl. No.	Parameters	Unit	Testing Method	Requiremen t as per IS 10500:2012 RA 2018	Analysis Result
Physica	l Parameters				
1	pH		IS 3025( Part-11)1983 RA 2017	6.5 to 8.5	6.79
2	Odour		IS 3025(Part 5) 2018	Agreeable	Agreeable
3	Colour	Hazen	IS 3025(Part 4) 2021	5(max)	<1.0
4	Electrical Conductivity	μs/cm	IS 3025(Part-14) :2021		111
5	Total Dissolved solids	mg/l	IS 3025( Part-16)1984 RA 2017	500 (max)	63 .
6	Total Suspended Solids	mg/l	IS 3025( Part-17):1984 RA 2017		<1.0
7	Turbidity	NTU	IS 3025( Part-10)1984 RA 2017	1.0(max)	<1.0
Chemic	al Parameters				
8	Total Hardness as CaCo3	mg/l	IS 3025(Part-21)2009 RA 2019	200(max)	34
9	Calcium Hardness as CaCO <sub>3</sub>	mg/l	IS 3025( Part-40)1991 RA 2019		22
10	Magnesium Hardness CaCO <sub>3</sub>	mg/l	IS 3025( Part-46)1994 RA 2003		12
11	Total Alkalinity as CaCo3	mg/l	IS 3025(Part-23) 1986 RA 2019	200(max)	28
12	Calcium as Ca	mg/l	IS 3025 (Part-40) 1991 RA 2019	75(max)	8.82
13	Magnesium as Mg	mg/l	APHA 3500Mg B	30(max)	2.92
14	Chloride as Cl	mg/l	IS 3025( Part-32)1988 RA 2019	250(max)	6
15	Sulphate as SO4	mg/l	IS 3025( Part-24)1986 RA 2019	200(max)	<1.0
16	Fluoride as F	mg/l	APHA 23 <sup>rd</sup> Ed.(4500-F-D):2017	1.0(max)	0.22
17	Nitrate as NO3	mg/l	APHA 23 <sup>rd</sup> Ed.(4500-NO <sub>3</sub> -B): 2017	45(max)	0.8
18	Total Ammonia	mg/l	IS 3025( Part-34)1988 RA 2019	0.5(max)	< 0.1
19	Free Residual Chlorine	mg/l	IS 3025: (Part-26) 2021	0.2(min)	<0.1
20	Mineral Oil	mg/l	IS 3025( Part-39) 2021	0.5(max)	<0.4
21	Iron as Fe	mg/l	IS 3025( Part-53) 2003 RA 2019	1.0(max)	0.24
22	Total Chromium	mg/l	IS 3025(Part-52) 2003 RA 2009	0.05(max)	< 0.03

# GLOBAL TECH ENVIRO EXPERTS PVT. LTD. (FORMERLY GLOBAL EXPERTS) An ISO-9001:2008 Certified Company

C-23, BJB Nagar, Bhubaneswar-751014 Ph.: 0674-2436853 Fax: 0674-2433487 E-mail- globale

visit us:

globalexperts@rediffmail.com globallexperts@gmail.com www.globaltechenvexpt.com

#### Report No: GTEEPL/11/22/DW/229S

23	Sodium as Na	mg/l	IS 3025: (Part-45) 1993 RA 2019		21	
24	Potassium as K	mg/l	IS 3025: (Part-45) 1993 RA 2019		5.6	
25	Hexavalent Chromium as Cr+6	mg/l	IS 3025( Part-52)2003 RA 2019		< 0.01	
26	Phenolic Compounds as C6H5OH	mg/l	IS 3025(Part-43)1992 RA 2019	0.001 (max)	<0.001	
27	Sulphide as H2S	mg/l	IS 3025(Part-29)1986 RA 2019	0.05(max)	<0.05	
28	Aluminium as Al	mg/l	IS 3025( Part-55)2003 RA 2019	0.03 (max)	<0.02	
29	Boron as B	mg/l	IS 3025( Part-57)2005 RA 2017	0.5 (max)	< 0.05	
30	Cyanide as CN	mg/l	IS 3025(Part-27)1986 RA 2019	0.05(max.)	<0.01	
31	Arsenic as As	mg/l	IS 3025(Part-37)1988 RA 2019	0.01(max)	< 0.01	
32	Copper as Cu	mg/l	IS 3025(Part-42)1992 RA 2019	0.05(max)	<0.01	
33	Manganese	mg/l	IS 3025( Part-59)2006 RA 2017	0.1(max)	< 0.05	
34	Lead as Pb	mg/l	IS 3025(Part-47)1994 RA 2019	0.01(max)	<0.01	
35	Selenium as Se	mg/l	IS 3025(Part-56)2003 RA 2019	0.01(max)	<0.001	
36	Nickel	mg/l	IS 3025(Part-54)2003 RA 2019	0.02(max)	<0.01	
37	Zinc as Zn	mg/l	IS 3025(Part-49)1994 RA 2019	5 (max)	< 0.05	
38	Cadmium as Cd	mg/l	IS 3025(Part-41)1992 RA 2019	0.003(max)	0.001	
39	Mercury as Hg	mg/l	IS 3025(Part 48) 1994 RA 2009	0.001(max)	< 0.001	
40	Anionic detergent as MBAS	mg/l	Annex K of IS 13428	0.2(max)	< 0.2	
Bacter	riological Quality		•			
41	Total Coliform Bacteria	MPN/ 100ml	IS 1622:1981 RA 2019	Shall not be detected in any 100 ml sample	<2 ·	

-END OF REPORT-

Authorised Signatory Global Tech Enviro Experts Pyt. Ltd

N.B.: • The results relate to the sample received in respect to the Parameters tested.

Liability for return of sample ceases after 15 days from the date of Test certificate.

1 The report cannot be reproduced either in full or in part, without prior written consent of Director.

• In case of any complaint, Please mail us global experts@rediffmail.com



C-23, BJB Nagar, Bhubaneswar-751014 Ph.: 0674-2436853 Fax:- 0674-2433487

E-mail-

globalexperts@rediffmail.com www.globaltechenvexpt.com

TC-10101

#### GTEEPL/LQR/56

#### TEST REPORT

TC1010122000000229P

Issue Date: 07.12.2022

Report No. Name of the Client

NABL ULR NO

GTEEPL/11/22/DW/229T UNCHABALI IRON & MANGANESE MINES

Address

(Smt. Indrani Pattnaik), A/6, Commercial Estate, Civil Township, Rourkela, Odisha

Date of Sampling

15.11.2022

Date of Receiving: 16.11.2022

**Date of Testing** 

: 16.11.2022 to 20.11.2022

Sampling Location Identification of Sample : Workers Canteen- Candle : Drinking Water

**Quantity of Sample** 

1LTR X 2

GTEEPL/LSOP/09

SI. No.	g procedure : GTEEPL/LSG Parameters	Unit	Testing Method	Requirement as per IS 0500:2012RA 2018	Analysis Result
Physica	l Parameters				- COM
1	pH		IS 3025( Part-11)1983 RA 2017	6.5 to 8.5	6.87
2	Odour		IS 3025(Part 5) 2018	Agreeable	Agreeable
3	Colour	Hazen	IS 3025(Part 4) 2021	5(max)	<1.0
4	Electrical Conductivity	μs/cm	IS 3025(Part-14) :2021	21.11	102
5	Total Dissolved solids	mg/l	IS 3025( Part-16)1984 RA 2017	500 (max)	58
6	Total Suspended Solids	mg/l	IS 3025( Part-17):1984 RA 2017	******	<1.0
7	Turbidity	NTU	IS 3025( Part-10)1984 RA 2017 1.0(max		<1.0
Jac.	cal Parameters				
8	Total Hardness as CaCo3	mg/l	IS 3025(Part-21)2009 RA 2019	200(max)	32
9	Calcium Hardness as CaCO3	mg/l	IS 3025( Part-40)1991 RA 2019		20
10	Magnesium Hardness as CaCO3	mg/l	IS 3025( Part-46)1994 RA 2003		12 ·
11	Total Alkalinity as CaCo3	mg/l	IS 3025(Part-23) 1986 RA 2019	200(max)	26
12	Calcium as Ca	mg/l	IS 3025 (Part-40) 1991 RA 2019	75(max)	8.02
13	Magnesium as Mg	mg/l	APHA 3500Mg B	30(max)	2.92
	Chloride as Cl	mg/l	IS 3025( Part-32)1988 RA 2019	250(max)	6.2
14		mg/l	IS 3025( Part-24)1986 RA 2019	200(max)	1.2
15	Sulphate as SO4 Fluoride as F	mg/l	APHA 23 <sup>rd</sup> Ed.(4500-F-D):2017	1.0(max)	0.22
16	TI TOTAL PROVED DE LA CONTRACTOR DE LA C	mg/l	APHA 23 <sup>rd</sup> Ed.(4500-NO <sub>3</sub> -B): 20	17 45(max)	0.8
17	Nitrate as NO3	mg/l	IS 3025( Part-34)1988 RA 2019	0.5(max)	<0.1
18	Total Ammonia	mg/l	IS 3025: (Part-26) 2021	0.2(min)	<0.1
19	Free Residual Chlorine	mg/l	IS 3025( Part-39) 2021 0.5(		<0.4
20	Mineral Oil	mg/l	IS 3025( Part-53) 2003 RA 2019		0.30
21	Iron as Fe Total Chromium	mg/l	IS 3025(Part-52) 2003 RA 2009	0.05(max)	<0.03

C-23, BJB Nagar, Bhubaneswar-751014 Ph.: 0674-2436853 Fax:- 0674-2433487 E-mail- globales

globalexperts@rediffmail.com

giobal1experts@gmail.com www.globaltechenvexpt.com visit us:

Report No: GTEEPL/11/22/DW/229T

An ISO-9001:2008 Certified Company

41	Total Coliform Bacteria	100ml	IS 1622:1981 RA 2019	detected in any 100 ml sample	<2 .
	T 10 10 P	MPN/	TC 1/22 1001 D 4 2010	Shall not be	
Bacte	riological Quality	100			
40	Anionic detergent as MBAS	mg/l	Annex K of IS 13428	0.2(max)	<0.2
39	Mercury as Hg	mg/l	IS 3025(Part 48) 1994 RA 2009	0.001(max)	<0.001
38	Cadmium as Cd	mg/l	IS 3025(Part-41)1992 RA 2019	0.003(max)	0.001.
37	Zinc as Zn	mg/l	IS 3025(Part-49)1994 RA 2019	5 (max)	< 0.05
36	Nickel	mg/l	IS 3025(Part-54)2003 RA 2019	0.02(max)	<0.01
35	Selenium as Se	mg/l	IS 3025(Part-56)2003 RA 2019	0.01(max)	<0.001
34	Lead as Pb	mg/l	IS 3025(Part-47)1994 RA 2019	0.01(max)	<0.01
33	Manganese as Mn	mg/l	IS 3025( Part-59)2006 RA 2017	0.1(max)	<0.05
32	Copper as Cu	mg/l	IS 3025(Part-42)1992 RA 2019	0.05(max)	<0.01
31	Arsenic as As	mg/l	IS 3025(Part-37)1988 RA 2019	0.01(max)	<0.01
30	Cyanide as CN	mg/l	IS 3025(Part-27)1986 RA 2019	0.05(max.)	<0.01
29	Boron as B	mg/l	IS 3025( Part-57)2005 RA 2017	RA 2017 0.5 (max)	
28	Aluminium as Al	mg/l	IS 3025( Part-55)2003 RA 2019	0.03 (max)	<0.02
27	Sulphide as H2S	mg/l	IS 3025(Part-29)1986 RA 2019	0.05(max)	< 0.05
26	Phenolic Compounds as C6H5OH	mg/l	IS 3025(Part-43)1992 RA 2019	0.001 (max)	<0.001
25	Hexavalent Chromium as Cr+6	mg/l	IS 3025( Part-52)2003 RA 2019		<0.01
24	Potassium as K	mg/l	IS 3025: (Part-45) 1993 RA 2019		9.1
23	Sodium as Na	mg/l	IS 3025: (Part-45) 1993 RA 2019		23.2

-END OF REPORT-

Global Tech Enviro Experts Pvt. Jan

N.B.:

• The results relate to the sample received in respect to the Parameters tested.

Liability for return of sample ceases after 15 days from the date of Test certificate.
 The report cannot be reproduced either in full or in part, without prior written consent of Director.

1 In case of any complaint, Please mail us global experts@rediffmail.com

23, BJB NA

(FORMERLY GLOBAL EXPERTS) An ISO-9001:2008 Certified Company

C-23, BJB Nagar, Bhubaneswar-751014 Ph.: 0674-2436853 Fax:- 0674-2433487

globalexperts@rediffmail.com global1experts@gmail.com www.globaltechenvexpt.com

TC-10101

#### GTEEPL/LQR/56

#### TEST REPORT

NABL ULR NO

TC1010122000000229P

Report No.

GTEEPL/11/22/DW/229U

Issue Date: 07.12.2022

Name of the Client

UNCHABALI IRON & MANGANESE MINES

Address

(Smt. Indrani Pattnaik), A/6, Commercial Estate, Civil Township, Rourkela, Odisha

**Date of Sampling** 

15.11.2022

Date of Receiving: 16.11.2022

Date of Testing

**Sampling Location** 

16.11.2022 to 20.11.2022 Magazine area Syntax

**Identification of Sample** 

**Drinking Water** 

Quantity of Sample Sampling procedure 1LTR X 2 GTEEPL/LSOP/09

Sl. No.	Parameters	Unit	Testing Method	Requirement as per IS 10500:2012RA 2018	Analysis Result
Physica	l Parameters		9 8		
1	pH		IS 3025( Part-11)1983 RA 2017	6.5 to 8.5	6.73
2	Odour		IS 3025(Part 5) 2018	Agreeable	Agreeable
3	Colour	Hazen	IS 3025(Part 4) 2021	5(max)	<1.0
4	Electrical Conductivity	μs/cm	IS 3025(Part-14) :2021	****	99
5	Total Dissolved solids	mg/l	IS 3025( Part-16)1984 RA 2017	500 (max)	57
6	Total Suspended Solids	mg/l	IS 3025( Part-17):1984 RA 2017	******	<1.0
7	Turbidity	NTU	IS 3025( Part-10)1984 RA 2017	1.0(max)	<1.0
Chemic	al Parameters				
8	Total Hardness as CaCo3	mg/l	IS 3025(Part-21)2009 RA 2019	200(max)	38
9	Calcium Hardness as CaCO3	mg/l	IS 3025( Part-40)1991 RA 2019		24 .
10	Magnesium Hardness as CaCO3	mg/l	IS 3025( Part-46)1994 RA 2003		14
11	Total Alkalinity as CaCo3	mg/l	IS 3025(Part-23) 1986 RA 2019	200(max)	22
12	Calcium as Ca	mg/l	IS 3025 (Part-40) 1991 RA 2019	75(max)	9.62
13	Magnesium as Mg	mg/l	APHA 3500Mg B	30(max)	3.40
14	Chloride as Cl	mg/l	IS 3025( Part-32)1988 RA 2019	250(max)	5.7
15	Sulphate as SO4	mg/l	IS 3025( Part-24)1986 RA 2019	200(max)	<1.0
16	Fluoride as F	mg/l	APHA 23 <sup>rd</sup> Ed.(4500-F-D):2017	1.0(max)	0.18
17	Nitrate as NO3	mg/l	APHA 23 <sup>rd</sup> Ed.(4500-NO <sub>3</sub> -B): 2017	45(max)	1.1
18	Total Ammonia	mg/l	IS 3025( Part-34)1988 RA 2019	0.5(max)	< 0.1
19	Free Residual Chlorine	mg/l	IS 3025: (Part-26) 2021	0.2(min)	< 0.1
20	Mineral Oil	mg/l	IS 3025( Part-39) 2021	0.5(max)	< 0.4
21	Iron as Fe	mg/l	IS 3025( Part-53) 2003 RA 2019	1.0(max)	0.27
22	Total Chromium	mg/l	IS 3025(Part-52) 2003 RA 2009	0.05(max)	< 0.03

N.B.:

C-23, BJB Nagar, Bhubaneswar-751014 Ph.: 0674-2436853 Fax:- 0674-2433487 E-mail-

globalexperts@rediffmail.com globallexperts@gmail.com www.globaltechenvexpt.com visit us:

Report No: GTEEPL/11/22/DW/229U

23	Sodium as Na	mg/l	IS 3025: (Part-45) 1993 RA 2019		19.2
24	Potassium as K	mg/l	IS 3025: (Part-45) 1993 RA 2019		5.7
25	Hexavalent Chromium as Cr+6	mg/l	IS 3025( Part-52)2003 RA 2019		<0.01
26	Phenolic Compounds as C6H5OH	mg/l	IS 3025(Part-43)1992 RA 2019	0.001 (max)	<0.001
27	Sulphide as H2S	mg/l	IS 3025(Part-29)1986 RA 2019	0.05(max)	< 0.05
28	Aluminium as Al	mg/l	IS 3025( Part-55)2003 RA 2019	0.03 (max)	<0.02
29	Boron as B	mg/l	IS 3025( Part-57)2005 RA 2017	0.5 (max)	<0.05
30	Cyanide as CN	mg/l	IS 3025(Part-27)1986 RA 2019	0.05(max.)	<0.01
31	Arsenic as As	mg/l	IS 3025(Part-37)1988 RA 2019	0.01(max)	<0.01
32	Copper as Cu	mg/l	IS 3025(Part-42)1992 RA 2019	0.05(max)	<0.01
33	Manganese	mg/l	IS 3025( Part-59)2006 RA 2017	0.1(max)	<0.1
34	Lead as Pb	mg/l	IS 3025(Part-47)1994 RA 2019	0.01(max)	<0.01
35	Selenium as Se	mg/l	IS 3025(Part-56)2003 RA 2019	0.01(max)	<0.001
36	Nickel	mg/l	IS 3025(Part-54)2003 RA 2019	0.02(max)	<0.01
37	Zinc as Zn	mg/l	IS 3025(Part-49)1994 RA 2019	5 (max)	< 0.05
38	Cadmium as Cd	mg/l	IS 3025(Part-41)1992 RA 2019	0.003(max)	0.001
39	Mercury as Hg	mg/l	IS 3025(Part 48) 1994 RA 2009	0.001(max)	<0.001
40	Anionic detergent as MBAS	mg/l	Annex K of IS 13428	0.2(max)	<0.2
Bacter	iological Quality	*			
41	Total Coliform Bacteria	MPN/ 100ml	IS 1622:1981 RA 2019	Shall not be detected in any 100 ml sample	<2

-END OF REPORT-

**Authorised Signatory** Global Tech Enviro Experts Pyt Lt

• The results relate to the sample received in respect to the Parameters tested.


The results retain to the sample ceases after 15 days from the date of Test certificate.
 The report cannot be reproduced either in full or in part, without prior written consent of Director Consent

Page 2 of 2

3, BJB NAC

#### Annexure - 8

#### Pizeomter Grouda level data





Member Secretary

केन्द्रीय भूमि जल प्राधिकरण जल संसाधन, नदी विकास एवं गंगा संरक्षण मंत्रालय भारत सरकार

Central Ground Water Authority
Ministry of Water Resources
River Development & Ganga Rejuvenation
Government of India

CGWA/IND/Proj/2017-246-R

Dated:-

16 NOV 2017

No.21-4(88)/SER/CGWA /2008- 1903

To,

M/s Unchabali Iron & Manganese Ore Mines
Smt. Indrani Patnaik
At- Unchabali, Block Joda,
District Keonjhar, Odisha - 758034

Sub:- Renewal of NOC for ground water withdrawal to M/s Unchabali Iron & Manganese Ore Mines of Smt. Indrani Patnaik located at Village Unchabali, Block Joda, Tehsil Barbil, District Keonjhar, Odisha - reg.

Refer to your application dated 29.04.2017 on the above cited subject. Based on recommendations of Regional Director, CGWB, South Eastern Region, Bhubaneswar vide their office letter No. 5-22/SER/CGWA/2017-18-856 dated 11.08.2017, and further deliberations on the subject, the renewal of NOC issued vide this office letter of even no. dated 09.05.2014 is hereby accorded to M/s Unchabali Iron & Manganese Ore Mines of Smt. Indrani Patnaik located at Village Unchabali, Block Joda, Tehsil Barbil, District Keonjhar, Odisha. The renewal is however subject to the following conditions:-

 The firm may abstract 1,175 m3/day (not exceeding 4,28,875 m3/year) of ground water through existing seven (7) bore wells only. No additional groundwater structures shall be constructed for this purpose without prior approval of the CGWA.

2. All the wells shall be fitted with water meter by the industry at its own cost and monitoring of ground water abstraction shall be continued on regular basis at least once in a month. The firm will continue to provide data of ground water extraction on regular basis to the Regional Director, Central Ground Water Board, South Eastern Region, Bhubaneswar. The ground water quality will be monitored twice in a year during pre monsoon and post monsoon periods.

3. M/s Unchabali Iron & Manganese Ore Mines, shall continue to implement ground water recharge measures to the tune of 6,36,676 m³/year for augmenting the ground water resources in consultation with the Regional Director, Central Ground Water Board, South Eastern Region, Bhubaneswar. Firm shall also undertake periodic maintenance of recharge structures at its own cost

4. The firm shall continue to execute monthly ground water regime monitoring in and around the project area both in core and buffer zones through adequate

West Block - 2, Wing - 3, Sector - 1, R.K. Puram, New Delhi - 110066 Tel: 011-26175362, 26175373, 26175379 Fax: 011-26175369 Website: www.cgwb.gov.in, www.mowr.gov.in

रवच्छ सुरक्षित जल - सुन्दर खुशहाल कल

number of observation wells. The firm shall construct one (1) additional piezometer in consultation with Regional Director, Central Ground Water Board, South Eastern Region, Bhubaneswar.

5. Both the piezometers shall be fitted with digital water level recorder and

telemetry system.

 The ground water monitoring data in respect of S. No. 2 & 5 shall be submitted to Central Ground Water Board, South Eastern Region, Bhubaneswar on regular basis at least once in a year.

7. The firm shall ensure proper recycling and reuse of waste water after adequate

treatment.

8. Action taken report in respect of S.N o. 1 to 6 may be submitted to CGWA within one year period.

9. The renewal is liable to be cancelled in case of non-compliance of any of the

conditions as mentioned in S. No. 1 to 7.

10. This NOC is subject to prevailing Central/State Government rules/laws or Court orders related to construction of tubewell/ground water withdrawal/construction of recharge or conservation structures/discharge of effluents or any such matter as applicable.

11. This NOC does not absolve the applicant / proponent of his obligation / requirement to obtain other statutory and administrative clearances from other

statutory and administrative authorities.

12. The NOC does not imply that other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would consider the project on merits and be taking decisions independently of the NOC.

13. This renewal is valid for five years from date of issuance of this letter.

**Member Secretary** 

#### Copy to:

 The Member Secretary, Odisha Pollution Control Board Paribesh Bhawan, A/118, Nilakantha Nagar, Unit - VIII, Bhubaneswar, Odisha with the request to ensure that the conditions mentioned in the NOC are compiled by the firm in consultation with the Collector & District Magistrate, District Keonjhar, Odisha.

2. The District Collector and District Magistrate, District Keonjhar, Odisha for

necessary action.

3. The Regional Director, Central Ground Water Board, South Eastern Region, Bhubaneswar. This has reference to your recommendation dated 11.08.2017.

4. TS to the Chairman, Central Ground Water Authority, Shram Shakti Bhawan, Rafi Marg, New Delhi.

5. Guard File 2017-18.

Member Secretary

[See rules 115 (2)]

#### **Pollution Under Control Certificate**

Authorised By:

Government of Odisha

Date : 03/04/2023 Time : 15:04:49 PM Validity upto : 02/10/2023



Certificate SL. No. : OR90100240001345

Registration No. : OR09J2399

Date of Registration : 11/Sep/2007

Month & Year of Manufacturing : August-2007

Valid Mobile Number : \*\*\*\*\*\*2060

Emission Norms : BHARAT STAGE II

Fuel : DIESEL PUC Code : OR9010024

GSTIN : 21ALHPR2026H1ZG

Fees : Rs.177.0 MIL observation : No

# Vehicle Photo with Registration plate 60 mm x 30 mm



Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)		
Idling Emissions	Hydrocarbon, (THC/HC)	ppm		
	СО	percentage (%)		
High idling emissions	RPM	RPM	2500 ± 200	
	Lambda	-	1 ± 0.03	
Smoke Density	Light absorption coefficient	1/metre	2.45	0.76

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

Note: 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to https://vahan.parivahan.gov.in

Authorised Signature with stamp of PUC operator 60mm x 20 mm



Date/Time MicL at 13:49:16 Jan 19, 2023
Trigger Source Geo: 0.510 mm/s, Mic: 3.99 pa.(L)

Range Geo: 254 mm/s

Record Time 6.75 sec (Auto=3Sec) at 1024 sps

Job Number: 0205

Notes

Location: UNCHABALI IRON&MN. MINES Client: SMT.INDRANI PATNAIK

User Name: General:

Extended Notes BLASTING RL: 590 BURDEN: 3.0 M SPACING: 3.5 M NO.OF HOLES:199 DEPTH: 4.0 M EXPLOSIVE: 3000 kg BOOSTER: 30.70 Kg VOLUME: 8358CUM

CHARGE FACTOR: 0.35 kg/cum

Microphone Linear Weighting
PSPL ZC 18.5 pa.(L) at 0.174 sec

Freq Channel 47 Hz

Test Passed (Freq = 20.5 Hz Amp = 473 mv)

	Tran	Vert	Long	
PPV	0.508	0.508	0.635	mm/s
ZC Freq	6.6	9.5	5.5	Hz
Time (Rel. to Trig)	0.425	0.016	0.178	sec
Peak Acceleration	0.0265	0.0265	0.0265	g
Peak Displacement	0.0132	0.0105	0.0163	mm
Sensor Check	Passed	Passed	Passed	
Frequency	7.5	7.5	7.6	Hz
Overswing Ratio	3.6	3.4	3.7	


Peak Vector Sum 0.684 mm/s at 0.178 sec


Serial Number BE9928 V 10.72-8.17 MiniMate Plus

Battery Level 6.3 Volts

File Name K928IYN8.RG0

Scaled Distance 5.64 (300.0 m, 3000.0 kg)





Sensor Check

SL NO	NAME	DOB	IME/PME
1	MANORANJAN PANIGRAHI	07-07-1983	PME
2	PARTHA SARATHI ROUT	07-01-1985	PME
3	MANOJ KUMAR SHARMA	04-01-1971	PME
4	JAYAKRUSHNA BARIK	25/06/1979	PME
5	MISRA MUNDA	01-01-1974	PME
6	SONU MAHAKUD	04-08-1988	PME
7	PRASANNA KUMAR BAIDYA	15/06/1975	PME
8	SATYASWARUP ROUT	28/04/1988	PME
9	DIBAKAR MOHANTA	06-12-1979	PME
10	SUDHIR KUMAR SATAPATHY	25/05/1993	PME
11	BASANTA KUMAR PATRA	03-04-1965	PME
12	LOCHAN GAGARAI	22/12/1987	PME
13	ETARAM MINZ	02-10-1988	PME
14	BUDHURAM CHAMPIA	07-01-1984	PME
15	SIDHU KHANDAYAT	01-01-1992	PME
16	BAPI NAIK	27/05/1999	PME
17	DUSMANTA MAJHI	12-12-2000	PME
18	MADHU GAGARI	15/08/2001	PME
19	CHITA RANJAN PATRA	07-10-1997	PME
20	SATYANARAYAN NAIK	19/08/1988	PME
21	TUNU MAHAKUD	16/07/1992	PME
22	LACHAMAN MUNDA	29/03/2001	PME
23	FAKIR DEHURY	02-03-1991	PME
24	SANDUP KUMAR BARIK	06-10-2000	PME
25	MADHU GAGARAI	15/08/2001	PME
26	MANIKO KALA	03-11-2002	PME
27	JITU MUNDA	08-12-2002	PME
28	HIRALAL SINKU	21/07/1995	PME
29	MANIA MUNDA	10-04-2002	PME
30	CHAITAN CHAMPIA	01-01-2003	PME
31	DEBEN MUNDA	18/03/2003	PME
32	RAJESH SIRKU	10/05/1997	PME
33	AJIT DHIBARA	18/06/1988	PME
34	MAKUNDA MUNDA	10/04/1996	PME
35	JITEN MUNDA	19/08/1998	PME
36	MANGLU MUNDA	15/07/1980	PME
37	DILIP KU BAL	13/03/1980	PME
38	HARIHAR SHA	28/05/1976	PME
39	JITEN MUNDA	19/08/1998	PME
40	KARTIK SETHY	05/11/1994	PME
41	SOUMYARANJAN SETHY	26/03/1987	PME
42	GULSEN NAYAK	14/08//1993	PME
43	DIBYA KISHAN	18/05/1992	PME
44	BASANTA BEHERA	13/04/1980	PME
45	SANTOSH PATRA	01/07/1994	PME
46	SARJU MAHARANA	01-01-1974	PME

OFF	ICE OF THE PR	INCIPAL C	CCF (WILDL	IFE) & CHIEF	WILDLIFE
WARDEN, ORI	SSA5TH FLOOR,	B.D.A. AP	PARTMENT,	PRAKRUTI BI	HAWAN,
NI	LAKANTHA NAG	AR, BHU	BANESWAR	R- 751012.	

15.2.2010

To

The Chief Conservator of Forests (Nodal), O/o the Principal CCF, Orissa, Bhubaneswar.

Sub: Approval of Site Specific Wildlife Conservation Plan for Unchabali Iron & Manganese Mines of Smt. Indrani Patnaik in Keonjhar district

Sir.

I am directed to inform you that the Site Specific Wildlife Conservation Plan for Unchabali Iron & Manganese Mines of Smt. Indrani Patnaik in Keonjhar district has been approved by PCCF(WL) & Chief Wildlife Warden, Orissa with revised financial forecast of Da. 40.40.40. Israha for the following activities.

3. For activities to be implemented by User agency---- Rs. 34.00 lakhs.

4. For activities to be implemented by DFO, Keonjhar Division

Rs.70.00 lakhs. Total Rs. 104 lakhs

Various activities in the lease hold area will be executed by User Agency by themselves under the guidance of DFO, Keonjhar Division & Rs.70.00 lakhs may be deposited with DFO. Keonjhar division under CAMP for execution of various activities in Project Impact Area.

Copy forwarded to the DFO, Keonjhar Division for information & necessary action with reference to Memo No. 3185 dt. 27.8.09 of CF., Rourakela Circle.

Dt. 15.2,2010 Memo No.

Copy forwarded to CF, Rourkela Circle for information & necessary action with reference to his office Memo No. 3184 dt.27.8.09

Memo No.

Conservator of Forests (WL)

Copy forwarded to the Smt. Indrani Patnaik, Mine Owner, A/6, Commercial Estate, Civl Township, Rourkela-769004 for information & necessary action with reference to his

letter dated 22.9.09.

# AAQ MONITORING STATION AMAKPUR RESER UNCHABALI IRON & Mn. MINES S/mt. INDRANI PATANAIK Q V E R A R E A 106.1127 Ha. AAQ-B2 AAQ-C3 AAQ - C1 10 Km. RADIUS SL. No Reference Location AAQ-C1 **Employee Camp** Mines Entry And AAQ-C2 **Exit Gate** Beneficiation AAQ-C3 Plant Near magazine **CAAQMS** area

SL.No	Reference	Location
1	AAQ-B1	Village Unchabali
2	AAQ-B2	Village Balda
3	AAQ-B3	Village Nayagardh

1

2


3

4

#### AAQ MONITORING LOCATION



- BUFFERZONE MONITORING LOCATION



# INDRANI PATNAIK

(MINES OWNER)

A/6, COMMERCIAL ESTATE, CIVIL TOWNSHIP, ROURKELA - 769 004

Phone: 0661-2400139, 2400014, FAX: 0661-2402226

REFERENCE: UIMM/IP/ENV/APR/23/01

DATE: 17.04.2023

To

The Member Secretary,

State Pollution Control Board, Orissa, 118/A, Nilakanthanagar, Unit - VIII, Bhubaneswar - 751012

Subject: Submission of Annual Ambient Air Quality & Fugitive Dust Emission Report for the period from April 2022 to March 2023 in respect of Unchabali Iron & Mn. Mines of Smt. Indrani Patnaik.

Reference: Special Condition no. 16 in approved Consent order No. 4757/IND-I-CON-6035 dated on 23.03.2021.

Respected Sir.

With reference to the above cited subject and reference to the above special condition no, we are hereby submitting the Annual Ambient Air Quality & Fugitive Emission monitoring report in Appendix - 1 for the period from April 2022 to March 2023 in respect of Unchabali Iron & Mn. Mines of Smt. Indrani Patnaik under the stipulated special compliance condition in approved consent order.

This is for your kind information, please.

Thanking you,

For Unchabali Iron & Mn. Mines of Smt. Indrani Patnaik

Mines Manager

Cululciem 1714/23

Mines Manager Unchabali Iron & Mn. Mines

Enclosed: Appendix Avail & As above

Copy to: The Regional Officer, SPCB, Orissa, Regional Office, Collage Road, Dist. - Keonjhar, and Orissa.

Appendix - 1

Ambient Air Quality Monitoring Report - APRIL 2022 to MARCH 2023

# Compliance Status on stipulated conditions in approved Consent to operate of "Unchabali Iron and Mn. of Smt. Indrani Patnaik" located in village(s) Unchabali & Balda, Sub-division Champua, District Keonjhar, Odisha

TABLE-1
SUMMARIZED AMBIENT AIR QUALITY MONITORING REPORT: UNCHABALI IRON & MN ORE MINING
PROJECT OF SMT. INDRANI PATNAIK, DISTRICT; KEONJHAR, ORISSA.

Period: APRIL 2022 to March, 2023

			Quality P	y Parameter, Results, Micro.gm/CUM				
	Month	Range	PM10	PM2.5	SO <sub>2</sub>	NOx	СО	
	April-22		76.10	34.40	8.50	23.80	0.319	
	May-22		73.20	33.10	8.20	22.90	0.307	
-	June-22		76.90	34.70	8.60	24.10	0.322	
AAQ-C1 – Mines	July-22		61.60	27.80	6.90	19.30	0.258	
main gate	Aug-22		63.90	28.90	7.20	20.0	0.268	
(Core zone)	Sept-22	ANC	57.30	25.90	6.40	18.0	0.240	
	Oct-22	AVG	76.90	35.10	8.70	24.40	0.240	
	Nov-22		74.50	33.70	8.30	23.30	0.320	
-	Dec-22		76.70	34.70	8.60	24.0	0.322	
-	Jan-23		79.10	35.80	8.90	24.80	0.332	
-	Feb-23		78.0	35.30	8.70	24.50	0.327	
	March-23		76.40	34.50	8.60	23.90	0.320	
	April-22		75.30	35.30	8.40	23.60	0.314	
	May-22		72.40	33.90	8.10	22.70	0.303	
	June-22		76.10	35.70	8.50	23.80	0.318	
	July-22		61.0	28.60	6.80	19.10	0.255	
	Aug-22		63.60	29.70	7.10	19.80	0.264	
AAQ-C2 -	Sept-22	AVG	56.80	26.60	6.40	17.80	0.237	
Employees Camp (Core Zone)	Oct-22		77.0	36.10	8.60	24.10	0.321	
(Core Zone)	Nov-22		76.0	35.60	8.50	233.80	0.317	
	Dec-22		78.30	36.70	8.80	24.50	0.327	
	Jan-23		80.70	37.80	9.0	25.30	0.337	
	Feb-23		79.60	37.30	9.10	24.90	0.332	
	March-23		77.90	36.50	8.90	24.40	0.325	
	April-22		76.90	34.50	8.60	24.10	0.325	
	May-22		74.0	33.10	8.30	23.20	0.313	
	June-22		77.70	34.80	8.70	24.40	0.329	
	July-22		62.30	27.90	7.0	19.50	0.263	
	Aug-22		62.30	27.90	7.0	19.50	0.263	
AAQ-C3-New Store	Sept-22	AVG	58.0	26.0	6.50	18.20	0.245	
(Core Zone)	Oct-22		78.60	35.20	8.80	24.60	0.332	
_	Nov-22		77.80	34.90	8.70	24.40	0.329	
_	Dec-22		80.10	35.90	9.0	25.10	0.339	
	Jan-23		82.70	37.10	9.30	25.90	0.350	
-	Feb-23		81.50 79.80	36.50	9.10	25.50	0.345 0.337	
	March-23 April-22		64.90	35.80 29.30	8.90 7.30	25.0 20.30	0.337	
-	May-22		64.20	29.30	7.30	20.30	0.273	
}	June-22		66.90	30.20	7.50	21.0	0.271	
AAO DO			55.70	25.20	6.20	17.50	0.236	
AAQ-B2 Village Balda	July-22	AVG	47.20	21.30	5.30	14.80	0.236	
(Buffer Zone)	Aug-22	AVG						
(2 0.110)	Sept-22 Oct-22		39.70 55.80	17.90 25.20	4.40 6.20	12.40 17.50	0.168 0.236	
-	Nov-22		59.70	25.20	6.20	18.70	0.250	
-	Dec-22		58.80	26.60	6.60	18.40	0.232	

# Compliance Status on stipulated conditions in approved Consent to operate of "Unchabali Iron and Mn. of Smt. Indrani Patnaik" located in village(s) Unchabali & Balda, Sub-division Champua, District Keonjhar, Odisha

	Jan-23		59.30	26.80	6.60	18.60	0.251
	Feb-23	1	58.90	26.60	6.60	18.50	0.249
	March-23		56.90	25.70	6.40	17.80	0.241
	April-22		66.20	29.90	7.40	20.70	0.280
	May-22		65.40	29.60	7.30	20.50	0.277
	June-22		68.20	30.80	7.60	21.40	0.289
	July-22		56.80	25.70	6.40	17.80	0.240
4.4.0. DO	Aug-22		48.20	21.80	5.40	15.10	0.204
AAQ-B3 Village Nayagarh	Sept-22	AVG	40.50	18.30	4.50	12.70	0.171
(Buffer Zone)	Oct-22	AVG	59.60	25.70	6.40	17.80	0.241
(Builer Zone)	Nov-22		61.50	27.80	6.90	19.30	0.260
	Dec-22		60.60	24.70	6.80	19.0	0.256
	Jan-23		61.10	27.60	6.80	19.20	0.258
	Feb-23	1	60.70	27.40	6.80	19.0	0.257
	March-23		58.60	26.50	6.60	18.40	0.248
	April-22		63.60	28.70	7.10	19.90	0.269
	May-22	AVG	62.90	28.40	7.0	19.70	0.266
	June-22		65.60	29.60	7.30	20.50	0.277
	July-22		54.60	24.70	6.10	17.10	0.231
440 D1	Aug-22		46.30	20.90	5.20	14.50	0.196
AAQ-B1 Village Unchabali (Buffer Zone)	Sept-22		38.90	17.6	4.40	12.20	0.165
	Oct-22		54.70	24.70	6.10	17.10	0.231
	Nov-22		58.50	26.40	6.50	18.30	0.247
	Dec-22		57.70	26.0	6.50	18.10	0.244
	Jan-23		58.20	26.30	6.50	18.20	0.246
	Feb-23		57.80	26.10	6.50	18.10	0.244
	March-23		55.80	25.20	6.20	17.50	0.236
Note – The monit	oring and test				which is a	MoEF, SPCB	and NABL
			redited labor				
	T	Monitoring		ough CAAQM			1
	April-22	1	74.13	41.60	16.16	16.56	0.76
CAAQMS-C1 MINES ENTRY AND EXIT GATE	May-22		62.47	40.48	36.25	21.67	0.12
	June-22		43.96	32.40	6.90	10.53	0.73
	July-22		40.38	13.19	6.80	19.58	0.13
	Aug-22		42.45	18.32	4.54	17.96	0.54
	Sept-22	1	50.30	21.83	3.0	18.33	0.77
	Oct-22	AVG	62.34	32.51	9.60	17.25	0.45
	Nov-22	1	78.62	42.68	8.24	16.85	0.14
	Dec-22	1	64.32	22.54	11.25	19.52	0.62
	Jan-23		57.25	54.23	14.27	15.15	0.51
			05.00	04.06	10.01	14.60	<del></del>

95.28

79.52

Feb-23

March-23

34.26

21.48

19.34

6.45

14.68

17.91

0.12

0.16

		CRUSHER PLANT	Ore Storage and loading	HAUL ROAD	SCREEN PLANT	MINES	DUMP
				Results, mic	cro.gm/CUM		,
April-22		764	673	680	751	758	736
May-22		739	650	658	726	732	712
June-22		763	672	679	750	757	735
July-22		452	398	402	444	448	435
Aug-22		499	439	444	491	495	481
Sept-22		513	451	456	504	508	494
Oct-22		516	451	459	504	512	494
	AVG	658	579	586	448	537	439
Nov-22	-	606	533	539	412	537	439
Dec-22	-	631	556	562	429	515	421
Jan-23		600	528	534	414	515	405
Feb-23		152-22-2-		547	424	501	116
March-23		and testing are carried by Kalyani Laboratory which is a MoEF, SPCB and NABL accredited laboratory.					


Authorized Signatory

Mines Manager Unchabali Iron & Mn. Mines

# Special Condition - 16

Date: 17.04.2023

Monitoring of Ambient Air quality shall be carried out twice in a week (24 hours) at particular site and data shall be submitted to the state pollution control board, once in a year.



# INDRANI PATNAIK

(MINES OWNER)

A/6, COMMERCIAL ESTATE, CIVIL TOWNSHIP, ROURKELA - 769 004

Phone: 0661-2400139, 2400014, FAX: 0661-2402226

REFERENCE: UIMM/IP/ENV/JULY/22/05

DATE: 29.07.2022

To

The Member Secretary
State Pollution Control Board, Orissa
Paribesh Bhawan, A/118
Nilakantha Nagar, Unit – VIII,
Bhubaneshwar – 751012

**Subject:** Environmental Statement of "Unchabali Iron & Mn. Mines of Smt. Indrani Patnaik located in villages(s) Unchabali & Balda, Tehsil-Barbil, Dist: Keonjhar for the year 2021-2022.

Dear Sir,

With reference to the above subject, we are herewith submitting the Environmental Statement for the financial year 2021-2022 in the Form – V as per rule – 14 under Environment (Protection) Rules, 1986 in respect of Unchabali Iron & Mn. Mines of Smt. Indrani Patnaik.

This is for your kind information, please.

Thanking You,

For Unchabali Iron & Mn. Ore Mines of Smt. Indrani Patnaik

Authorized Signatory Manager

outul cremo

Unchabali Iron & Mn. Mines

Encl: As Above Indrani Patnaik

Copy to: The Regional Office, College Road, Dist: Keonjhar, Odisha.

W.O. Boneikela, Joda, Dist.: Keonjhar - 758034, Ph.: 06767-273448, 272304, Fax: 06767-272304

#### [FORM-V] (See Rule 14)

#### Environment Statement for the financial year ending the 31st March 2022

#### PART-A

	IAKI-A
(1)Name and address of the owner / Occupier of the industry, Operation or process	<ul> <li>Unchabali Iron &amp; Mn. Ore Mines Smt. Indrani Patnaik</li> <li>At- Unchabali, P.O: Bamebari Dist. Keonjhar, Orissa -758034. Email:ags@altradegroup.com Contact no: 9437062184</li> </ul>
<ul><li>(2) Industry category Primary</li><li>(3)Production capacity Units</li><li>(4)Year of establishment</li><li>(5)Date of the last Environmental Statement Submitted</li></ul>	<ul> <li>(STC CODE) Secondary-(SIC Code)</li> <li>4.0 MTPA</li> <li>20 May 2008 (year of commencement)</li> <li>19.06.2021</li> </ul>
	PART-B
Water and Raw material Consumption: (1)Water Consumption m³/day Process Cooling (Water sprinkling on Haul roads) Domestic (Drinking purpose)	<ul> <li>1175 m³/ Day</li> <li>972 m³/ Day</li> <li>190 m³/ Day</li> <li>13 m³/ Day</li> </ul>
Name of Product	Process water consumption per unit of outpu
Sized Iron Ore	NA
During the previ Financial	9
(1)	(2)
(1) (2) (3)	
1. Substituted by rule 2 (b) of the envir notified vide G.S.R vide G.S.R 3'6 (E)	ronment (Protection) amendment rules, 1993 c) dated 22.04.1993.

Not applicable

(ii) Raw material consumption

Name of raw Material	Name of Products material	Consumption of raw per unit of out put	
	During the previous Financial Year	during the current Financial year	

<sup>\*</sup>Industry may use codes if disclosing details or raw material would violate contractual obligations, otherwise all industries have to name the raw materials used.

#### PART-C

Pollution discharged to environment /unit of output - Not Applicable (Parameter as specified in the consent issued)

#### A) Water:

(Parameter as specified in the consent issued)								
Pollutants	Quantity of Pollutants Discharged ( Mass / day)	Conc. of Pollutants Discharged ( Mass / Volume)	% of variation from prescribed standard with reasons					
	Water (ETP Discharge) 1 M³/Day							
рН	NA	6.93	Within the Range					
TSS	0.0632kg /day	39.80 mg/ lit	20.40 % below the norm					
Oil & Grease	0.0004 kg /day 4.20 mg/ lit		95.80 % below the norm					
Water (S.T.P Discharge) 10 M <sup>3</sup> / D								
рН	NA	7.26	Within the Range					
T.S.S	0.1120 kg/day	11.20 mg/ lit	88.80 % below the norm					
B.O.D	0.0596 kg/day	5.96 mg/ lit	80.13 % below the norm					
Mines Surface runoff water Quality Report								
рН	NA	7.05	Within the Range					
T.S.S	116.06 kg /day	24.0 mg/ lit	76.00 % below the norm					
Oil & Grease	8.22 kg / day	1.70 mg/ lit	83.00 % below the norm					

#### Air: Not Applicable

Note: Present there is no such trade effluent and source of emissions from current mines operation methodology.

#### <u>PART – D</u> Hazardous Wastes

(As specified under Hazardous Waste/ Management and Handling Rules, 1986)

Hazardous waste [Waste Oil]	Total Quantity [KL]	
	During the previous Financial year	During the Current financial year
1) From process	NA	NA
2) From Pollution Control FACILITY	NA	NA
3) Used Oil	15.16 KL	33.30 KL
4) Oil contaminate waste	0.120 TON	0.110 TON

#### PATRT-E Solid Waste

			Total Quantity
		ing the previous ancial year	during the current financial year
(a)From process: (Overburden and Intercalated Waste) (b) From pollution control facility (c) (1) Quantity recycled or re-utilized Within the unit (2) Sold (3) Disposed	: : : : : : : : : : : : : : : : : : : :	5132818(T) NIL Nil Nil Kept in within N	4240920(T) Nil Nil Nil ML area

#### PART-F

Please specify the characteristics (in terms of composition and quantum) of Hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

- ♣ The used oil generation is stored at an earmarked area and the same is disposed to authorized recycler in a proper manner.
- The used led batteries are kept at an earmarked area in a proper manner, which is later disposed to an authorized recycler through buy-back system.
- ☐ The generation of OB & Intercalated waste is dumped in earmarked area as per approved mining plan & scheme with following mitigate measures such as proper sloping, terracing, and toe retention wall & garland drainage. Further, to avoid the dump erosion surface area of the dump was muted with Plantation & Geo textile applications along with local grass seeds.

#### **PART-G**

Impact of the pollution abatement measures taken on conservation of natural re-sources and on the cost of the production

- ♣ The roof top rain water harvesting has been implemented at site employee's camp & Unchabali Village School in the direction of natural conservation of water resources.
- ♣ The massive plantation has been done at mines dump, safety zone and local villages.
- ♣ The top soil is stored in a proper manner and the same has been utilized for plantation and camp garden.
- ♣ Coir matting, retaining wall, garland drainage and check dam are provided to mines dump and soil erosion areas.
- ♣ Check dams & check wears are provided at the toe of the miens.

#### PART-H

Additional measures/investment proposal for environmental protection including abatement of pollution, prevention of pollution

- ♣ 2.5 KM automatic fixed sprinkler has been implemented for mines dispatch road dust suppression.
- ♣ Three no. of 25 KL capacity mobile water tanker has engaged for mines haul road dust suppression.
- ♣ Three numbers of 8 KL mobile water tanker have been engaged for village road dust suppression
- Effective dry fog system has been implemented in all the crusher and screen plant
- Rain water harvesting plant has been implemented at employees camp to increase the water table
- Rain water harvesting has been implemented at village Unchabali school to increase the water table
- Dust extraction and wetting process are being used for drilling process
- STP plant implemented at camp to treat the sewage water and the treated water is utilized for plantation & garden watering.
- ♣ ETP plant has been implemented at mines service center and the treated water is utilized for plantation and & garden watering.
- ♣ Plantation in safety zone, school area, camp areas and dump areas
- ♣ Coir matting and mixed grass application over dumps for better stabilization
- ♣ Check-dam for silt control in surface run-off from mines area.

#### PART-I

Any other particulars for improving the quality of the environment

- 1) Regular awareness program is given to the company employees, local villagers and school children towards environment and pollution.
- 2) The world environmental day, forest day, earth day, safety day & wild life week has being celebrated regularly along with school children's & company employee's, the celebration was followed through environmental awareness program.