

# INDRANI PATNAIK

(MINES OWNER) A/6, COMMERCIAL ESTATE, CIVIL TOWNSHIP, ROURKELA - 769 004 Phone : 0661-2400139, 2400014, FAX : 0661-2402226

#### REFERENCE NO: UIMM/IP/ENV/NOV/19/02

DATE: 28.11.2019

To The Director (S) Eastern Regional Office Ministry of Environment & Fores: Government of India, A-3 Chandrasekharbur, Bhubaneswar – 751 023

Subject : Submission of Environmental Clearance compliances stipulated in approved EC for iron ore production of 4.00 MTPA and iron Beneficiation Plant for 2.00 MTPA Capacity within lease area in respect of Unchabali Iron & Mn. Mines of Smt. Indrani Patnaik.

Reference: 1. Ministry's Clearance letter no. J-110515/214/2008-IA.II (M). dated.23.07.2009 for 4.00 MTPA Iron ore Production.

2. Ministry's Clearance letter no. J-11015/273/2009-IA.II (M) dated on 31.05.2011 for Iron ore beneficiation plant with capacity of 2.00 MTPA.

3. MoEF &CC notification no. 4624 (Published in Gazette of India) Dt. 26.11.2018.

Dear Sir.

With reference to the above cited subject and gazette notification, we are submitting herewith the six monthly compliance report (**only in soft copy as well as by £** -mail) for 4.00 MTPA Iron ore production and 2.00 MTPA Iron Ore Beneficiation plant with comprehensive data analysis reports for the period **April 2019 to September 2019** in respect of Unchabali Iron & Mn. Mines of Smt. Indrani Patnaik.

Thanking you.

Yours faithfully, For **Unchabali Iron & Mn. Mines of Smt. Indrani Patnaik** 

Endularem

Mines Manace Enclosed :

As above & Compliance Copy

SP. Cond. NO.	SPECIFIC CONDITION	PRESENT STATUS
I. II.(B.P )	The project proponent shall obtain Consent to Establish and Consent to Operate from the State Pollution Control Board, Orissa and effectively implement all the conditions stipulated therein.	As per requirement, the project has been obtained Consent to establish & Consent to Operate from SPCB, Orissa for 4.00 MTPA Iron ore production & 2.00 MTPA capacity of Iron ore beneficiation plant. The obtained Consent to Operate includes two numbers of 200 TPH mobile crusher plant, two numbers of 150 TPH mobile crusher plant, three numbers of 250 TPH mobile screen plant and one number of Iron ore beneficiation plant with capacity of 2.00 MTPA feed materials. The compliance to the conditions stipulated in the approved consent to establish & consent to operate has been implemented effectively. The latest consent to operate compliance report has been submitted to SPCB, Orissa for the year 2018-2019, and the same is enclosed as <b>Annexure-1.</b>
II. <b>I(B.P)</b>	Necessary forestry clearance under the Forest (Conservation) Act, 1980 for an area of 103.432ha forestland involved in the project shall be obtained before starting mining operation in that areas. Till such time mining activities shall be restricted to an area of 67.16haof forestland for which approval under section-2 of the forest (Conservation) Act, 1980 was granted by the Ministry of Environment and Forests on 03.05.2007. Environmental Clearance is subject to grant of forestry clearance. No mining shall be undertaken in the forest area without obtaining requisite prior forestry clearance. No activity relating to the project	As per condition, the forest clearance has been obtained from MoEF for an area of 103.432 Ha in two phases under the Forest (Conservation) Act, 1980. First phase forest clearance was obtained on 03.05.2007 for an area of 35.275 Ha., vide MoEF letter no: 8 (21)40/2004-FCE dated 03.05.2007 and second phases forest clearance has been obtained on 31.09.2015 over an area of 68.157 Ha., vide MoEF& CC letter no F.NO.8-67/2014-FC dated on 31.09.2015. The copy of the forest clearances obtained from MoEF& CC is attached as <b>Annexure -2</b> (First phase for 35.275 Ha) & <b>Annexure -3</b> (Second phase for 68.157 Ha).

District Keonjh	ar, Orissa.
shall be undertaken in the	
forestland for which forestry	
clearance under the forest	
(conservation) Act, 1980 has not	
been obtained. The environmental	
clearance is subject to grant of	
forestry clearance.	
III. The environmental clearance is	
	There is no agricultural land within in the
Land use Department, Government	
of Orissa for diversion of	1
agricultural land for Non-	not applicable.
agricultural use.	
IV. The mining operations shall be	The present mining operation is restricted to
restricted to above ground water	above the ground water table and there is no
table and it should not intersect	
groundwater table. In case of	
working below the ground water	The Project has carried out detailed
table, prior approval of the	hydrology and hydro geological study
Ministry of Environment & Forests	through and as per hydrology study report
and Central Ground Water	the ground water table exists at 478 aMSL
Authority shall be obtained, for	and present mine working operation is at
which a detailed hydrological	
study shall be carried out.	In case of ground water table intersection in
	future, the project will abide the said
	condition and will get prior approval from
	MoEF& CGWA.
V. The project proponent shall ensure	,
XIII. that no natural watercourse	5 5
(B.P) and/or water resources shall be	
obstructed due to any mining	0 5
operations. Adequate measures	and prepared site specific runoff
shall be taken for conservation	0 1 0
and protection of the seasonal	Foundation, Chennai. Under the site specific
streams, if any emanating from	runoff management plant, project has under
the mine lease area during the	3
course of mining operation.	around the mine lease area.
Appropriate mitigate measures	
should be taken to prevent	
pollution of the Baitarani river, in	-
consultation with the State	
Pollution Control Board.	direct discharge from mine lease area.

District Keonjhar, Orissa.	
	Hence, the entire generation of mines runoff
	water (during monsoon period) is collected to
	the bottom of the pit, checks dams and
	check weirs and after treatment through silt
	cum Sedimentation by giving adequate
	retention period, the final water is allowed to
	discharge. However, the entire mine area
	and check dams/check weirs connectivity is
	properly made by proper drainage pattern.
	All the implementations have been carried
	out with consideration of maximum rain fall
	and technical design followed as per KRG
	rain water harvesting recommendation. The
	detailed implementation of check dams and
	check weirs is given in <b>table -1</b> .
	Nallah Protections measures:
	In addition to the site specific mitigation
	measures, the project has been carried
	out various Nallah protection measures
	around the mines premises. The
	implementations are follows.
	implementations are follows.
	✓ Nallah banks are protected by Guard
	wall with proper filtration
	arrangements to avoid entry of the
	any silt carry over to the water bodies
	during rainy season from other
	sources.
	✓ Check weirs/check dams are
	conferred along the Nallah passing
	area to persuade silt sedimentations.
	$\checkmark$ Nallah de-siltation is under taken
	during pre-monsoon period to
	maintain its bio cycle.
	$\checkmark$ Nallah both side slopes are pitched
	with loose boulders to avoid the
	barrier erosion during monsoon

District Keonjhar, Orissa.	
period.	
Plantation and Vettiver plantation was carried out all along the Nallah boundaries and few areas is converted as green barriers. The detailed implementation is given in <b>table -2</b> and photo evidence for the same is given below.	
Water Harvesting:	
The project has constructed/ developed four numbers of water harvesting ponds in surrounding villages to encourage the water table. The ponds are regularly de-silted and well maintained on regular basis. The detailed implementation is given in <b>table -3</b> .	
Dump Management:	
<ul> <li>Dump Preparation: Proper terracing, slope level and sub benches are maintained in all mines waste / sub grade dump.</li> <li>Retention wall: Bottom of the OB dump and sub grade dump provided / constructed with adequate size of retention wall to avoid the dump failure during monsoon period.</li> <li>Drainage Pattern: Proper drainage pattern is provided at bottom of the waste / sub grade dumps and other required area to collect &amp; treat the mines runoff water.</li> <li>Coir-mat and plantation: Surface area of the waste / sub grade dump is covered with plantation / coir geo textile application along with local grass seeds to avoid the dump erosion during monsoon period. The detailed implementation is given in Table - 4.</li> </ul>	
Photo evidence is given below as PHOTOS-1.	

	District Keonjhar, Orissa.		
VI.	The top soil, if shall temporarily	No top soil was generated during this	
	be stored at earmarked site(s) only	reporting period, because the current mining	
	and should not be kept unutilized	operation is restricted within the already	
	for long, the topsoil should be	diverted forest area and there is no new	
	used for land reclamation and	development in the reporting period. In case	
	plantation.	of top soil generation taken place in the	
		future, it will be stored inane earmarked	
		area and necessary safeguard measures will	
		be under taken to preserve its nutrients	
		values, so that it will be used for future land	
		reclamation and raising of plantations.	
VII.	The project proponent shall not	In this regard project has been obtained	
	undertake beneficiating of the	Environment clearance from Ministry of	
	mineral as part of this project. For	Environment & Forest, Government of India	
	understanding beneficiation,	vide letter no. J-11015/273/2009-IA.II (M)	
	necessary prior approval under the	dated 31.05.2011 for setting up iron ore	
	provisions of EIA Notification,	beneficiation plant for capacity of 2.0 MTPA	
	2006 shall be obtained.	(2 x 185 TPH). A copy of the Environmental	
		Clearance obtained from MoEF for	
		undertaking beneficiation within lease area	
		is enclosed as <b>Annexure – 4</b> .	
VIII.	The over burden (OB) generated	The generated over burden and / waste is	
	during the mining operation shall	stacked at earmarked dump site as per	
	be temporarily stacked at	approved mining plan and no back filling	
	earmarked dump site(s) only for	and reclamation is being under taken till	
	back filling. Back filling shall	date. As per approved Scheme of Mining, the	
	commence from the year 2011-	backfilling will commence from 2019-2020	
	2012 onwards. The accumulated	onwards. So, reclamation will be carried out	
	waste shall be liquidated by the	after 2019-2020 as per the approved Scheme	
	year 2016 and there shall be no	of Mining approved by Indian Bureau of	
	external dump thereafter. The	Mines, Govt. of India.	
	back filled area shall be reclaimed	However, the existing O.B dump is preserved	
	by plantation. Monitoring and	with proper manner to the future	
	management of rehabilitated areas	reclamation. Such as like proper dozing,	
	shall continue until vegetation	terracing, adequate slope, ditching and	
	becomes self-sustaining.	Plantation.	
	Compliance status should be		
	submitted to the Ministry of		
	Environment & Forests and its		
	Regional office, Bhubaneswar on		
	six monthly basis.		

IX. Catch drains and siltation ponds should be of appropriate size constructed around the mine working soil. mineral and temporary OB dumps to prevent runoff water and flow of sediments directly into the Baitarani river, the Jalpanadi, the Kasinallah, the Dolkonallah, Dalkinallah, the Ghaghara nallah, the Jagdharanadi, the Gahirjalanallah, the Mithida spring and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly de - silted particularly after monsoon and maintained properly. Garland drains, settling and tanks check dams of appropriate size, gradient and length shall be constructed both around the mine pit and the temporary OB dumps to prevent runoff water and flow of sediments directly into the Baitarani river, the Jalpanadi, the Kasinallah, the Dolkonallah, Dalkinallah, the Ghagaranallah, the Jagdharanadi, the Gahirjalanallah, the Mithida spring and other water bodies and dump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Dump capacity should also provide adequate retention period to allow proper settling of silt material. Sedimentation pits should be constructed at the corners of the

The project has under taken varies Mitigative measures on the above. The detailed implementation is follows.

#### **Dump Management:**

**Dump Preparation:** Proper terracing, slope level and sub benches are maintained in all mines waste / sub grade dump.

**Retention wall:** Bottom of the OB dump and sub grade dump provided / constructed with adequate size of retention wall to avoid the dump failure during monsoon period.

**Drainage Pattern:** Proper drainage pattern is provided at bottom of the waste / sub grade dumps and other required area to collect & treat the mines runoff water.

**Coir-mat and plantation:** Surface area of the waste /sub grade dump is covered with plantation / coir geo textile application along with local grass seeds to avoid the dump erosion during monsoon period.

#### <u>Mines runoff management during</u> monsoon period:

The mines runoff water is not allowed to direct discharge from mine lease area. Hence, the entire generation mines runoff water (during monsoon period) is collected to the bottom of the mines pit, checks dams and check weirs and after treatment (Silt Sedimentation by giving adequate retention period) process the final water is allowed to discharge. However, the entire mine area and check dams/check weirs connectivity is properly made by preplanned drainage pattern.

All the implementations have been carried out with consideration of maximum rain fall and technical design is followed as per KRG rain water harvesting recommendation.

District Keonjh	
garland drains and de - silted at	Nallah Protections measures:
regular intervals.	
	In addition to the site specific mitigation measures, the project has been carried out various Nallah protection measures around the mines premises. The implementations are follows.
	✓ Nallah banks are protected by Guard wall with proper filtration arrangements to avoid entry of the any silt carry over to the water bodies during rainy season from other sources.
	✓ Check weirs/check dams are conferred along the Nallah passing area to persuade silt sedimentations.
	<ul> <li>✓ Nallah de-siltation is under taken during pre-monsoon period to maintain its bio cycle.</li> </ul>
	<ul> <li>✓ Nallah both side slopes are pitched with loose boulders to avoid the barrier erosion during monsoon period.</li> </ul>
	✓ Plantation and Vettiver plantation was carried out all along the Nallah boundaries and few areas is converted as green barriers.
	Water Harvesting:
	water marvesting.
	The project have been constructed/ developed four numbers of water harvesting ponds in surrounding villages to encourage the water table. The ponds are regularly de- silted and well maintained on regular.

	District Keonjhar, Orissa.		
Х.	Dimension of the retaining wall at		
	the toe of the temporary over	the length of 210 RM x 2 Mtr (H) x 1.5 Mtr	
	burden dumps and OB benches	(W) has been constructed at varies location	
	within the mine to check run-off	like bottom of the OB dump, sub grade	
	and siltation should be based on	dump & other required area to check the	
	the rain fall data.	runoff.	
		PHOTOS ARE ATTACHED BELOW AS	
		РНОТО-2	
XI.	Plantation shall be raised in an	As per condition, the plantation will be	
VII	area of 98.8627ha including a 7.5	raised for an area of 98.8627 Ha after	
(B.P)	m green belt in the safety zone	completion of the mines life / end of the	
. ,	around the mining lease, back	mine operation in mine lease, back filled	
	filled and reclaimed area, mine	area and reclaimed area, mine benches,	
	benches, along the roads etc. by	along the roads etc. However, during	
	planting the native species in	running mine operation project has carried	
	consultation with the local DFO /	Plantation at various location like safety	
	Agriculture Department. The	zone, waste dump, mines plant area, mines	
	density of the trees should be	haul road, village roads, villages schools and	
	around 2500 plants per hectare.	railway sidings in consultation with the local	
	A green belt of adequate width	DFO.	
	shall be developed all around the	Till reporting period a total number of 90503	
	plant by planting the native	numbers of saplings has been planted and	
	species in consultation with the	the survival rate is 69 %, on an average of	
	local DFO/Agriculture department	62449 species survived up to this reporting	
	within first five years.	period. A comprised year wise plantation	
	······································	details are enclosed as <b>TABLE5A</b> and type	
		of plants planted in the year was given in the	
		<b>TABLE- 5B</b> . Photo evidence for the	
		plantation inside and out lease area is given	
		below.	
		PHOTOS ARE GIVEN BELOW AS <b>PHOTOS-3</b>	
XII.	Effective safe guard measures such	The project has implemented different type	
IV, VI	as regular water sprinkling should	of dust suppression system to arrest the air	
& VII	be carried out in critical areas	pollution from the source level in and	
(B.P)	prone to air pollution and having	around the mines premises.	
(=,	high levels of SPM and RSPM such	The detailed implementations are follows.	
	as haul road, loading and	$\checkmark$ Fixed type water sprinklers are	
	unloading point and transfer	implemented in mines permanent	
	points. It shall be ensured that the	haul roads and dispatch roads.	
	Ambient Air Quality parameters	naul touds and dispatch touds.	
	conform to the norms prescribed	✓ Mines benches, temporary haul roads	
	by the Central Pollution Control	and other processing areas dust	
	sy the contrar romation control	and other processing areas dust	

#### Board in this regard.

The Project Proponent shall carry out conditioning of the ore with water to mitigate fugitive dust emission.

Necessary safeguard measures shall be taken for effective control of particulate levels (PM10) in the area. The safeguard measures shall be implemented within first three months and their effectiveness shown with supporting data of actual air quality monitoring.

- generation is suppressed by use of mobile water tankers. In this regard project has engaged two no. of 25 KL mobile water tanker, which is inbuilt with high pressure hydraulic sprinkling system.
- ✓ Five numbers of 8 KL capacity mobile water tankers is being used for dust suppression in the Public roads, railway sidings approaching roads & railway yards.
- ✓ Portable type trolley mounted sprinkler has been placed in loading & unloading points to avoid the dust generations.

Haulage roads are being maintained with grader and water sprinkling to avoid any sort of ruts and potholes. Detailed implementation is given in **table – 6**.

## DUST SUPPRESSION IN CRUSHER & SCREEN PLANT:

Effective dry fog system is implemented in all the crusher and screen plants. Beneficiation plant, the entire process is in wet condition except hopper area and the hopper is provided with dry fog to avoid the dust generation. To avoid the flow of air born dust from convey belt movement the conveyor belts of crusher and screen Plants are covered with hoods.

#### MONITORING

The monitoring of AAQ is being done in the core as well as buffer zone of the ML area, there are 3 no. of monitoring station in core zone i.e. Mines Office and Eastern Site of ML Area and there are 3 no. of monitoring stations in the buffer zone such as Unchabali Village, Balda Village, Nayagarh

r	District Keonjn	
		Village, Monitoring of AAQ is carried out
		every month except monsoon season. The
		monitoring report for the period Oct 2018 to
		March 2019 reveals that the parameter like
		PM10, PM2.5, SO2 and NOx are well within
		the norms as per NAAQs notifications made
		by the CPCB. A comprised AAQ monitoring
		reports for the reporting period is enclosed
		as <b>TABLE7</b> .
		PHOTOS ARE GIVEN BELOW AS <b>PHOTOS-4</b>
XIII.	Regular monitoring of the flow	Regular monitoring of flow rate of different
	rate of the springs and perennial	water bodies is being carried out seasonally
	nallah shall be carried out and	by covering the Nallah/rivers i.e. Baitarani
	records maintained.	River, Unchabali Nallah, Kashi Nallah, Jalpa
	iccorus maintaineu.	Nallah, Gahirajala Nallah, Dolko Nallah
		&Dalki Nallah. Latest flow rate monitoring
XIV.	SPECIFIC CONDITION - 14 (4.00	reports are enclosed as <b>TABLE-8</b> .
AIV.	•	Monitoring of water quality of Baitarini
	MTPA)	River, Unchabali Nallah, Kasi Nallah, Jalpa
	Regular monitoring of water	Nallah, Gahirjala Nallah, Mithida Spring and
	quality upstream and downstream	Dalco Nallah is being carried out seasonally.
	of the Kasinallah, the Dolkonallah,	The monitoring data covers a total of 41
	the Dalkinallah, the Ghagranallah,	parameters and results are very well within
	the Gahirajalanallah and the	the norms. The data is being maintained and
	Mithida spring shall be carried out	submitted to authorities regularly. Latest
	and record of monitored data	surface water quality report analysed during
	should be maintained and	last monsoon is enclosed as <b>TABLE9</b> .
	submitted to Ministry of	
	Environment and Forest, its	
	Regional Office, Bhubaneswar, the	
	Central Ground Water Authority,	
	the Regional Director, the Central	
	Ground Water Board, the State	
	Pollution Control Board and	
	Central Pollution Control Board.	
XV.	The project authority should	
IX	implement suitable conservation	RAIN WATER FOUNDATION, CHENNAI in
(B.P)	measures to augment ground	consultation with Regional Director, CGWB
	resources in the area in	and Bhubaneswar for technical guidelines
	consultation with the Regional	and implemented various conservation
	Director, Central Ground Water	measures to augment the ground water
	Board.	resources for in and around the mine lease
	1	1

	District Keonjh	*
		area. The detail for the same is as follows;
		<b>ROOFTOP RAINWATER HARVESTING:</b>
		Rooftop rain water harvesting system has
		been implemented at mines employee camp
		and Unchabali dispensary towards water
		augment. The technical design and other
		parameters are followed as recommended by
		KRG rain water harvesting with consultation
		of regional director, CGWB, Bhubaneswar.
		From this establishment 4200
		CUM/ANNUAL water is recharged to the
		ground.
		The project has developed/ constructed four
		numbers of water harvesting ponds to in
		mines surrounding villages to encourage
		water augment. The ponds are regularly de-
		silted and well maintained. Total harvesting
		pond water holding capacity is 1.5 Lakh
		CUM/ANNUM. The details are given in
		TABLE3.
		SETTLING CUM PERCOLATION POND &
		SETTLING CUM PERCOLATION POND & CHECK DAMS:
		CHECK DAMS:
		<b>CHECK DAMS:</b> Based on hydrology study the project has
		<b>CHECK DAMS:</b> Based on hydrology study the project has implemented five number of the check dams
		<b>CHECK DAMS:</b> Based on hydrology study the project has implemented five number of the check dams where soil is having high percolation rate
		<b>CHECK DAMS:</b> Based on hydrology study the project has implemented five number of the check dams where soil is having high percolation rate and one number of percolation pond is
		<b>CHECK DAMS:</b> Based on hydrology study the project has implemented five number of the check dams where soil is having high percolation rate and one number of percolation pond is provided at the south side ML area by
		<b>CHECK DAMS:</b> Based on hydrology study the project has implemented five number of the check dams where soil is having high percolation rate and one number of percolation pond is provided at the south side ML area by considering the water flow. The same details
		<b>CHECK DAMS:</b> Based on hydrology study the project has implemented five number of the check dams where soil is having high percolation rate and one number of percolation pond is provided at the south side ML area by considering the water flow. The same details are given in <b>TABLE.NO1</b> .
XVI.	Regular monitoring of ground	<b>CHECK DAMS:</b> Based on hydrology study the project has implemented five number of the check dams where soil is having high percolation rate and one number of percolation pond is provided at the south side ML area by considering the water flow. The same details are given in <b>TABLE.NO1</b> . <b>The photo evidences are attached as</b>
XVI. X	Regular monitoring of ground water level and quality should be	CHECK DAMS: Based on hydrology study the project has implemented five number of the check dams where soil is having high percolation rate and one number of percolation pond is provided at the south side ML area by considering the water flow. The same details are given in TABLE.NO1. The photo evidences are attached as PHOTOS-5 - GROUND WATER QUALITY:
		CHECK DAMS: Based on hydrology study the project has implemented five number of the check dams where soil is having high percolation rate and one number of percolation pond is provided at the south side ML area by considering the water flow. The same details are given in TABLE.NO1. The photo evidences are attached as PHOTOS-5 - GROUND WATER QUALITY: Ground water quality is being monitored
x	water level and quality should be	CHECK DAMS: Based on hydrology study the project has implemented five number of the check dams where soil is having high percolation rate and one number of percolation pond is provided at the south side ML area by considering the water flow. The same details are given in TABLE.NO1. The photo evidences are attached as PHOTOS-5 - GROUND WATER QUALITY: Ground water quality is being monitored regularly by seasonally at 10 locations
x	water level and quality should be carried out in around the mine	CHECK DAMS: Based on hydrology study the project has implemented five number of the check dams where soil is having high percolation rate and one number of percolation pond is provided at the south side ML area by considering the water flow. The same details are given in TABLE.NO1. The photo evidences are attached as PHOTOS-5 - GROUND WATER QUALITY: Ground water quality is being monitored regularly by seasonally at 10 locations including core and buffer zone. The
x	water level and quality should be carried out in around the mine lease by establishing a network	CHECK DAMS: Based on hydrology study the project has implemented five number of the check dams where soil is having high percolation rate and one number of percolation pond is provided at the south side ML area by considering the water flow. The same details are given in TABLE.NO1. The photo evidences are attached as PHOTOS-5 - GROUND WATER QUALITY: Ground water quality is being monitored regularly by seasonally at 10 locations including core and buffer zone. The monitoring locations are namely 1) Inside
x	water level and quality should be carried out in around the mine lease by establishing a network existing wells and installing new	<ul> <li>CHECK DAMS: Based on hydrology study the project has implemented five number of the check dams where soil is having high percolation rate and one number of percolation pond is provided at the south side ML area by considering the water flow. The same details are given in TABLE.NO1. The photo evidences are attached as PHOTOS-5</li> <li>- GROUND WATER QUALITY: Ground water quality is being monitored regularly by seasonally at 10 locations including core and buffer zone. The monitoring locations are namely 1) Inside Mining lease area, 2) Unchabali village, 3)</li> </ul>
x	water level and quality should be carried out in around the mine lease by establishing a network existing wells and installing new piezometers during the mining	CHECK DAMS: Based on hydrology study the project has implemented five number of the check dams where soil is having high percolation rate and one number of percolation pond is provided at the south side ML area by considering the water flow. The same details are given in TABLE.NO1. The photo evidences are attached as PHOTOS-5 - GROUND WATER QUALITY: Ground water quality is being monitored regularly by seasonally at 10 locations including core and buffer zone. The monitoring locations are namely 1) Inside Mining lease area, 2) Unchabali village, 3) Kalimatti village, 4) Balda Village, 5) Malda
x	water level and quality should be carried out in around the mine lease by establishing a network existing wells and installing new piezometers during the mining operation. The periodic	<ul> <li>CHECK DAMS: Based on hydrology study the project has implemented five number of the check dams where soil is having high percolation rate and one number of percolation pond is provided at the south side ML area by considering the water flow. The same details are given in TABLE.NO1. The photo evidences are attached as PHOTOS-5</li> <li>- GROUND WATER QUALITY: Ground water quality is being monitored regularly by seasonally at 10 locations including core and buffer zone. The monitoring locations are namely 1) Inside Mining lease area, 2) Unchabali village, 3)</li> </ul>

	District Keonjh	*
		Employee's camp & 10) Jaganathpur. The
	once in each season)] shall be	latest ground water quality report is
	carried out in consultation with	enclosed as <b>Table-10</b> .
	the state Ground Water	- GROUND WATER LEVEL:
	Board/Central Ground Water	
	Authority and the data thus	The ground water level is being monitored by
	collected may be sent regularly to	seasonally i.e. pre-monsoon, monsoon, post
	Ministry of Environment and	monsoon and winter. The latest ground
	Forests and its Regional Office,	water level report is given in <b>table-11</b> .
	Bhubaneswar, Central Ground	- INSTALLING NEW PIEZOMETER:
	Water Authority and Regional	The project has installed Piezometers at
	Director, Central Ground Water	mines observation bore wells. The ground
	Board. If at any stage, it is	water fluctuations are being observed in the
	observed that the ground water	bore well & results are recorded by regular
	table is getting depleted due to the	
	mining activity; necessary	1
	corrective measures shall be	observation data is given <b>as annexure -5.</b>
	carried out.	
XVII.	Appropriate mitigate measures	Site specific mitigation measures to prevent
	should be taken to prevent	silt carried into nearby natural water bodies
	pollution of the Baitrani river, the	got implemented like; surface run off
	Jalpanadi and Jagdharanadi in	management structures, retaining wall
	consultation with the State	followed garland drains, check dam, settling
	Pollution Control Board.	cum percolation ponds etc. Apart from that,
		guard wall have been constructed across the
		bank of the natural water bodies. The above
		structures got developed in consultation
		with SPCB, Orissa. The detailed Site
		implementation details are given in
		TABLE.NO1, 2, 3 & 4.
XVIII.	The project proponent shall obtain	The project has obtained the ground water
XI	prior permission of the competent	NOC from Central Ground Water Authority
(B.P)	Authorities for drawl of requisite	vide letter No.21-4(88YSER/GGWA/2008-
,—·- ,	quantity of water (surface water	1903 for withdrawal quantity of 1175
	and ground water) required for the	CUM/D of ground water. The obtained NOC
	project.	from CGWA is enclosed as <b>ANNEXURE – 6</b> .
XIX.	Suitable rainwater harvesting	- ROOFTOP RAINWATER HARVESTING:
XIX. XII	measures on long term basis shall	
(B.P)	be planned and implemented in	The project has been implemented rooftop
(10.1)	consultation with Regional	rain water harvesting system at project
	Director, Central Ground Water	employee's camp and Unchabali dispensary
	Board.	towards ground water re-charge. The
	Dualu.	÷ 5

District Keonjh	*
	technical design and other parameters are
	followed as recommended by KRG rain water
	harvesting with consultation of regional
	director, CGWB, Bhubaneswar. From this
	establishment 4200 CUM quantity of ground
	water is recharged to the ground water table
	every year.
	- WATER HARVESTING PONDS AT
	VILLAGES:
	The project has developed four numbers of
	water harvesting ponds to encourage the
	water percolation and water harvesting in
	surrounding villages. The ponds are regularly de-silted and well maintained.
	0
	Total harvesting pond water holding capacity
	is 1.5 lakh CUM/ANNUM. Details of
	harvesting ponds developed in surrounding
	villages are given in <b>TABLE NO3</b> .
	- PERCOLATION POND & CHECK DAMS:
	Based on hydrology study the project has
	implemented five number of the check dams,
	settling cum percolation pits where soil is
	having highly percolating rate and one
	number of percolation pond is provided at
	the south side of the broken up area. Details
	of check dams and check weirs are follows
	as <b>TABLE NO1</b> .
XX. Vehicular emissions shall be kept	The project is ensuring vehicle emission
under control and regularly	monitoring for all mining and other
monitored. Measures shall be	supporting vehicles / equipment. The
taken for maintenance of vehicles	monitoring of vehicle emission is carried out
used in mining operations and in	through Diesel Smoke Meter by engage of
transportation of mineral. The	THRIVENI Pollution Testing Centre,
mineral transportation shall be	Unchabali Village, Keonjhar, Pin-758034.A
carried out through the covered	sample HEMM emission test result is
two has a new and wahislas sometime	attached as <b>Annexure-7</b> .
trucks only and vehicles carrying	attacheu as Annexure-7.
the mineral shall not be	Apart from testing of transporting vehicles
	Apart from testing of transporting vehicles
the mineral shall not be	Apart from testing of transporting vehicles
the mineral shall not be overloaded. No transportation of	Apart from testing of transporting vehicles emission on random basis, the project has

	District Keonjh	*
		the status of the vehicle pollution certificate
		validity and other relevant parameters.
		Basically, the baseline data of the vehicle is
		being loaded in the initial entry of the vehicle
		to the mines and it is regularly monitored in
		every trip of entry in gate, if any vehicles are
		not having valid pollution certificate or any
		other parameters then automatically entry of
		the vehicle will be not allowed by system.
XXI.	No blasting shall be carried out	No blasting is carried out after the sunset
	after the sunset. Blasting	and blasting is carried out only at day time.
	operation shall be carried out only	The control blasting is practiced using lager
	during daytime. Controlled	top stemming column, the Nonel technology
	blasting shall be practiced. The	and proper blast design& firing pattern with
	mitigate measures for control of	effective supervision of total blasting
	ground vibrations and to arrest fly	operations as per the recommendation of the
	rocks and boulders should be	CIMFR, DHANDBAD.
	implemented.	As on date no records reveals beyond the
		permissible limit during the reporting period.
		A summarized report for the reporting period
		is enclosed as TABLE NO12 and a sample
		report is enclosed as <b>ANNEXURE -8</b> .
XXII.	Drills shall either be operated with	The drilling operation is being carried out
	dust extractors or equipped with	with both dust extractor and water injection
	water injection system.	system. Presently the project is using DP
		1100 drilling machine for drilling operation.
		The said drilling machine is inbuilt with
		both water injection system and dust
		extraction systems. The photo evidence for
		the same is given below.
		PHOTO evidences given below as <b>PHOTOS-6</b>
XXIII.	Mineral handling plant should be	1) Effective dry fog system is implemented in
	provided with adequate number of	all the crusher and screen plants.
	high efficiency dust extraction	2) In Beneficiation plant, the entire process
	system. Loading and unloading	is in wet condition except hopper area and
	areas including all the transfer	the hopper is provided with dry fog to avoid
	points should also have efficient	the dust generation.
	dust control arrangements. These	3) The conveyor belts of crusher and screen
	should be properly maintained and	Plants are covered with hoods.
	operated.	4) Regular water sprinkling is carried out in
		the loading and unloading area.
L	1	1

3737777	District Keonjh	
XXIV.	Sewage treatment plant should be	
	installed for the colony. ETP	the skimmer mechanism at mines
	should also be provided for	employee's camp for treatment and reuse of
	workshop and waste water	the waste domestic water from Kitchen,
	generated during mining	toilet and etc. The treated water is used for
	operation.	plantation and dust suppression activities.
		ETP is provided at mines work shop for the
		treatment of waste water from water service
		of equipment. The existing ETP is having
		physical separation of oil and grease by oil
		trapping system and silt sedimentation pit.
		The both STP and ETP final discharge water
		is being monitored on fortnightly once to
		ensure the final discharge water in line to
		approved CTO and record maintained for the
		same. The latest monitoring report is
		enclosed here as table. No - 13 and table.
		No 14.
		Photo evidences given below as <b>PHOTOS-7</b>
XXV.	Pre-placement medical	Initial Medical Examination & Periodical
XIV	examination and periodical	Medical Examination is being carried out to
(B.P)	medical examination of the	all company & contractors employees on
	workers engaged in the project	regular basis. The IME & MPE is being
	shall be carried out and records	carried as per in compliance to Mines Act
	maintained. For the purpose,	1952 & rules 1956 and amendments there
	schedule of health examination of	to.
	the workers should be drawn and	During the reporting period (April to
	followed accordingly.	September 19) project has carried out IME &
		PME for 8 employees. The IME & PME tests
		include PFT, X-Ray, and lung spirometer etc.
		A comprised summery report for IME & MPE
		during report period is enclosed as
		Annexure – 09.
XXVI.	The project proponent shall take	The Site Specific Wildlife Conservation Plan
XVII	all precautionary measures during	got prepared by Sri. S. K. Patnaik, Retd. IFS
(B.P)	mining operation for conservation	& Shri S.K.Mohanty, Retd. OFS with an
	and protection of endangered	estimated cost of Rs. 104 lakh and approved
	fauna namely elephant, sloth bear,	by PCCF-Wild Life and Chief Wild Life
	etc. spotted in the study area.	Warden. In which Rs. 34 lakh has been
	Action plan for conservation of	earmarked for implementation of Site
	Action plan for conservation of flora and fauna shall be prepared	earmarked for implementation of Site Specific Wild Life Conservation Plan within

	District Keonjn	
	with the State Forest and Wildlife	been earmarked for implementation for the
	Department. All the safeguard	purpose in the buffer zone i.e. within the
	measures brought out in the wild	zone of influence. An amount of Rs. 15, 91,
	life conservation plan prepared	691/- rupees has been made towards
	specific to this project site shall	Regional Wild Life Management Plan and Rs.
	be effectively implemented.	21, 75, 000/- rupees towards site specific
	Necessary allocation of the funds	Wild Life Management Plan.
	for implementation of the	Various activities has been under taken
	conservation plan shall be made	towards protection of wild animals by
	and funds so allocated shall be	implementation of solar electric fencing in
	included in the project cost. A	mines operation boundary area to avoid the
	copy of action plan may be	fall down of any wild animals to mines
	submitted to the Regional Office	operation, awareness program among local
	of the Ministry of Environment	and staffs members etc. The approved
	and Forests, Bhubaneswar.	budgetary forecast for the site specific
		wildlife conservation plan is enclosed as
		Annexure – 10.
XXVII.	Provision shall be made for the	Not Applicable. As there is no such
XVI	housing of the construction labour	construction activity
(B.P)	within the site with all necessary	-
• •	infrastructure and facilities such	
	as fuel for cooking, mobile toilets,	
	mobile STP, safe drinking water,	
	medical health care, crèche etc.	
	The housing may be in the form of	
	temporary structures to be	
	removed after the completion of	
	the project.	
XXVIII	The critical parameters such as	All these critical parameters are being
	SPM, RSPM, NOx in the ambient	monitored periodically & uploaded on the
	air within the impact zone, peak	company website i.e. www.uimm-ip.com.
	particle velocity at 300m distance	The said monitored parameters i.e. for AAQ;
	or within the nearest habitation,	PM10, PM2.5, SO2, NOx, STP, ETP
	whichever is closer shall be	discharge, for surface run off discharge from
	monitored periodically. Further,	the mine (treated) etc. is being displayed
	quality of discharge water shall	through an Electronic display board
	also be monitored [TDS, DO, pH	installed at the main gate of the project site
	and total suspended solids (TSS)].	of the company for public domain.
	The monitored data shall be	Environmental parameters uploaded in the
	The monitored data shall be	
	uploaded on the website of the company as well as displayed on a	company website are enclosed as <b>Annexure</b> – <b>11</b> and photo of the display board is given

District Keonjhar, Orissa.		
AS <b>PHOTO-8.</b>		
roject has submitted a Bank guarantee		
s. 17,43,693/-for reclamation and		
ilitation of 69.7477 Ha mined out and		
allied activities area @ 25, 000/- Ha as		
t of the management of the mines		
re of the Project.		
existing beneficiation plant is well		
ned with principle of the maximum		
recovery and zero spills called zero		
arge based Beneficiation plant. In		
quence of that, the plant entire water		
t is developed by closed manner, and		
ss water from all the consuming point		
ng collected to thickener by proper pipe		
arrangement. However, with use of		
ener process and filter press		
anism about 97% of the water is being		
ered and reused for the plant		
tion.		
ver we have given a correspondence to		
good office that we have dismantling		
plant. The same was attached as		
kure-16		
eneration of filter press waste i.e. filter		
s being dumped along with overburden		
as inter mixed layers. As per latest		
ved mining scheme the period of		
nation is occurring on the year of		
ved mining scheme the period of		
ve		

	into the mined out area.	2019-2020, the backfilling of filter press
	Compliance status shall be	waste along with overburden will be carried
	submitted to the ministry of	_
		compliance status, we will follow the said
	regional office located at	condition for submission of compliance
	Bhubaneswar on six monthly	- 0
	bases.	Bhubaneswar.
		However we have given a correspondence to
		your good office that we have dismantling
		the plant. The same was attached as
		Annexure-16
XV	Occupational health surveillance	Workers engaged in Operations are provided
(B.P)	program of the workers shall be	with earplugs / muffs, besides this acoustic
	undertaken periodically to observe	enclosure for all machine operating cabins
	any contractions due to exposure	are provided. It is being monitored by Noise
	to the dust and take corrective	Level Meter; the results reveals very well
	measures, if needed; health	within norms.
	records of the workers shall be	Initial Medical Examination & Periodical
	maintained.	Medical Examination is being carried out to
		all company & contractors employees on
		regular basis. The IME & MPE is being
		carried as per in compliance to Mines Act
		1952 &rules 1956 and amendments there
		to. During the reporting (April to September
		19) project has carried out IME & PME for 8
		employees. The IME & PME tests include
		PFT, X-Ray, and lung spirometer etc. A
		comprised summery report for IME & MPE
		during report period is enclosed as
		Annexure – 09.
		However we have given a correspondence to
		your good office that we have dismantling
		the plant. The same was attached as
		Annexure-16

General Cond.	General condition		Present Stat	18
No				
I.	No change in mining technology	The Mining	method of the	project is fully
	and scope of working should be	mechanized		ovels, dumper
	made without prior approval of the	combinations	and sorting and	sizing of the Iron
	Ministry of Environment & Forest.		-	per the approved
		Scheme of Mir	ning/Plan.	
I (B.P).	No further expansion or			
	modifications in the plant shall be			
	carried out without prior approval			
	of the ministry of Environment			
	and Forests.			
II.	No change in the calendar plan	There is no o	change in the c	alendar plan, the
	including excavation, quantum of	excavation, q	uantum of min	eral iron ore and
	mineral iron ore and waste should	waste are bei	ng produced as	per the approved
	be made.	mining plan/s	scheme. The det	ails of the iron ore
		and waste are	as follows;	
		Year	ROM	OB Removed
			(In Mt.)	(In Mt.)
		2017-2018	3990662	840938
		2018-2019	3787130	1363949
		2019-2020	1971726	-
III.	At least Four Ambient Air Quality -	The monitorin	ng of AAQ is bein	g done in the core
II (B.P)	Monitoring stations should be	as well as but	ffer zone of the M	IL area, There are
	established in the core zone as	3 no. of mor	nitoring station	in core zone i.e.
	well as in the buffer zone for RPM,	Mines Office	and Eastern Sit	e of ML Area and
	SPM, SO2& NOX monitoring.	there are 3 no. of monitoring stations in the		
	Location of the stations should be	buffer zone such as Unchabali Village, Balda		
	decided based on the	Village, Nayagarh Village, Monitoring of AAQ is		nitoring of AAQ is
	meteorological data, topographical	carried out e	very month exce	ept monsoon. The
	features and environmentally and	monitoring re	eport for the p	eriod October to
	ecologically Sensitive targets and	March 2018	reveals that the	e parameter like
	frequency of monitoring should be	PM10, PM2.5	, SO2 and NOx	are as per NAAQs
	undertaken in consultation with		-	CB, are very well
	the State Pollution Control Board.	within the 1	norms. The de	tailed monitoring

	location enclosed as <b>Annexure-12</b> .
IV. Data on ambient air quality (RPM,	Data on ambient air quality (PM10, PM2.5, and
III (B.P) SPM SO2&NOx) should be regularly	SO2 & $NO_{xi}$ is being submitted once in six
submitted to the Ministry	monthly basis to State Pollution Control Board.
including its Regional office	The latest submission is enclosed as <b>Annexure</b>
located at Bhubaneswar and the	-13.
State Pollution Control Board /	10.
Central pollution Control Board	
once in six months.	
V.Fugitive dust emissions from all	The project has implemented different type of
	The project has implemented different type of dust suppression system to arrest the fugitive
	dust suppression system to arrest the fugitive
regularly water spraying	dust emission from the source level in and
arrangement on haul roads,	around the mines premises.
loading and unloading and transfer	The detailed implementations are follows.
points should be provided and	✓ Fixed type water sprinklers are
properly maintained.	implemented in mines permanent haul
	roads and dispatch roads.
	✓ Mines benches, temporary haul roads
	and other processing areas dust
	generation is suppressed by use of
	mobile water tankers. In this regard
	project has engaged two no. of 25 KL
	mobile water tanker, which is inbuilt
	with high pressure hydraulic sprinkling
	system.
	✓ Five numbers of 8 KL capacity mobile
	water tankers is being used for dust
	suppression in the Public roads, railway
	sidings approaching roads & railway
	yards.
	✓ Portable type trolley mounted sprinkler
	has been placed in loading & unloading
	points to avoid the dust generations.
	<ul> <li>✓ Haulage roads are being maintained with</li> </ul>
	grader and water sprinkling to avoid any
	sort of ruts and potholes.
	sort of ruts and politoics.
	The latest monitoring report is enclosed here as
	Table. No – 15.
VI. Measures should be taken for	Regular maintenance of HEMM & Processing
V (B.P) control of noise levels below 85	plants is being carried out to minimize the noise
dB(A) in the work environment.	
	level from source. Apart from that, proper PPEs like ear plug, muffles are also provided to

	District Keonjhar, Orissa.		
	HEMM, etc. should be provided	employees. Further, to ensure the noise limit,	
	with ear plugs / muffs.	regular noise monitoring is carried out on	
		fortnightly basis for work zones like crusher	
		plant premises, screen plant premises, ROM	
		loading point, beneficiation plant premises,	
		drilling area & work shop. The noise levels are	
		well within prescribed norms, the monitoring	
		reports are given in <b>table -16.</b>	
VII.	Industrial waste water (workshop	STP is provided / implemented at mines	
VI (B.P)	and waste water from the mine)	employee's camp for treatment and reuse of the	
	should be properly collected,	waste domestic water from Kitchen, toilet and	
	treated so as to conform to the	etc. The treated water is used for plantation and	
	standards prescribed under GSR	dust suppression activities.	
	422 (E) dated 19th May, 1993 and	ETP is provided at mines work shop for the	
	31th December, 1993 or as	treatment of waste water from water service of	
	amended from time to time. Oil	equipment. The existing ETP is having physical	
	and grease trap should be installed	separation of oil and grease by oil trapping	
	before discharge of workshop	system and silt sedimentation pit.	
	effluents.	The both STP and ETP final discharge water is	
		being monitored on fortnightly once to ensure	
		the final discharge water in line to approved	
		CTO and record maintained for the same. The	
		test results are very well within the norms. The	
		latest monitoring report is enclosed here as	
		table. No – 13 and table. No 14.	
VIII.	Personnel working in dusty areas	Initial Medical Examination & Periodical	
VII (B.P)	should wear protective respiratory	Medical Examination is being carried out to all	
VII (D.I.)	devices and they should also be	company & contractors employees on regular	
	provided with adequate training	basis. The IME & PME is being carried as per in	
		0 1	
	and information on safety and	1	
	health aspects. Occupational	amendments there to.	
	health surveillance program of the	During the reporting period (April to September	
	workers should be undertaken	19) project has carried out IME & PME for 8	
	periodically to observe any	employees. The IME & PME tests include PFT,	
	contractions due to exposure to	X-Ray, and lung spirometer etc. A comprised	
	dust and take corrective measures,	summery report for IME & MPE during report	
	if needed	period is enclosed as <b>Annexure – 09</b> .	
I			
IX.	A separate environmental	We have established an Environmental Cell	
VIII	management cell with suitable	headed by the General Manager to look after	
(B.P)	qualified personnel should be	the implementation of the various pollution	
( ·= )	setup under the control of a senior	control measures and other Environment	
L			

	1	onjnar, Orissa.
	executive, who will report directly	management System requirements. The detail
	to the head of the organization.	of the Environment Cell structure is enclosed as
		ANNEXURE- 14.
Х.	The funds earmarked for	
IX (B.P)	environmental protection	
	measures should be kept in	
	separate account and should not	The funds earmarked for environmental
	diverted or other proposes. Year	Protection are being utilized for the same only.
	wise expenditure should be	The same expenses details are mentioned in the
	reported to the Ministry and	table no17
	Regional Office located at	
	Bhubaneswar.	
XI.		
	The project authorities should	
X (B.P)	inform to the Regional Office	
	located at Bhubaneswar regarding	We will abode the said condition.
	date of financial closures and final	
	approval of the project by the	
	concerned authorized and the date	
	of start of land development work.	
XII.	The Regional Office of the Ministry	
XI (B.P)	located at Bhubaneswar shall	
	monitor complains of the	
	stipulated conditions. The project	We are extending all our cooperation during
	authorities should extend full co-	inspections by the Authority.
	operations to the officer (S) of the	
	regional office by furnishing the	
	requisite data / information/	
	monitoring reports.	
XIII.	The project proponent shall	
XII (B.P)		
	status of the implementation of	
	the stipulated EC conditions	The Project is uploading the last six monthly EC
	including results of monitored	Compliance reports in the website bearing
	data ( both in hard copies as well	address <u>www.uimm-ip.com</u> on regular basis.
	as by e-mail) to the Ministry of	The details of submission of the six monthly
	Environmental and Forests, its	compliance reports on the status of the
	regional Office, Bhubaneswar, the	implementation of the stipulated conditions are
	respective zonal offices of CPCB	enclosed as <b>TABLE NO18</b> .
	and the SPCB. The proponent shall	cheloseu as indue ho10.
	upload the status of the EC	
	-	
	conditions, including results of	
	monitored data on their website	

District Keonjhar, Orissa.			
and shall update the same periodically. It shall simultaneously be sent to the			
Regional Office of the Ministry of			
Environment and Forests,			
Bhubaneswar, the respective Zonal			
Officer of CPCB and the SPCB.			
XIV.A copy of clearance latter shall be			
XIII sent by the proponent to			
(B.P) concerned Panchayat, Zila	It has been complied with intimating the letters		
Parishad /Municipal Corporation,	to local Gram Panchayat, Municipality, DDM		
Urban local body and local NGO, if			
any, from whom suggestions /	etc. and a copy of environmental clearance		
representations, if any, were	letter also made available in the company's		
received while processing the	website i.e. www.uimm-ip.com.		
proposal. The clearance letter shall	website i.e. <u>www.ummi-ip.com</u> .		
also be put on the web site of the			
company by the proponent.			
XV.The State Pollution Control Board			
1 5 15	It has been complied		
(B.P) clearance letter at the Regional	It has been complied.		
office, District Industry Centre and Collector's office/ Tehsildar's			
Office for 30 days.			
XVI.The environment statement for			
XVI. The environment statement for XV each financial year ending 31st			
be submitted by the project	The Environmental statement in Form V is		
	The Environmental statement in Form – V is being submitted regularly to the state pollution		
prescribed under the Environment	being submitted regularly to the state pollution control board for the financial year. We are also		
(protection) Rules, 1986, as	uploading the annual environment statement		
amended subsequently, shall also	along with the six monthly environmental		
be put on the website of the	compliance reports in the company website i.e.		
company along with the status of	www.uimm-ip.com. The latest Form – V for the		
compliance of EC conditions and	FY 2017-18 is submitted to the board, copy		
shall also be sent the Regional	enclosed as <b>Annexure – 15</b> .		
Office of the Ministry of			
Environment and forests, at			
Bhubaneswar by e-mail.			
Ditubancowal by C-man.			

XVII.		njnui, onosu.
-	The project authorities should	
XVI	advertise at least in two local	
(B.P)	newspapers widely circulated, one	
	of which shall be in the vernacular	
	language of the locality concerned,	
	within 7 days of the issue of the	
	clearance letter informing that the	The Project has already advertised for iron ore
	project has been accorded	mining and iron ore beneficiation plant projects
	environmental clearance and a	in two newspapers about the issuance of the
	copy of the clearance letter is	environment clearance of the Project, one is
	available with the State Pollution	advertised in the vernacular language of the
	Control Board and also at web site	locality concerned.
	of the Ministry of Environment	
	and Forests at http: / /	
	envfor.nic.in and a copy of the	
	same should be forwarded to the	
	Regional Office of this Ministry	
	located at Bhubaneswar.	

PHOTOS-1:



Photo showing check dams & Check weirs implementation within ML



Photo Showing varies Nallah protection measures under taken out side ML



Photos showing village harvesting pond developed in surrounding villages





Photo showing OB & sub grade dumps are provided with retention wall and other Mitigative measures.

## PHOTOS -2:



Retaining wall provided at the toe end of the dump

PHOTOS -3:





PHOTOS SHOWING THE AVENUE PLANTITON AT KEONJAHR





Photos showing varies area plantation undertaken

#### PHOTOS -4:



Photos showing mobile water tankers encaged for dust suppression



Photos showing automatic fixed sprinkler installed at mines permanent Haul road



Photo showing motor grader under use for road maintenance





Photos showing dry fog implementations is varies plantation.

PHOTOS -5:





PHOTO SHOWING ROOF RAIN WATER HARVESTING SYSTEMS EMPLOYEE'S CAMP





## PHOTO SHOWING ROOF RAIN WATER HARVESTING SYSTEMS AT MINES & UNCHABALI DISPENSARY

PHOTOS - 6:



Photo Showing DP 1100 Hydraulic Drilling Machine equipped with dust extractor & wet drilling mechanism

PHOTOS -7:



PHOTO SHOWING ETP PLANT PROVIDED IN WORK SHOP SERVICE CENTER



PHOTOS SHOWING STP TECHNICAL STRUCTURE & EXISTING PLANT

PHOTOS - 8:



Photo Showing Electronic Display board placed in the mines entrance gate to display the Environmental parameters

#### **TABLE – 1**

SL.NO	Description	Dimensions/Capacity
1	Check Dam cum Settling pond -1	9800 CUM
2	Check Dam - 4	689 CUM
3	Check Dam - 5	2000 CUM

## # TABLE – 1 SHOWING CHECK DAM AND CHECK WEIR DETAILS IMPLEMENTED WITHIN THE ML AREA

**TABLE-2** 

SL.NO	Description	Location	Dimensions/Capacity
1	Check Dam - 13	21º 52' 41.96" N	15 M X 2 M X 1.5 M
		85º 25'41.97" E	
2	Check Dam - 14	21º 52' 42.88" N	15 M X 1.5 M X 1.5 M
4		85º 25'50.81" E	10 W X 1.0 W X 1.0 W
3	Check Dam - 15	21º 52' 36.75" N	10 M X 1.5 M X 1.5 M
3	Check Dam - 15	85º 25'58.75" E	10 M X 1.5 M X 1.5 M
4	Check Dam - 16	21º 52' 35.55" N	12 M X 1.5M X 1.5 M
4	Check Dam - 10	85º 25'59.51" E	12 M A 1.5M A 1.5 M
5	Guard Wall	21°52'41.14"N	300 M
5	Guard Wall	85°25'54.05"E	300 IVI
6	Nallah Slope	21°52'45.66"N	
0	pitching	85°25'2.67"E	-
7	Diantation	21°52'41.59"N	150
	Plantation	85°25'53.87"E	150

#### **# TABLE - 2 SHOWING CHECK DAMS IMPLEMENTATION OUT SIDE THE ML**

#### **TABLE-3**

SL.NO	DESCRIPTION	CAPACITY IN CUM
1	NAMIRA POND -1	8100
2	NAMIRA POND -2	92400
3	BELDA POND -1	13200
4	BELDA POND -2	43160

#### **# TABLE – 3 SHOWING IMPLEMENTED VILLAGE HARVESTING PONDS DETAILS**

#### TABLE-4

S1. No	Description of the dump	Location of the dump	Protections Measures
1.	Sub Grade	B-Block	12, 600 Sqr. Mtr of dump surface area covered with Geo textile applications.12000 Saplings are planned on the surface of the dump.450 RM meter retaining wall constructed with the size of 1.8 M x1.2 M.
2.	Over Burden - 2	Near Garage	4000 Sqr. Mtr of dump surface area covered with Geo textile applications.150 RM of retaining wall constructed with the size of $1.8 \text{ M} \times 1.2 \text{ M}$ and followed with siltation pond, drainage water is connected to bottom check dams.
3.	Over Burden-1	Near Pillar No L2	300 Mtr retaining wall along with garland drainage is constructed with settling pit. 130 Mtr of Hume pipe drainage pattern has been constructed.

**# TABLE-4 SHOWING VARIES DUMP PROTECTIONS MEASURES IMPLEMENTATION** 

#### **TABLE-5A**

	Plantatio	n Details as on March_2	019
Sl. No	Year	Number of Saplings	Survival Rate
1	2019-2020	1750	80%
2	2018-2019	5860	85%
3	2017-2018	2450	90%
4	2016-2017	11865	86%
5	2015-2016	11960	85%
6	2014-2015	5980	80%
7	2013-2014	12550	70%
8	2012 - 2013	11000	80%
9	2011 - 2012	7830	70%
10	2010 - 2011	11086	65%

#### **TABLE-5B**

SL.NO	LOCATION	Description	2019-20	PLANTS TYPE
1	IN Side ML	Dump Safety Zone Mines bench	1430	Radha chuda, krishna chuda,cha kunda, saru cha kundha,karanja,siru tree, Arjuna
2				, J
4	OUT SIDE ML AREA	School Plantation & Avenue Plantion	220	Jack fruit, cherry, crusted apple, badam, mango
6		Nallah side	100	Mango, Neem, karanja

#### **# TABLE-5 SHOWING PLANTATION DETAILS**

#### **TABLE-6**

SL. No.	Description	Unit	Quantity	Remarks
1	Automatic Fixed Sprinkler	R.M	2500	Dispatch Road and Permanente Haul Road
2	High Frequency mobile water Tanker	30 KL	1	Mines Benches,
3	High Frequency mobile water Tanker	25 KL	1	Stock yard, plant area, and other mines premises including
4	Mobile water tanker	8 KL	2	Village Roads &
5	Mobile water Tanker	8 KL	3	Railway Sidings

# **# TABLE-6 SHOWING PRACTICE OF DUST SUPPRESSING ACTIVITIES**

**TABLE-7** 

SUMMARIZED A	MBIENT AIR Q ROJECT OF SM						E MINING
	Р	eriod: APRI	L 2019 to SH	PTEMBER 2	019		
			Quality P	arameter, Re	esults, micro	o.gm/CUM	
	Month	Range	PM10	PM2.5	$\mathrm{SO}_2$	NO <sub>x</sub>	CO
AAQ-C1 Mines Main	APR -19		74.2	41.30	8.2	23.2	0.30
Exit/Entry Gate	MAY -19		74.90	41.80	8.30	23.40	0.30
(Core zone)	JUNE - 19	AVG	74.90	41.70	8.40	23.40	0.307
	JULY -19		74.90	39.40	8.20	24.10	0.304
	AUG - 19		63.70	35.30	7.30	17.60	0.271
	SEPT -19		64.60	34.20	6.80	20.70	0.270
	APR -19		71.20	37.50	9.60	20.90	0.29
	MAY -19		69.80	37.20	7.10	19.30	0.27
AAQ-C2	JUNE - 19	AVG	71.90	38.0	7.50	21.20	0.295
Employees Camp (Core Zone)	JULY -19	AVG	72.60	40.40	7.40	20.90	0.296
(Core Zone)	AUG - 19		62.80	36.60	6.80	18.0	0.273
	SEPT -19		66.30	36.80	6.30	18.90	0.227
	APR -19		75.10	39.40	8.30	24.20	0.3
110	MAY -19		74.90	39.50	8.40	24.10	0.31
AAQ- C3Beneficiation	JUNE - 19	AVG	76.0	40.10	8.50	24.50	0.314
plant (Core Zone)	JULY -19	AVG	76.50	42.60	8.40	24.0	0.317
plant (Core Zone)	AUG - 19		64.60	37.80	7.60	20.20	0.283
	SEPT -19		67.70	35.60	7.40	20.70	0.289

#### **REPORTING PERIOD: APRIL 2019 TO SEPTEMBER 2019**

			iconjinar,				
	APR -19		69.20	36.70	6.70	19.70	0.27
	MAY -19		68.90	36.60	6.70	19.71	0.27
AAQ-B2	JUNE - 19		69.90	36.80	6.80	20.0	0.283
Village Balda (Buffer Zone)	JULY -19	AVG	71.50	37.70	7.10	19.90	0.286
(Duner Zone)	AUG - 19		63.30	35.20	6.70	17.60	0.270
	SEPT -19		64.90	35.70	6.30	17.90	0.245
	APR -19		70.40	37.10	7.10	20.60	0.28
	MAY -19		70.70	37.30	7.20	20.80	0.28
AAQ-B3	JUNE - 19		70.80	37.0	7.30	20.90	0.289
Village Nayagarh (Buffer Zone)	JULY -19	AVG	71.90	40.0	7.50	20.60	0.291
(Duner Zone)	AUG - 19		64.0	37.50	7.0	18.30	0.276
	SEPT -19		63.80	33.90	6.20	19.20	0.244
	APR -19		68.70	36.20	7.0	19.10	0.27
	MAY -19		70.90	37.20	7.30	20.80	0.29
AAQ-B1	JUNE - 19		69.70	36.70	7.20	19.40	0.279
Village Unchabali (Buffer Zone)	JULY -19	AVG	69.70	38.80	7.10	18.90	0.28
(Duner Zone)	AUG - 19		63.0	36.70	6.80	17.20	0.271
	SEPT -19		63.40	35.30	6.70	17.20	0.256
	APR -19		24.09	0.80	4.25	39.62	0.24
	MAY -19		25.86	10.15	3.35	24.99	0.154
CAAQMS-C1 Near Mines Office	JUNE - 19	AVG	71.61	33.33	6.11	38.33	0.31
(Core Zone)	JULY -19	AVG	47.78	28.10	4.545	46.88	0.24
	AUG - 19		39.11	23.14	9.28	43.18	0.24
	SEPT -19		37.97	13.01	6.21	40.39	0.42

# **# TABLE-7 SHOWING AAQ MONITORING REPORT FOR THE REPORTING PERIOD.**

				IAD
	Surface Water F1	ow Rate in (	CUM/SEC	
SL. No	Monitoring Station	JUNE - 2019	AUGUST- 2019	SEPTEMBER- 2019
1	Baitarani river	6.77	11.40	13.64
2	Dalko Nallah	0.03	1.2	1.43
3	Jalpa Nallah	1.4	1.28	1.48
4	Kashi Nallah	0.07	0.51	0.54
5	Unchabali Nallah	0.54	1.63	2.14
6	Dalki Nallah	0.60	1.23	2.40
7	Ghairajal Nallah	1.5	1.47	2.11

#### TABLE-8

**TABLE-9** 

# Surface water Quality analysis report for the Period of Monsoon (Ausust\_2019)

ini Lab	locatories	28944, PAHAI	BHEBANESWAR 15	CHU, ODDULA			
		SURFACE	WATER QUALITY F	EPORT			
Name of the Mines : Costumers Reference : Period : Sampling Location : Date of Sampling : Sample No :		UNCHABALI IRON & MANGANESE MINES (Smt. Indrani Patmaik) A/6. Civil Township, Roorkela, Odisha UIMM/IP/ENV/APRIL/2019-20/WO/01 Date: 01.04.2019 August-2019					
		ashi Nallah 1.08.2019 1.PL/08/SW/2014	08/SW6	Date of Analysis	22.08.2019		
10000		LPL/08/SW/2019	908/R-06	Issue Date: 05.0	9.2019		
SL. No.	Characteristics	Unit	15:2296-1982 Class 'C' Limits	Result Kashi Nallah	Protocol		
1.	pH	•	6.5-8.5	7.57	IS 3025:PART11:1983 (Reaff 2002)		
2	DO	mg/l	4	-5,4	15 3025:PART58:2006		
3.	BOD	mg-J	3	1.1	15 3025:PART44:1993		
4	Total Coliform	MPN/100 ml	5000	>1600	15 1622:1981 (Reaff 2003)		
3.	Colour	Hazen	300	7.2	IS 3025:PART04 1983 (Reaff 2002)		
*	Fluoride (as F)	mgA	1.5	0.32	1S 3025:PAR T60:2008		
<u>6.</u> 7.	Cadmium	mg/l	0.01	<0.001	1S 3025:PART41:1992		
	Chloride (as Cl)	mg/l	680	36	15 3025-PART32-1988		
8.	Chromium (as Cr")	mg/l	0.05	<0.05	IS 3025:PART52:2003 IS 3025:PART27:1986		
10	Cyanide (as CN)	mg/l	0.05	<0.01	IS 3025:PART15:1984		
11.	Total Dissolved Solid	mg/l	1500	296	(Reaff 2002) 15 3025-PART56-2003		
12	Selenium	mg/l	0.05	<0.01	IS 3025 PART24:1986		
13.	Sulphate (as SO <sub>4</sub> )	mg/l	400	36	18 3025:PART47:1994		
14.	Lead	mg/l	0.1	<0.01	15 3025 PART42:1992		
15.	Copper	mg/l	1,5	<0.01	IS 3025:PART37:1988		
10000		mg/l	0.2	<0.01	(Reaff 1999)		
16	Arsenic	10.55.0	50	5.45	1S 3025:PART53:2003		
17.	iron	mg/l		1 3332	1S 3025:PART43:1992		
18.	Phenolics compounds (as C <sub>s</sub> H <sub>2</sub> OH)	mg/l	0.005	0.001	1S 3025:PART49:1994		
19.	Zinc	mg/l	15	<0.1	(Reaff 2003) Annex K of IS 13428:200		
20,	Anionic detergents (as MBAS)	mg/l mg/l	0.1	<0.025	15 3025:PART39:1991		
21.	Oil & grease	mg/l	50	5.8	1S 3025:PART34:1988		
22	Nitrate (as NO <sub>3</sub> )		Au	Digenter A thorized Signatory	minin		

**REPORTING PERIOD: APRIL 2019 TO SEPTEMBER 2019** 

	Alloraturias		L. BURDBANESWAR-7		********************
			WATER QUALITY		
Sala.	me of the Mines				
	me of the Mines :	ONCHABALI IR (Sont. Indrani Patta	ON & MANGANES uik)	E MINES	
Ca	stumers Reference :	A/6, Civil Townsh	ip, Rourkela, Odisha	Date: 01.04.2019	
	somers reterence :	August-2019	PRIE/2019-20/W-0/01	Date: 01.04.2019	
Sar	upling Location ;	Unchabali Nallah	D/5	Santasanatas	
	te of Sampling 1 uple No 1	21.08.2019 KLPL/08/SW/201	DOBUSTICAL	Date of Analysis:	22.08.2019
	port No. 1	KLPL/08/SW/201		Issue Date: 65.69.	2019
		BLU 2000 3 0 1201	- All and a second s		Summer of the local division of the local di
SI. No.	Characteristics	Unit	15:2296-1982 Class 'C' Limits	Result Unchabali Nallah D/S	Protocol
1.	pH		6.5-8.5	7.34	IS 3025:PART11:1983 (Reaff 2002)
2	DO	mg/l	4	5.8	1S 3025:PART58:2006
3	BOD	mg/l	3	1.0	15 3025:PART44:1993
4.	Total Coliform	MPN/100 ml	5000	>1600	1S 1622:1981 (Reaff 2003)
5	Colour	Hazen	300	11	15 3025:PART04 1983 (Reaff 2002)
6.	Fluoride (as F)	mg/l	1.5	0.21	IS 3025:PART60:2008
7.	Cadmium	mg/l	0.01	100.05	IS 3025:PART41:1992
8.	Chloride (as Cl)	mg/l	600	32	1S 3025:PART32:1988
9.	Chromium (as Cr")	mg/l	0.05	<0.05	IS 3025:PART52:2003
10.	Cyanide (as CN)	mg/l	0.05	<0.01	1S 3025:PART27:1986 IS 3025:PART15:1984
П.	Total Dissolved Solid	mg/l	1500	356	(Reaff 2002)
12.	Selenium	mg/l	0.05	<0.01	IS 3025 PART56:2003 IS 3025:PART24:1986
13	Sulphate (as SO <sub>4</sub> )	mg/1	400	38	IS 3025:PART47:1994
14.	Lead	mg/l	1.0	<0.01	IS 3025:PART42:1992
15.	Copper	mg/I	1.5	\$0.01	IS 3025:PART37:1988
16.	Arsenic	mg/T	0.2	<0.01	(Reaff 1999)
17.	fron	mg/l	50	5.47	18 3025:PART53:2003
18,	Phenolics compounds (as CaHaOH)	mg/l	0.005	<0.001	18 3025:PART43:1992 18 3025:PART49:1994
19.	Zinc	mg/l	15	0.05	(Reaff 2003)
20.	Anionic detergents (as	mg/l	1.0	<0.1	Annex K of 1S 13428:2005
162	MBAS) Oil & grease	mg/l	0.1	<0.025	IS 3025 PART39:1991 IS 3025 PART34:1988
21.	Nitrate (as NO <sub>3</sub> )	P.gm	50	6.7	13 3023, PAR 1 34, 1365

**REPORTING PERIOD: APRIL 2019 TO SEPTEMBER 2019** 

#### **MONITORING STATION DETAILS**

SL. No	Reference Code	Station Name	Source of Sample
1	SW -1	Baitarani U/S	River
2	SW -2	Baitarani D/S	River
3	SW – 3	Kashi Nallah	Nallah
4	SW – 4	Jalpa Nallah	Nallah
5	SW – 5	Gahirajala Nallah	Nallah
6	SW – 6	Mithila Spring	Spring
7	SW - 7	Dalko Nallah	Nallah
8	SW - 8	Dalki Nallah	Nallah
9	SW -9	Unchabali Nallah U/S	Nallah
10	SW - 10	Unchabali Nalla D/S	Nallah

TABLE-10

# Ground water Quality analysis report for the Period of Post Monsoon (August-2019)

e taños	ratories	GUOUN	DWATER	OUALITY RE	PORT	
	(Sm A/6 mers Reference : UD					2019
Date o Samp	ling Location : ML of Sampling : 21.0 le No : KL	Area 18.2019 PL/08/GW	201988/GW			afysia:22.08.3019 05.09.2019
repor	rt No. : KL	PLOBAGW	201908/9L-0	IS: 10500	IS: 10509 Permissible	Protocol
	A. THISRAL		and the second second	Limits	Limit	Sharing a
	edenur (apporent)	Harm	:<	5		153025 PARTON IVES
	dour Inte		Agreeable	Agreeable	Agreeshie	13 MITS 2 AM 174 8 1984
	urbidity	NTO	<0.1		100 Ann -	15 3025 PARTIO 1984
5 pl	4	ind.	7,38	6.3-8.5		153025 PARTIL (98)
6 E1	lectrical Conductivity (EC)	uS/em.	383			TS 3015 PART14 1984 36 3025 PART17 1984
	otal Suspended Solids (TSS)	mg1	<0.4 236	500	1000	IS 3025 PARTIE 1984
	otal Dissofved Solids (TDS) otal Solids (TS)	mg1	236	44		
	EMICAL	1110				tor some of the second second
	otal hardness	Mg/I	56	203	600	15 3025 PARTTI 2009 15 3025 PART40 1991 (Realt 2007)
	alcium Handouse as CoCO <sub>3</sub>	mg/l	32	1. jun	44	111 3025 PART46:1994
	lagnesium Hardness as CaCO <sub>1</sub>	/tum	24	75	200	81 3025 PART 40 1991
	ideium in Ca <sup>2</sup>	fight f	9.0	30	100	19 3025 PARTAG 1994
	lagnenium in Mg <sup>20</sup> otal Alkalinity	mg/1	48.3	200	600	18 3025 PART23 1986
	licate as SiO <sub>4</sub>	mgri	1.22		1110-1	15 25 PARTIS 1988
17 01	bloride as CF	mgit	40	250	1000	15 3025 PART26 1986
IR Ste	esidual Chlorine	mgri	0.2	0.2	0.002	25 3025 PART43 1991
19 Pt	henolic compound as CaHrOH	Pager	35	200	400	15 1025 PART24 1585
20 84	alphate as SO,	Tigm 1	1.4	45		1 30 25 PART34 1988
77.44	itrate as NO <sub>2</sub> susphorur as P	T'am	< 0.1	-		15 1025 PART31 1988 15 25 PART34 1988
23. LAI	manufical Nitrogen as NH-N	mg/l	< 0.3	7.5	Min referention	6 15 2025 PARTPO 1991
24 0	E and groate	mg/t	0.025	0.5	1.5	35 3025 PART60 2008
74 EI	uonde as F	mark	4.0			US 3025-3 ART#5-1991
Contractor in succession	adium as Na	Pagm Pagm	1.0		Summer	15 3025 PART45 1993
	stassium as K	ing/i	< 0.05	0.3	Piles refiguration	m 15 3025 PARTES 2003
28 20	on as Fe opper as Cu	Piggin	=0.02	0.05	1.5	95 3025 PAR 142 1992 IS 3025 PAR 199 2006
19 KA	anganese as Mn	Pagm	<0.05	0.1	0.05	15 3025 PARTS7 1988
LI A	rsenic as As	mg/1	<0.001	0.01	No relaxatio	n 35 3025 PART47:1994
12 14	ead as Pb	mg/i	< 0.05	5	15	25 3023:PART49:1994
ALC: NOTE OF	and the second sec	mg/t mg/t	<0.05		1	15 3025 PAR 153 2003
1.4 11.1.	examinate Chromatin as car	mg/l	< 0.02	0.05	No relaxatio	m 85 3025 PAR 152 2003
14 114	womnium as c.r	mg/l	<1).0005	0.003		on 15 3025 PAR 148 1994 on 15 3025 PAR 141 1992
io M	ercury as Hg	ing/l	< 0.001	0.003	No relanti	
7 Ca	idmium av Cd	mg/l	~0.005	0.01	No relacati	15 3025 PARTSS 2003
8 50	icolum as Se uminium as Al	mg/l	<0.02	0.03	0.2	15 3023 PART 57-2025
100 100	and the H	ing/l	<0.1	0.5	1 1.0	Printer and an and a second second
D De	TERIOLOGICAL		1	Shall not be	Shell not be	
100 P	tat Coliform at 37°C	MPN/ 100ml	Ahsent	detected in am 100 mi sample	y detected in	PE 1672 1981 (RenfT 2007)

-	Inducatories	GUOUS	OWATER.	ODALITY RE	CORT	
		HABAL	IRON & M	ANGANESEM	UNES	
	A.6.1	Indrani F	attnaik) mship, Rourk	ela, Odisha		
	instumers Reference : URM			9-28/WO/01	Date: 01/04.	2019
	eriod : Ange ampling Location : ML	rst-2019				
p	wte of Sampling : 21.08	1.2019			Date of Ana	dysis:22.08.2019
			201908/GW			46 40 2010
N.	eport No. : KEP	L/08/GW	/201908/R-0	l.	Issue Date:	05.08.2015
	T Chinese and		242 (220)	IS: 10500 Desirable	IS: 10500 Permissible	Protocol
	A. PHYSICAL		ML Ares	Linits	Limit	
-	Colour (appevent) Odeur	Hazan	<1 Agreeable	Aprecatór	15 Agreeable	\$3625 PART04 1987 (\$1025 PART05 1982
1			Agreeable	Agriceable	Agricable	IS 3025:PART7&# 1984</td></tr><tr><td>4</td><td>Turbidity</td><td>NIU</td><td><0.1</td><td>S. Keller</td><td>5</td><td>IS 3025 PARTIO 1984</td></tr><tr><td>5</td><td></td><td></td><td>7.38</td><td>and the second se</td><td></td><td>IS3025.PART11/1983 IS3025.PART14/1984</td></tr><tr><td>-</td><td>Electrical Conductivity (EC) Total Suspendial Solidi (TSS)</td><td>mg/l</td><td>385</td><td></td><td></td><td>IS 3025 PARTE? 1984</td></tr><tr><td>*</td><td>Total Dismived Solids (195)</td><td>mg/</td><td>236</td><td>500</td><td>2000</td><td>15 3025 PART 16:1984</td></tr><tr><td>9</td><td>Total Solids (TS)</td><td>rage1</td><td>236</td><td></td><td>-</td><td></td></tr><tr><td></td><td>CHEMICAL</td><td>1.160</td><td>50</td><td>200</td><td>600</td><td>IS 3025 PART21-2009</td></tr><tr><td></td><td>Calcium Hardness as CaCO<sub>3</sub></td><td>Mg/I mg/I</td><td>20</td><td>400</td><td></td><td>IS 3025-PART40:1991 (Reaff 2003)</td></tr><tr><td></td><td>Magnesium Hardness as CaCO<sub>2</sub></td><td>mgi</td><td>34</td><td></td><td>-</td><td>ES 3025 PART46:1994</td></tr><tr><td>3</td><td>Calcium as Ca<sup>1+</sup></td><td>Tam</td><td>9.6</td><td>75</td><td>200</td><td>IS 3025 PART40 1991 IS 3025 PART46 1994</td></tr><tr><td>4</td><td>Magnesium as Mg21</td><td>figm</td><td>5.83</td><td>30</td><td>-100</td><td>15 3025 PART23:1986</td></tr><tr><td></td><td>Total Alkalinity</td><td>mp/I</td><td>48.3</td><td>200</td><td>+</td><td>15 25:PART35:1988</td></tr><tr><td></td><td>Silicate as SiO<sub>4</sub></td><td>mg/l mg/l</td><td>40</td><td>250</td><td>1000</td><td>TS 3025.PART32:1988</td></tr><tr><td>77.00</td><td>Residual Cislorine</td><td>mg/l</td><td>0.2</td><td>0.2</td><td></td><td>15 3025 PART26 1986</td></tr><tr><td>ŝ</td><td>Phenolic compound as CaHyOH</td><td>mg-1</td><td><0.001</td><td>0.001</td><td>0.002</td><td>18 3025 PART43 1992 18 3025 PART24 1986</td></tr><tr><td></td><td>Sudphine as SO<sub>4</sub></td><td>Tym</td><td>35</td><td>200</td><td>No relevation</td><td>and the second sec</td></tr><tr><td>1</td><td>Nitrate as NOs</td><td>l'am l'am</td><td>1.4</td><td></td><td>-</td><td>IS 3025 PART31-1988</td></tr><tr><td>2</td><td>Phosphorus as P Ammonical Nitrogen as NHe-N</td><td>Fam</td><td>< 0.3</td><td></td><td>+</td><td>18 25 PART34 1988</td></tr><tr><td>34</td><td></td><td>mg/l</td><td><0.025</td><td>0.5</td><td></td><td>a 18 3025 PART39 1991 IS 3025 PART60 2008</td></tr><tr><td>5</td><td>Fluoride as F</td><td>mg/l</td><td>0.14</td><td>1</td><td>1.5</td><td>IS 3025 PART45 1993</td></tr><tr><td>6</td><td>Sodium as Na</td><td>mg/l</td><td>4.0</td><td></td><td></td><td>IS 3025 PAR145:1993</td></tr><tr><td>7</td><td>Ponassium as K</td><td>mg/l mg/l</td><td>< 0.05</td><td>0.3</td><td>No reheatio</td><td>n 55 3025 PART53 2003</td></tr><tr><td>8</td><td>Tron as Fe</td><td>ngt</td><td><0.02</td><td>0.05</td><td>1.5</td><td>IS 3025 PART42-1992</td></tr><tr><td>9</td><td>Copper as Cu Mangaoese as Mit</td><td>Tym</td><td><0.05</td><td>.0.1</td><td>0.3</td><td>IS 3025 PART37 1988</td></tr><tr><td>-</td><td>Arsenic as Aa</td><td>mg/l</td><td><0.001</td><td>0.01</td><td>0.05 Nu relaxatio</td><td>an IS 3025 PART47:1994</td></tr><tr><td>1</td><td>Lead as Ph</td><td>Pam</td><td><0.005</td><td>0.01</td><td>15</td><td>35 3025:PART49:1994</td></tr><tr><td></td><td>The second secon</td><td>figm [</td><td>< 0.05</td><td></td><td>1</td><td>IS 3025 PARTS2:2003</td></tr><tr><td>Ē</td><td>Hexavaliest Chromann in Ca</td><td>mg/I mg/I</td><td>< 0.03</td><td>0.05</td><td>No relexate</td><td>on 1S 3025 PART52:2003</td></tr><tr><td>0</td><td>Chromium as Cr</td><td>mg/</td><td><0.0005</td><td>0.001</td><td>No relaxati</td><td>on #S 3025 PART48:1994</td></tr><tr><td>6</td><td>Mercury as Hg</td><td>mg/l</td><td>106.0 ></td><td>0.003</td><td>No relaxati</td><td>on 18 3025 PART41 1992</td></tr><tr><td>1</td><td>Cadmium as Cd</td><td>mg/l</td><td><0).005</td><td>0.01</td><td></td><td>ion IS 3025 PART56:2003 IS 3025 PART55:2003</td></tr><tr><td>5</td><td>Selenium ni Se</td><td>Figm.</td><td>< 0.02</td><td>0.03</td><td>0.2</td><td>IS 3025 PART57 2005</td></tr><tr><td>1</td><td>Aluminium as Al</td><td>ingen</td><td><0.1</td><td>0.5</td><td>1 1.0</td><td>For Black a Children of Children</td></tr><tr><td>)</td><td>Boron as B</td><td></td><td>-</td><td>Shall not be</td><td>Shall not b</td><td>e</td></tr><tr><td></td><td>Total Coliform at 37<sup>6</sup>C</td><td>MPN / 100ml</td><td></td><td>detected in an 100 ml sample</td><td>y detocted in</td><td>hs 1673-1981 (Realf 2003)</td></tr><tr><td>a</td><td>Total Colitorii a 37 C</td><td></td><td></td><td>Aut</td><td>and the second se</td><td>BBSR BBSR</td></tr></tbody></table>

**REPORTING PERIOD: APRIL 2019 TO SEPTEMBER 2019** 

SL.No	<b>Reference Code</b>	Station Name	Source of Sample
1	<b>GW</b> - 1	Malda Village	Tube Well
2	<b>GW – 2</b>	Balda Village	Tube Well
3	<b>GW – 3</b>	Janaganthpur Village	Tube Well
4	<b>GW – 4</b>	Unchabali Village	Tube Well
5	<b>GW – 5</b>	Camp (within ML)	Tube Well
6	<b>GW – 6</b>	Mines (within ML)	Tube Well
7	<b>GW – 7</b>	Gahirajala Village	Tube Well
8	<b>GW – 8</b>	Basantpur Village	Tube Well
9	GW -9	Nayagardh Village	Tube Well
10	GW -10	Pid-Pukhari Village	Tube Well

### **MONITORING STATION DETAILS**

Table-11

Monitoring		Descripti			GWL (BC	L in M)		
Station	RL	on	April - 19	May – 19	June – 19	July - 19	August – 19	Septem ber -19
Inside ML	510	Bore Well	4.0	6.0	6.2	3.2	3.0	2.4
area	510	Bore wen	4.0	0.0	0.2	5.4	0.0	2.7
Unchabali	504	Open Well	5.0	5.40	5.5	3.0	3.1	2.7
Kalimati	550	Open Well	4.25	4.70	4.8	4.7	4.6	3.8
Balda	568	Open Well	4.20	5.10	5.2	4.6	3.8	3.0
Malda	507	Bore Well	7.2	7.12	7.2	4.8	4.4	3.4
Nayagarh	504	Open Well	6.80	7.2	7.5	3.4	2.9	2.2

**#TABLE NO. 1 SHOWING GROUND WATER LEVEL MONITORING DATA** TABLE-12

SL.NO	MONTH	Blasting Results in PPV	Norms for PPV
1	APRIL -19	0.420 mm/sec	5.00 mm /sec
2	MAY- 19	2.178 mm/sec	5.00 mm /sec
3	JUNE -19	1.951 mm/sec	5.00 mm /sec
4	JULY – 19	1.032 mm/sec	5.00 mm /sec
5	AUGUST – 19	3.39 mm/sec	5.00 mm /sec
6	SEPTEMBER -19	0.220 mm/sec	5.00 mm /sec

**# TABLE NO.-12 SHOWING PEAK PARTICLE VELOCITY REPORT** 

#### **TABLE - 13**

SL. NO	DESCRIPTION	Unit	April -19	May – 19	June – 19	July - 19	August – 19	September -19
1	pH	-	7.12	7.55	6.90	7.02	7.28	7.65
2	Total Suspended Solids (TSS)	Mg/l	56	72	75	76	71	72
3	(BOD)	Mg/l	15.8	14.6	16.4	18.3	24.3	22.40
	<b>NOTE</b> – The monitoring and analysis has been carried by the global tech enviro experts pvt. ltd.							

#TABLE NO.13 SHOWING SEWAGE WATER TREATMENT PLANT WATER DISCHARGE REPORT

#### **TABLE – 14**

SL .NO	DESCRIPTION	Unit	April -19	May – 19	June – 19	July - 19	August – 19	Septem ber -19
1	pH	-	7.98	7.32	7.52	7.12	7.38	7.21
2	Total Suspended Solids (TSS)	Mg/l	65	58	57	61	58	63
3	Oil & Grease	Mg/l	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
NO	<b>NOTE</b> – The monitoring and analysis has been carried by the global tech enviro experts pvt. ltd							

# **#TABLE NO.14 SHOWING EFFULENT WATER TREATMENT PLANT WATER** DISCHARGE REPORT

**TABLE – 15** 

#### FUGITIVE EMISSION DUST MONITORING REPORT

Periods			MONITORING LOCATIONS							
		CRUSHER PLANT	WORK Shop	HAUL ROAD	SCREEN PLANT	MINES FACE	DUMP AREA			
		Results, micro.gm/CUM								
April -19	AVG	759	752	747	780	750	708			
May – 19	AVG	742	732	749	747	721	770			
June – 19	AVG	769	765	790	810	745	782			
July - 19	AVG	763	767	750	790	770	762			
August – 19	AVG	693	692	686	700	687	699			
September - 19	AVG									
NOTE – The	monitorin	g and analysi	and analysis has been carried by the global tech enviro experts pvt. ltd.							

#### **# TABLE NO.-15 SHOWING FUGITIVE EMISSION MONITORING REPORT**

### **TABLE – 16**

S1.		NOISE	LEVEL, L	eq.in dB (A	A) from da	ta log of n	nonitor.
51. No.	Locations	April -19	May – 19	June – 19	July - 19	August – 19	Septembe r -19
		Work	Zone Noi	se Report			
1	MINES PIT	58.18	60.11	60.12	58.80	60.50	60.50
2	LOADING POINT	59.70	59.12	58.24	59.10	58.20	59.62
3	OPERATOR CABIN	54.18	56.39	55.32	56.12	56.10	56.87
4	WORK SHOP	52.9	59.5	54.42	54.20	52.20	54.30
5	SCREEN PLANT	56.40	62.18	60.44	61.80	62.10	66.30
		Am	bient Nois	e Report			
1	BALDA	49.20	47.32	48.24	41.18	44.10	44.20
2	MALDA	47.10	49.28	42.14	42.10	42.20	42.31
3	NAYAGARH	46.13	50.8	42.48	43.18	41.80	41.58
4	UNCHABALI	46.20	48.10	38.20	46.10	40.10	40.21
5	OFFICE AREA	40.0	46.18	42.40	42.50	40.12	42.10
6	CAMP AREA	42.10	47.80	39.42	48.0	41.10	40.20
				y Time : 55		Night Time	( )
	Norms			Time : 75 Hr exposu	. ,	Night Time	: 70 dB (A)

# **# TABLE NO.-16 SHOWING NOISE MONITORING REPORT**

SI. No	DESCRIPIITON	2016-17	2017-18	2018-19	2019-20 ( up to SEPT 2019)
	Environmente	al Monitoring Paramo	eter Testing ch	arges	
1	AAQ, Ground Water, Surface Water, STP, ETP, Soil Test, Fugitive Test etc.	24.52	22.49	87.40	30
	Dump Stal	oilization & Plantation	1		
2	Retaining wall, garland drain & its maintenance	11.6	6.00	5.00	3.5
3	Plantation, dump stabilization by coir matting	32.1	24.56	10.00	2.5
	Du	st Suppression			
4	Mobile Sprinkler	49.22	50.32	40.35	15
5	Fixed Sprinkler	10.3	13.10	0.80	0.20
6	Dry fog	2.35	1.20	0.50	0.10
	Environmental Instrument	ts and its maintenand	e & calibratio	n	
7	RDS, Noise Meter, PPV Instruments etc.	2.5	1.25	1.30	0.50
8	ETP and its maintenance	5.12	1.80	1.20	2.0
9	STP and its maintenance	1.28	2.18	1.50	0.6
	Miscel	laneous Expenses			
10	Rain water harvesting and its maintenance	4	2.31	1.00	0.3
11	Occupational Health & Hygiene monitoring	1.75	6.62	1.60	1.0
12	Others (Including Nallah Protection measures)	7.55	3.95	2.0	1.2
Total		152.29	135.78	152.65	56.90

**TABLE – 17** 

#### **TABLE - 18**

S1. No.	PERIOD	DATE OF SUBMISSION
1.	Oct – 2018 to March – 2019	27.05.2019
2.	April – 2018 to Sept – 2018	01.12.2018
3.	October -2017 to March-2018	28.06.2018
4.	April-2017 to September-2017	04.12.2017
5.	October -2016 to March-2017	09.06.2017
6.	April-2016 to September-2016	25.11.2016
7.	October-2015 to March-2016	12.05.2016
8.	April-2015 to September -2015	25.11.2015
9.	October -2014 to March -2015	22.06.2015
10.	April-2014 to September -2014	10.11.2014
11.	October -2013 to March - 2014	23.05.2014
12.	April - 2013 to September - 2013	25.11.2013
13.	October - 2012 to March - 2013	25.05.2013

#### **#TABLE NO.-18 SHOWING EC COMPLIANCE SUBMISSION DETAILS**

# INDRANI PATNAIK

(MINES OWNER) A/6, COMMERCIAL ESTATE, CIVIL TOWNSHIP, ROURKELA - 769 004 Phone : 0661-2400139, 2400014, FAX : 0661-2402226

REFERENCE: UIMM/IP/ENV/APR/19/04

DATE: 29.04.2019

**The Member Secretary, State Pollution Control Board, Odisha,** 118/A, Nilakanthanagar, Unit – VIII, Bhubaneswar – 751012

Subject : Submission of compliance Report under Consent order to operate for Unchabali Iron & Mn. Mines of Smt. Indrani Patnaik for the period of April 2018 to March 2019.

Reference : Approved Consent order No. 2645 vide letter no 2746 / IND-I-CON-6035 dated on 06.02.2016

Dear Sir,

With reference to the above mentioned subject, we are here with submitting the compliances report to the condition stipulated under the above consent order for the period of April 2018 to March 2019 in respect of Unchabali Iron & Mn. Mines of Smt. Indrani Patnaik.

This is for your kind information, please

Thanking You,

For, Unchabali Iron & Mn. Mines of Smt. Indrani Patnaik

Understell from a Ming Blally Mines Manger Provident (Authorized Signatory)

Encl	:	As above
Сору То	:	The Regional Officer,
		SPCB, Orissa,
		Regional Office, Collage Road,
		Dist :- Keonjhar, Odisha.
		<b>5</b>

# DECLARATION

The project is do hereby declare that; all the pollution control systems/measures are in good condition, operated and all the monitoring reports i.e. AAQ, Water, Noise etc. are very well within the prescribed standards.

> For, Unchabali Iron & Mn. Mines Smt. Indrani Patanik

Cullerom

Mines Manager Unclasselli fron & Minibilines Indrani Prof Mines Manager



PG230 905 80

GOVERNMENT OF INDIA MINISTRY OF ENVIRONMENT & FORESTS EASTERN REGIONAL OFFICE A/3, CHANDRASEKHARPUE, EHUBANESWAR - 751 023 TEL. : (Off.) 2301213, 2302432, 2302443, 2302452, 2302453 EAX : 0674-2302432, GRAM: PARYAVARAN, EHUBANESWAR Email : mef@ori.nic.in

भारत सरकार पर्यावरण एवं वन मंत्रात्नय, पूर्वी क्षेत्रीय कार्यालय ए/3, चन्द्रशेखरपुर, मुवनेश्वर -751 023 तार - पर्यावरण, भुवनेश्वर

# 8(21)40/2004-FCE

May 3, 2007

To

The Principal Secretary, Forest & Environment Department, Govt. of Orissa, Bhubaneswar:

Sub:-

i)

ii)

iii)

IV)

V)

Diversion of 35.275 ha of forest land in village Unchabali in Keonjhar district for Iron Ore Mining by Smt. Indrani Patnaik of Keonjhar.

I am directed to refer to your letter No. 10F(Cons)78/2004.5763/F&E dated 13.04.2007 on the above mentioned subject seeking prior approval of the Central Govt. in accordance with Section-2 of the Forest(Conservation) Act, 1980.

After careful consideration of the proposal of the State Government, the Central Government hereby conveys its approval under Section-2 of the Forest(Conservation) Act, 1980 for diversion of 35.275 ha (34.675 ha for mining and 0.6 ha for road) of forest land in village Unchabali in Keonjhar district for Iron Ore Mining by Smt. Indrani Patnaik of Keonjhar, subject to the compliance of the following conditions:-

Legal status of the forest land diverted shall remain unchanged.

Compensatory afforestation shall be raised and maintained over 35.275 ha of nonforest land made available in village Guptaganga under Telkoi Tahasil mutated in favour of State Forest Department and handed over to Forest Department at the project cost and the non-forest land shall be declared as PF/RF. The Nodal Officer will submit a report regarding the above issue within 6 months.

An undertaking from the user agency shall also be obtained to the effect that in case the rates of NPV are revised upwards, the additional/differential amount shall be paid by the User Agency.

The State Government shall deposit Net Present Value of Rs. 2,64,56,250.00, Compensatory Afforestation of Rs. 5,77,000.00, Safety Zone of Rs. 1,39,300.00, Afforestation of Safety Zone of Rs. 2,21,600.00, Wildlife Management Plan Scheme of Rs. 15,91,691.00, Site Specific Wildlife Management Scheme of Rs. 21,75,000.00 and cost of protection, conservation & enrichment of 64.332 ha of balance forest area not proposed for diversion with the Ad-hoc Body of Compensatory Afforestation Fund Management and Planning Authority(CAMPA), in Account No. CA 1585 of Corporation Bank ( A Government of India Enterprises), Block-11, Ground Floor, CGO Complex, Phase-1, Lodhi Road, New Delhi – 110 003, as per the instruction communicated vide letter No. 5-2/2006-FC dated 20.05.2006.

RCC pillars of 4 feet height shall be erected to demarcate the broken up area by the user agency at the project cost and will be marked with forward and back bearing and a site map be prepared showing the positions of all the boundary pillars with G.P.S.

- vi) The 35.275ha forest land proposed for diversion shall be used for mining (34.675 ha) and road(0.600 ha) only. No overburden dumping or any other ancillary activity will be undertaken thereat.
- vii) Mining shall be done strictly as per the mining plan approved by the IBM and copy of revised Mining Plan(s) for subsequent five year periods shall be furnished to the Regional Office without fail.
- viii) The period of permission granted Under the Forest(Conservation) Act, 1980 shall be co-terminus with the period of current mining lease granted under MMRD Act or 20 years whichever is earlier.
- ix) Reclamation of mined out area as well as Over Burden dumps will be done as per a reclamation plan prepared in this regard. Progress of reclamation will be periodically monitored by the State Forest Department. Serious lapse in achieving reclamation targets shall invite severe action leading to even closure of mine.
  - The Forest Department shall carry out regeneration, maintenance of safety zone area at the funds provided by the User agency.

X)

- xi) The Forest Department shall carry out afforestation over degraded forest land equivalent one and half times of the safety zone with the funds provided by the User Agency.
- xii) The Regional Wildlife Management Plan prepared for Bonai-Keonjhar belt shall be implemented with the funds provided by the User Agency. The specific Wildlife Management Plan, if any, approved by the Chief Wildlife Warden, shall also be implemented at project cost with the additional funds realized from the User Agency.
- xiii) Blasting, if required to be undertaken, shall be done in a manner causing least disturbance to wild animals particularly elephants. The timing of blasting should be kept flexible during seasonal movement of elephants or during period of their migration or if they happen to be around otherwise in consultation with the D.F.O.
- xiv) The Scheme prepared by the Forest Department for protection, conservation and enrichment of the vegetative cover over balance 64.332 ha forest land not proposed for diversion shall be implemented at project cost under supervision of the Forest Department.
- xv) Standing trees over forest land proposed for diversion shall be felled in phases only on forest land needed to be broken strictly as per the Mining Plan with prior permission of the D.F.O.
- xvi) The user agency shall ensure that no damage to the available wildlife or to the forest flora in the neighbouring forest is caused by labourers/workmen engaged by the project authorities or contractor working under them.
- xvii) No labour camp shall be allowed in the forest area and Sufficient alternate fuel from the approved source shall be provided by the user agency or the contractors working under them to the labourers engaged in the project at project cost to ensure reduction of pressure on nearby forests.
- xviii) The forest land shall not be used for any purpose other than that specified in the proposal.
- xix) Adequate soil and water conservation measures, as and when required, shall be taken by the User Agency in consultation with Forest Officials to check any soil crosion in the lease hold area.

- All necessary measures should be taken by the user agency to protect environment.
- Any other conditions that the Central Government may impose from time to time in (ix) the interest of afforestation, conservation and management of flora and fauna in the area shall be complied by the user agency. xxii)
  - In case of non-compliance of any of the above conditions, the concerned Divisional Forest officer shall report through the State Govt. to this office as per procedure laid down in the clause 1.9 of guidelines issued under Forest (Conservation) Act, 1980 on 25.10.1992.

The State Government shall ensure compliance of all the above conditions.

Yours faithfully.

# (S. MOHAPATRA) DY. CONSERVATOR OF FORESTS(CENTRAL)

- The Inspector General of Forests(FC), Ministry of Environment & Forests, 1. Paryavaran Bhawan, CGO Complex, Lodi Road, New Delhi - 110 003. 2.
- The Principal Chief Conservator of Forests, Govt. of Orissa, Aranya Bhawan, C.S.Pur, Bhubaneswar - 16.

The Nodal Officer, O/o the Principal Chief Conservator of Forests, Govt. of 3. Orissa, Aranya Bhawan, C.S.Pur, Bhubaneswar - 16.

The Divisonal Forest Officer, Keonjhar Forest Divison, Keonjhar.

and the second sec

Smt. Indrani Patnaik, Mines Owner, Rourkela.

and a state of the second

y to:-

R

6.

Guard File. S. Hoh DY. CONSERVATOR OF FORESTS(CENTRAL)

Statut - Andrewski -

1.

# F. No. 8-67/2014-FC

Government of India Ministry of Environment, Forests and Climate Change (Forest Conservation Division)

> Indira Paryavaran Bhawan Aliganj, Jorbagh Road **New Delhi –110003.** Dated: 11<sup>th</sup> September, 2015

То,

The Principal Secretary (Forests), Government of Odisha. Bhubaneswar.

Sub: Diversion of additional 68.157 hectares of forest land including 3.825 hecatres of forest land inside safety zone, in addition to 35.275 hectares of DLC forest land already diverted, within total Mining lease area of 106.1127 hectares in Unchabali Iron & Manganese ore mines of Smt Indrani Patnaik, in Keonjhar district, Odisha.

I am directed to refer to the Government of Odisha's letter No 10 F (Cons.) 155/ 2014-14856/ F & E dated  $11^{th}$  August 2014 on the above mentioned subject, seeking prior approval of the Central Government under Section- 2 of the Forest (Conservation) Act, 1980. After careful examination of the proposal by the Forest Advisory Committee constituted by the Central Government under Section-3 of the said Act, 'in-principle' approval to the proposal was granted by the Ministry vide its letter of even number dated  $30^{th}$  December, 2014 subject to fulfillment of certain conditions prescribed therein. The State Government has furnished compliance report in respect of the conditions stipulated in the 'in-principle' approval and has requested the Central Government to grant final approval.

In this connection. I am directed to say that on the basis of the compliance report furnished by the State Government of Orissa vide their letter No. 10F (Cons)-37/2015/ 8276/ F & E. Bhubaneswar dated 18<sup>th</sup> May, 2015, final approval of the Central Government is hereby granted under Section-2 of the Forest (Conservation) Act, 1980 for additional 68.157 hectares of forest land including 3.825 hectares of forest land inside safety zone, in addition to 35.275 hectares of DLC forest land already diverted, within total Mining lease area of 106.1127 hectares in Unchabali Iron & Manganese ore mines of Smt. Indrani Patnaik, in Keonjhar district. Odisha, subject to the following conditions:

- (i) Legal status of the diverted forest land shall remain unchanged;
- (ii) Compensatory afforestation over the non-forest land, equal in extent to the forest land being diverted, shall be raised and maintained by the State Forest Department from funds already provided by the user agency;
- (iii) The non-forest land transferred and mutated in favour of the State Forest Department shall be notified by the State Government as RF under Section-4 or PF under Section-29 of the Indian Forest Act, 1927 or under the relevant Section(s) of the local Forest Act latest within a period of six months from the date of issue of Stage--II approval. The Nodal Officer shall report compliance in this regard along with a copy of the original

notification declaring the non-forest land under Section 4 or Section 29 of the Indian Forest Act, 1927 or under the relevant Section(s) of the local Forest Act, as PF or RF, as the case may be, within the stipulated period to the Central Government for information and record;

- (iv) Following activities, as per approved plan/schemes, shall be undertaken by the user agency under the supervision of the State Forest Department:
  - (a) Mitigative measures to minimize soil erosion and choking of streams shall be implemented in accordance with the approved Plan in consultation with the State Forest Department.
  - (b) Planting of adequate drought hardy plant species and sowing of seeds, in the appropriate area within the mining lease to arrest soil crosion in accordance with the approved scheme;
  - (c) Construction of check dams, retention /toe walls to arrest sliding down of the excavated material along the contour in accordance with the approved scheme;
  - (d) Stabilize the overburden dumps by appropriate grading/benching, in accordance with the approved scheme, so as to ensure that that angles of repose at any given place is less than 28°; and
  - (c) No damage shall be caused to the top-soil and the user agency will follow the top soil management plan.
- (v) The User Agency shall pay the additional amount of NPV, if so determined, as per the final decision of the Hon'ble Supreme Court of India;
- (vi) The User agency shall obtain the Environment Clearance as per the provisions of the Environmental (Protection) Act, 1986, if required;
- (vii) The State Government shall seek approval of Central Government under the FC Act for diversion 0.469 ha of forest land reported to be forest *kissam* as on 25.10.1980 by the Tahasildar, Barbil out of the total non-forest land over 2.6827 ha treated as non-forest as per Hal RoR.
- (viii) The User agency shall implement the provisions, as contained in the Regional Wildlife Management Plan in consultation with the Chief Wildlife Warden, Odisha from the funds already provided by the user agency for this purpose:
- (ix) The User agency shall implement the provisions, as contained in the approved site specific Wildlife Conservation Plan in consultation with the Chief Wildlife Warden, Odisha from the funds already provided by the user agency for this purpose;
- (x) User agency shall take appropriate measures such as construction of ponds, water conservation / harvesting structure *etc.* to ensure conservation of water in and around the project site;
- (xi) The State Forest Department shall organize environmental awareness programme to generate awareness among the employees as well as local residents on issues pertaining to conservation and protection of environment from the funds already provided by the User agency;

S

- (xii) The user agency shall abide by the provision shall take appropriate measures which will be suggested by the State Government based on the outcome of study, being conducted by the National Institute of Technology, Rourkela to assess impact of this project on floral and faunal biodiversity;
- (xiii) Tree felling should be taken up in phases strictly as per requirement under the supervision of the Divisional Forest Officer. Keonjhar Forest Division;
- (xiv) User agency shall execute the Phased Reclamation Plan at their cost; and
- (xv) The user agency shall surrender mined out and biologically reclaimed forest area to the State Forest Department as per the schedule for surrendering of such land submitted by the State Government;
- (xvi) Following activities shall be undertaken by the user agency for the management of safety zone:
  - (a) User agency shall ensure demarcation of boundary of safety zone (7.5 meter strip all along the outer boundary of the mining lease area), and its protection by erecting adequate number of 4 feet high RCC boundary pillars inscribed with DGPS coordinates and deploying adequate number of watchers under the supervision of the State Forest Department.
  - (b) In case of the mining leases adjoining the habitation stretch of the boundary of the safety zone of the lease adjacent to the habitation/roads should be properly fenced by the user agency at the project cost to protect the vegetation /regeneration activities in the safety zone.
  - (c) Safety zone shall be maintained as green belt around the mining lease and to ensure dense canopy cover in the area, regeneration shall be taken in this area by the user agency at the project cost under the supervision of the State Forest Department.
  - (d) Afforestation on degraded forest land, to be selected elsewhere, measuring one and a half times the area under safety zone shall also be done by the user agency at the project cost under the supervision of the State Forest Department.
- (xvii) Period of diversion of the said forest land under this approval shall be for a period coterminus with the period of the mining lease to be granted under the Mines and Minerals (Development and Regulation) Act, 1957, as amended or Rules framed there under;
- (xviii) User agency either himself or through the State Forest Department shall undertake gap planting and soil & moisture conservation activities to restock and rejuvenate the degraded open forests (having crown density less than 0.4), if any, located in the area within 100 m. from outer perimeter of the mining lease;
- (xix) User agency shall undertake de-silting of the village tanks and other water bodies located within five km from the mine lease boundary so as to mitigate the impact of siltation of such tanks/water bodies, whenever required;
- (xx) User agency shall undertake mining in a phased manner after taking due care for reclamation of the mined over area. The concurrent reclamation plan shall be executed by the User Agency from the very first year, and an annual report on implementation thereof shall be submitted to the Nodal Officer, Forest (Conservation) Act, 1980, Government of

Odisha and the Addl. Principal Chief Conservator of Forests (Central), Ministry of Environment & Forests, Regional Office (Eastern Zonc), Bhubaneswar. If it is found from the annual report that the activities indicated in the concurrent reclamation plan are not being executed by the User Agency, the Nodal Officer or the Addl. Principal Chief Conservator of Forests (Central) may direct that the mining activities shall remain suspended till such time, such reclamation activities are satisfactorily executed;

- (xxi) No labour camp shall be established on the forest land;
- (xxii) User agency shall provide firewood preferably alternate fuel to the labourers and the staff working at the site so as to avoid any damage and pressure on the adjacent forest areas;
- (xxiii) The boundary of the mining lease and safety zone shall be demarcated on ground at the project cost, by erecting four feet high reinforced cement concrete pillars, each inscribed with its serial number, forward and back bearing and distance from pillar to pillar;
- (xxiv) Forest land shall not be used for any purpose other than that specified in the proposal;
- (xxv) The user agency shall submit the annual self-compliance report in respect of the above conditions to the State Government and to the concerned Regional Office of the Ministry regularly;
- (xxvi) Any other condition that the Regional Office (Eastern Zone), Bhubaneswar of this Ministry and the Government of Odisha may stipulate, from time to time, in the interest of conservation, protection and development of forests & wildlife; and
- (xxvii) The User Agency and the State Government shall ensure strict compliance of conditions of Stage-I approval for which undertakings has been obtained from the User Agency and also provisions of the all Acts, Rules, Regulations and Guidelines, for the time being in force, as applicable to the project.

Yours faithfully.

(Nisheeth Saxena) Assistant Inspector General of Forests

#### Copy to:

- 1. The Principal Chief Conservator of Forests, Government of Odisha, Bhubaneswar.
- 2. The Nodal Officer, the Forest (Conservation) Act, 1980 Forest Department. Government of Odisha. Bhubaneswar.
- 3. The Addl. Principal Chief Conservator of Forests (Central), Regional Office (Eastern Zone), Bhubaneswar,

# 4. User Agency.

- 5. Monitoring Cell, FC Division, MoEF & CC, New Delhi.
- 6. Guard File.

(Nisheeth Saxena) Assistant Inspector General of Forests

# No. J-11015/273/2009-IA.II(M)

Government of India Ministry of Environment & Forests

> Paryavaran Bhawan, C.G.O. Complex, Lodi Road, New Delhi – 110 003

> > Dated the 31<sup>st</sup> May, 2011

To

M/s Indrani Patnaik A/6 Commercial Estate, Civil Township, Rourkela-769 004

# Subject: Unchabali Iron Ore Beneficiation Plant of Smt. Indrani Patnaik, located in Village Unchabali, Tehsil Barbil, District Keonjhar, Orissa -environmental clearance regarding.

This has reference to your letter No. UIMM/BF/MOEF/EC/2010/10 dated 30.10.2010 and subsequent letters dated 31.12.2010 and 21.01.2011 on the subject mentioned above. The project was earlier prescribed Terms of Reference (TORs) by the Ministry of Environment and Forests on 16.11.2009 for undertaking detailed EIA study for the purpose of obtaining environmental clearance. The proposal is for setting up of a iron ore beneficiation plant with a capacity of 2.0million tonnes per annum (million TPA) throughput within the existing mining lease area. The Unchaballi Iron Ore and Manganese Ore Mining Project of M/s Indrani Patnaik located in Village(s) Unchaballi & Balda, Tehsil Champua, District Keonjhar, Orissa was accorded environmental clearance by the Ministry vide letter No. J-11015/214/2008-IA.II(M) dated 23<sup>rd</sup> July, 2009 for production capacity of 4million TPA of iron ore involving mining lease area 106.1127ha.

2. The proposed beneficiation plant will be located within the existing mine lease area for which environment clearance has already been obtained for a rated capacity of 4million TPA. Out of the total mine lease area of 106.1127ha (including 103.432ha of forestland); the land requirement for the beneficiation plant will be 2.35ha. Out of 2.35ha land requirement for beneficiation plant, an area of 1.05ha is kept for plant facilities, 1.1ha for water storage and 0.2ha for approach roads. The Baitarni River is flowing in the buffer zone of the project at a distance of 2.5km from the mine lease boundary. In addition, eight water bodies namely the Jalpa Nadi(1.5km), the Kasi Nallah(3.5km), the Dolko Nallah(7km), the Dalki Nallah(7.5km) and the Mithida Spring(9km) are located in the buffer zone of the project.

3. No national park/wildlife sanctuary/biosphere reserve/tiger reserve/elephant reserve etc. are reported to be located in the core and buffer zone of the project. The Conservator of Forests(Wildlife) approved site specific wildlife conservation plan for the mine on 15.02.2010.

4. The beneficiation plant will adopt wet process with the latest State of Art Technology comprising of drum scrubbers, double deck wet screens, jigs, dewatering and rinsing screens, thickening cyclones, high frequency screens, filter press etc. The throughput capacity of the beneficiation plant will be two million TPA. The life of the beneficiation plant is reported to be 10years only based on the mineral available from this mine and accordingly proponent have sought for clearance only for 10years. Selection of filter press eliminates the necessity of tailing pond and the final sludge comes in the form of cake. The project is based on zero discharge. The effluent generated will be recycled and reused and there will be no effluent discharge outside the plant area. The cake generated from the filter press will be dumped initially for two years along with the overburden as inter mixed layers and thereafter it will be filled back into the mined out area. The peak water requirement of the project is estimated as 1025m<sup>3</sup> per day, which will be obtained from the groundwater.

5. The public hearing of the project was held on 05.10.2010 for establishment of 2million TPA iron ore beneficiation plant within the mining lease hold area of Unchaballi Iron Ore and Manganese Ore Mining Project of M/s Indrani Patnaik located in Village(s) Unchaballi & Balda, Tehsil Champua, District Keonjhar, Orissa. The Ministry of Environment and Forests conveyed its approval under Section-2 of the Forest (Conservation) Act, 1980 for diversion of 35.275 ha forestland (34.675ha for mining and 0.6ha for road) on 03.05.2007. The capital cost of the project is Rs.3000Lakhs and the capital cost for the environmental protection measures is proposed as Rs.25Lakhs. It has been stated that there is no court case to the project or related activity.

6. The Ministry of Environment and Forests has examined the application in accordance with the EIA Notification, 2006 and hereby accords environmental clearance under the provisions thereof to the above mentioned Unchabali Iron Ore Beneficiation Plant of Smt. Indrani Patnaik for an annual production capacity of Two(2)million tonnes throughput involving project area of 2.35ha, within the existing mining lease area of 106.1127ha of the applicant for a period of ten years only, subject to implementation of the following conditions and environmental safeguards.

#### A. Specific Conditions

(i) No activity relating to the project shall be undertaken in the forestland for which forestry clearance under the Forest (Conservation) Act, 1980 has not been obtained. The environmental clearance is subject to grant of forestry clearance.

3/-

- (ii) The project proponent shall obtain Consent to Establish and Consent to Operate from the State Pollution Control Board, Orissa and effectively implement all the conditions stipulated therein.
- (iii) The water recovery and spill way system shall be so designed that the natural water resources are not affected and that no spill water goes into the nearby rivers.
- (iv) The project proponent shall carry out conditioning of the ore with water to mitigate fugitive dust emission.
- (v) The cake generated from the filter press shall be dumped initially for two years along with the overburden as inter mixed layers and thereafter it shall be filled back into the mined out area. Compliance status shall be submitted to the Ministry of Environment & Forests and its Regional Office located at Bhubaneswar on six monthly basis.
- (vi) Necessary safeguard measures shall be taken for effective control of particulate levels (PM<sub>10</sub>) in the area. The safeguard measures shall be implemented within first three months and their effectiveness shown with supporting data of actual air quality monitoring.
- (vii) A green belt of adequate width shall be developed all around the plant by planting the native species in consultation with the local DFO/Agriculture Department within first five years.
- (viii) Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as around crushing and screening plant, loading and unloading point and transfer points. Extensive water sprinkling shall be carried out on haul roads. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.
- (ix) The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board.
- (x) Regular monitoring of ground water level and quality shall be carried out in and around the project area by establishing a network of existing wells and installing new piezometers during the operation. The periodic monitoring [(at least four times in a year- pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January); once in each season)] shall be carried out in consultation with the State

19.4/-

Ground Water Board/Central Ground Water Authority and the data thuscollected may be sent regularly to the Ministry of Environment and Forests and its Regional Office Bhubneswar, the Central Ground Water Authority and the Regional Director, Central Ground Water Board. If at any stage, it is observed that the groundwater table is getting depleted due to the mining activity, necessary corrective measures shall be carried out.

- (xi) The project proponent shall obtain necessary prior permission of the competent authorities for drawl of requisite quantity of water(surface water and groundwater) required for the project.
- (xii) Suitable rainwater harvesting measures on long term basis shall be planned and implemented in consultation with the Regional Director, Central Ground Water Board.
- (xiii) Appropriate mitigative measures shall be taken to prevent pollution of the Baitarni River in consultation with the State Pollution Control Board.
- (xiv) Pre-placement medical examination and periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly.
- (xv) Occupational health surveillance program of the workers shall be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed. Health records of the workers shall be maintained.
- (xvi) Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- (xvii) The project proponent shall take all precautionary measures during mining operation for conservation and protection of endangered fauna namely elephant, sloth bear etc. spotted in the study area. All the safeguard measures brought out in the approved site specific wildlife conservation plan shall be effectively implemented in consultation with the State Forest and Wildlife Department. Necessary allocation of funds for implementation of the conservation plan shall be made and the funds so allocated shall be included in the project cost. A copy of approved conservation plan shall be submitted to the Ministry of Environment and Forests and its Regional Office, Bhubaneswar.

### B. General conditions

- (i) No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests.
- (ii) Atleast four ambient air quality-monitoring stations should be established in the core zone as well as in the buffer zone for RSPM (Particulate matter with size less than 10micron i.e., PM<sub>10</sub>) and NO<sub>x</sub> monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.
- (iii) Data on ambient air quality [(RSPM(Particulate matter with size less than 10micron i.e.,  $PM_{10}$ ) and  $NO_X$ ] should be regularly submitted to the Ministry including its Regional office located at Bhubaneswar and the State Pollution Control Board / Central Pollution Control Board once in six months.
- (iv) Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.
- (v) Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc. should be provided with ear plugs / muffs.
- (vi) Industrial waste water (workshop and waste water from the mine) should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19<sup>th</sup> May, 1993 and 31<sup>st</sup> December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.
- (vii) Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.

Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.

(viii) A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.

-5-

- (ix) The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Bhubaneswar.
- (x) The project authorities should inform to the Regional Office located at Bhubaneswar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.
- (xi) The Regional Office of this Ministry located at Bhubaneswar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.
- (xii) The project proponent shall submit six monthly reports on the status of compliance of the stipulated environmental clearance conditions including results of monitored data (both in hard copies as well as by email) to the Ministry of Environment and Forests, its Regional Office Bhubneswar, the respective Zonal Office of Central Pollution Control Board and the State Pollution Control Board. The proponent shall upload the status of compliance of the environmental clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the Ministry of Environment and Forests, Bhubneswar, the respective Zonal Officer of Central Pollution Control Board and the State Pollution Control Board.
- (xiii) A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parisad/ Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- (xiv) The State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Centre and the Collector's office/ Tehsildar's Office for 30 days.
  - (xv) The environmental statement for each financial year ending 31<sup>st</sup> March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Office of the Ministry of Environment and Forests, Bhubneswar by e-mail.

(xvi) The project authorities should advertise at least in two local newspapers of the District or State in which the project is located and widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at <u>http://envfor.nic.in</u> and a copy of the same should be forwarded to the Regional Office of this Ministry located at Bhubaneswar.

7. The Ministry or any other competent authority may alter/modify the above conditions or stipulate any further condition in the interest of environment protection.

8. Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.

9. The above conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and rules made thereunder and also any other orders passed by the Hon'ble Supreme Court of India/ High Court of Orissa and any other Court of Law relating to the subject matter.

(SATISH C. GARKOTI) Scientist 'F'

#### Copy to:

- (i) The Secretary, Ministry of Mines, Government of India, Shastri Bhawan, New Delhi.
- (ii) The Secretary, Department of Environment, Government of Orissa, Secretariat, Bhubaneswar.
- (iii) The Secretary, Department of Mines and Geology, Government of Orissa, Secretariat, Bhubaneswar.
- (iv) The Secretary, Department of Forests, Government of Orissa, Secretariat, Bhubaneswar.
- (v) The Chairman, Central Pollution Control Board, Parivesh Bhawan, CBD-cum-Office Complex, East Arjun Nagar, Delhi-110032.

..8/-


- (vi) The Chief Conservator of Forests, Regional Office (EZ), Ministry of Environment and Forests, A-3 Chandrashekharpur, Bhubaneshwar-751023.
- (vii) The Chairman, Orissa State Pollution Control Board, Parivesh Bhawan, A/118 Nilakantha Nagar, Unit-VIII, Bhubaneshwar-751012.
- (viii) The Member Secretary, Central Ground Water Authority, A2, W3 Curzon Road Barracks, K.G. Marg, New Delhi-110001.
- (ix) The District Collector, District Keonjhar, Government of Orissa.
- (x) EI Division, Ministry of Environment & Forests, EI Division, New Delhi.
- (xi) Monitoring File.
- (xii) Guard File.
- (xiii) Record File.

200

(SATISH C. GARKOTI) Scientist 'F'

Annexure - 5

# PIEZOMETER GROUND WATER LEVEL



**Member Secretary** 



केन्द्रीय भूमि जल प्राधिकरण जल संसाधन, नदी विकास एवं गंगा संरक्षण मंत्रालय भारत सरकार

Central Ground Water Authority Ministry of Water Resources River Development & Ganga Rejuvenation Government of India

CGWA/IND/Proj/2017-246-R

No.21-4(88)/SER/CGWA /2008- 1903

Dated:- 16 NOV 2017

To,

M/s Unchabali Iron & Manganese Ore Mines Smt. Indrani Patnaik At- Unchabali, Block Joda, District Keonjhar, Odisha - 758034

Sub:- Renewal of NOC for ground water withdrawal to M/s Unchabali Iron & Manganese Ore Mines of Smt. Indrani Patnaik located at Village Unchabali, Block Joda, Tehsil Barbil, District Keonjhar, Odisha - reg.

Refer to your application dated 29.04.2017 on the above cited subject. Based on recommendations of Regional Director, CGWB, South Eastern Region, Bhubaneswar vide their office letter No. 5-22/SER/CGWA/2017-18-856 dated 11.08.2017, and further deliberations on the subject, the renewal of NOC issued vide this office letter of even no. dated 09.05.2014 is hereby accorded to **M/s Unchabali Iron & Manganese Ore Mines of Smt. Indrani Patnaik located at Village Unchabali, Block Joda, Tehsil Barbil, District Keonjhar, Odisha.** The renewal is however subject to the following conditions:-

- The firm may abstract 1,175 m3/day (not exceeding 4,28,875 m3/year) of ground water through existing seven (7) bore wells only. No additional groundwater structures shall be constructed for this purpose without prior approval of the CGWA.
- 2. All the wells shall be fitted with water meter by the industry at its own cost and monitoring of ground water abstraction shall be continued on regular basis at least once in a month. The firm will continue to provide data of ground water extraction on regular basis to the Regional Director, Central Ground Water Board, South Eastern Region, Bhubaneswar. The ground water quality will be monitored twice in a year during pre monsoon and post monsoon periods.
- 3. **M/s Unchabali Iron & Manganese Ore Mines,** shall continue to implement ground water recharge measures to the tune of **6,36,676** m<sup>3</sup>/year for augmenting the ground water resources in consultation with the Regional Director, Central Ground Water Board, South Eastern Region, Bhubaneswar. Firm shall also undertake periodic maintenance of recharge structures at its own cost.
- 4. The firm shall continue to execute monthly ground water regime monitoring in and around the project area both in core and buffer zones through adequate

West Block - 2, Wing - 3, Sector - 1, R.K. Puram, New Delhi - 110066 Tel : 011-26175362, 26175373, 26175379 Fax : 011-26175369 Website : www.cgwb.gov.in, www.mowr.gov.in

रवच्छ सुरक्षित जल - सुन्दर खुशहाल कल

प्रन्थ पुरावता वारा पुर्वर जुराहारा करा

CONSERVE WATER - SAVE LIFE

number of observation wells. The firm shall construct one (1) additional piezometer in consultation with Regional Director, Central Ground Water Board, South Eastern Region, Bhubaneswar.

- 5. Both the piezometers shall be fitted with digital water level recorder and telemetry system.
- 6. The ground water monitoring data in respect of S. No. 2 & 5 shall be submitted to Central Ground Water Board, South Eastern Region, Bhubaneswar on regular basis at least once in a year.
- 7. The firm shall ensure proper recycling and reuse of waste water after adequate treatment.
- 8. Action taken report in respect of S.N o. 1 to 6 may be submitted to CGWA within one year period.
- 9. The renewal is liable to be cancelled in case of non-compliance of any of the conditions as mentioned in S. No. 1 to 7.
- 10. This NOC is subject to prevailing Central/State Government rules/laws or Court orders related to construction of tubewell/ground water withdrawal/construction of recharge or conservation structures/discharge of effluents or any such matter as applicable.
- 11. This NOC does not absolve the applicant / proponent of his obligation / requirement to obtain other statutory and administrative clearances from other statutory and administrative authorities.
- 12. The NOC does not imply that other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would consider the project on merits and be taking decisions independently of the NOC.
- 13. This renewal is valid for five years from date of issuance of this letter.

KAL **Member Secretary** 

#### Copy to:

- The Member Secretary, Odisha Pollution Control Board Paribesh Bhawan, A/118, Nilakantha Nagar, Unit - VIII, Bhubaneswar, Odisha with the request to ensure that the conditions mentioned in the NOC are compiled by the firm in consultation with the Collector & District Magistrate, District Keonihar, Odisha.
- 2. The District Collector and District Magistrate, District Keonjhar, Odisha for necessary action.
- 3. The Regional Director, Central Ground Water Board, South Eastern Region, Bhubaneswar. This has reference to your recommendation dated 11.08.2017.
- 4. TS to the Chairman, Central Ground Water Authority, Shram Shakti Bhawan, Rafi Marg, New Delhi.
- 5. Guard File 2017-18.

Member Secretary

		COMPUTER	ISED EMISSION	TEST CERTIFICA	TE	
		AUTH. BY TRASP	ORT DEPARTMI	ENT GOVT. OF O	DISHA	
		THRIV	ENI EMISSION T	EST CENTRE		
		Unchabali, Bai	mebari, Keonjha	r, Odisha – 758	034	
				POLL No.05/20		
Vehicle Registra	ation No: ODO			ID No. ODTP		
Year of Registra	ation:2009			Fuel: Diesel	0003213	
Speedometer r	eading (kms): (	000	· · ·	Date: 11.07.	2019	
Engine Number	-173252			Chassis No:821	132	
Vehicle colour:	YELLOW			Owner: T.E.M.	P.LTD.	
Type of Vehicle	TIPPER:			Type of Engine	: 6S	
/ehicle Make:V	IL			Vehicle Model	FM 400 8X4	
Driver:000				Valid Up To:	10.01.2020	
est Fee: NA				Grade: A		
est Result: Free	e Acceleration			Valid for 6 mo	nths	
No. of K	Kval	, Min RPM	Max RPM	Interval	Oil Temp	T. Time
1	0.08	878	2055	5.1	79	12.34.30 PM
2	0.09	685	2014	5	79	12.34.35 PM
3	0.08	699	1745	5.1	79	12.34.41 PM
4	0.06	658	1880	5.1	79	12.34.46 PM
5	_		-		-	
6	-	-		-	-	
7	-	-		-		_
8	-	-	-	-		_
9		-				122
10	-	-				
K-Avg	0.31					
	18.25			OD09	G 3499	

Authorised Signatory with Seal



# **Event Report**

 Date/Time
 Manual at 16:08:44 July 5, 2019

 Range Geo:
 254.0 mm/s Record

 Time 102.0 sec at 1024 sps Job
 Number: 602


 Serial Number
 BE9928 V 10.72-8.17 Minimate Plus

 Battery Level
 6.3 Volts

 Unit Calibration
 February 16, 2019 by UES, NewDelhi

 File Name
 K928GR4C.UK0

 Scaled Distance
 6.7 (300.0 m, 3850 kg)



Printed: July 5, 2019 (V 10.72 - 10.72)

Format © 1995-2014 Xmark Corporation

# LIST OF EMPLOYEES IME/PME IN THE PERIOD OF APRIL 19 - SEPT 19

Sl. No.	Employee Name	Designation	Date of Test	NEXT PME
1	Baishnav Charan Sahoo	Diesel Assistant-Stores	19-05-2019	PME
2	Bivisan Mahanta	HEMM Mechanic Grade A	12-05-2019	PME
3	Md Nadeem	Welder Grade B	13-05-2019	PME
4	Ramjan Ali	HEMM Mechanic Grade B	14-05-2019	PME
5	Bahin Kumar Das	Driver HMV	17-05-2019	PME
6	Kartika chandra Nayak	Assistant Manager-Mines	23-05-2019	PME
7	Ram Lakhan Yadav	Dumper Operator	24-05-2019	PME
8	Satyaban Bera	Cook	29-05-2019	PME

# OFFICE OF THE PRINCIPAL CCF (WILDLIFE) & CHIEF WILDLIFE WARDEN,ORISSA5<sup>TH</sup> FLOOR, B.D.A. APARTMENT, PRAKRUTI BHAWAN, NILAKANTHA NAGAR, BHUBANESWAR- 751012.

Memo No.\_\_\_\_ Dt. 15.2.2010 1WL-C-FC-36/09

To

The Chief Conservator of Forests (Nodal), O/o the Principal CCF, Orissa, Bhubaneswar.

Sub: Approval of Site Specific Wildlife Conservation Plan for Unchabali Iron & Manganese Mines of Smt. Indrani Patnaik in Keonjhar district

Sir,

Memo No.

I am directed to inform you that the Site Specific Wildlife Conservation Plan for Unchabali Iron & Manganese Mines of Smt. Indrani Patnaik in Keonjhar district has been approved by PCCF(WL) & Chief Wildlife Warden, Orissa with revised financial forecast of Rs.104.00 lakhs for the following activities.

- 3. For activities to be implemented by User agency---- Rs. 34.00 lakhs.
- 4. For activities to be implemented by DFO, Keonjhar Division

Total Rs. 104 lakhs

Various activities in the lease hold area will be executed by User Agency by themselves under the guidance of DFO, Keonjhar Division & Rs.70.00 lakhs may be deposited with DFO, Keonjhar division under CAMP for execution of various activities in Project Impact Area.

Conservator of Forests (WL)

or of Forests (WL)

Memo No. <u>1259</u> dt. <u>15.2.2010</u> M Copy forwarded to the DFO, Keonjhar Division for information & necessary action with reference to Memo No. 3185 dt. 27.8.09 of CF., Rourakela Circle.

Conserv 1260 Dt. 15.2,2010 M

Copy forwarded to CF, Rourkela Circle for information & necessary action with reference to his office Memo No. 3184 dt.27.8.09


Conservator of Forests (WL)


Memo No. dt. 15.2.2010, White Owner, A/6, Commercial Estate, Copy forwarded to the Smt. Indrani Patnaik, Mine Owner, A/6, Commercial Estate, Civil Township, Rourkela-769004 for information & necessary action with reference to his letter dated 22.9.09.

Forc', One No. appr W2 Conserve ased S.S.

Conservator of Forests (WL)


# **ANNEXURE - 11**





SL. No	Reference	Location
1	AAQ-C1	Employee Camp
2	AAQ-C2	Mines Entry And Exit Gate
3	AAQ – C3	Beneficiation Plant

SL.No	Reference	Location
1	AAQ-B1	Village Unchabali
2	AAQ-B2	Village Balda
3	AAQ-B3	Village Nayagardh



- BUFFERZONE MONITORING LOCATION

# INDRANI PATNAIK

(MINES OWNER)

A/6, COMMERCIAL ESTATE, CIVIL TOWNSHIP, ROURKELA - 769 004 Phone : 0661-2400139, 2400014, FAX : 0661-2402226

#### REFERENCE: UIMM/IP/ENV/MAY/19/01

DATE: 09.05.2019

#### To

The Member Secretary, State Pollution Control Board, Orissa, 118/A, Nilakanthanagar, Unit – VIII, Bhubaneswar – 751012

Subject: Submission of Six Monthly Ambient Air Quality & Fugitive Dust Emission Report for the period from October 2018 to March 2019 in respect of Unchabali Iron & Mn. Mines of Smt. Indrani Patnaik

Reference: Special Condition no. 26 in approved Consent order No. 2645 vide letter no 2746 / IND-I-CON-6035 dated on 06.02.2016.

Dear Sir,

With reference to the above cited subject and reference to the above special condition no, we are hereby submitting the six **Monthly Ambient Air Quality & Fugitive Emission** monitoring report **in Appendix - 1** for the period from October, 2018 to March, 2019 in respect of Unchabali Iron & Mn. Mines of Smt. Indrani Patnaik under the stipulated special compliance condition in approved consent order.

This is for your kind information, please.


Thanking you,

For, Unchabali Iron & Mn. Mines of Smt. Indrani Patnaik

(Authorized Signatory None adda.

Enclosed: Appendix – 1 & As above Copy to: The Regional Officer, SPCB, Orissa, Regional Office, Collage Road, Dist. -Keonjhar, and Orissa.

#### Annexure-14



# INDRANI PATNAIK

(MINES OWNER) A/6, COMMERCIAL ESTATE, CIVIL TOWNSHIP, ROURKELA - 769 004 Phone : 0661-2400139, 2400014, FAX : 0661-2402226

#### REFERENCE: UIMM/IP/ENV/MAY/19/02

DATE: 09.05.2019

#### То

The Member Secretary State Pollution Control Board, Orissa Parivesh Bhawan, A/118 Nilakantha Nagar, Unit – VIII, Bhubaneshwar – 751012

# Subject: Environmental Statement of "Unchabali Iron & Mn. Mines of Smt. Indrani Patnaik located in villages(s) Unchabali & Balda, Tehsil-Barbil, Dist: Keonjhar for the year 2018-2019.

Dear Sir,

With reference to the above subject, we are herewith submitting the Environmental Statement for the financial year 2018-2019 in the form – V as per rule – 14 under Environment (protection) Rules, 1986 in respect of Unchabali Iron & Mn. Mines of Smt. Indrani Patnaik.

This is for your kind information, please.

Thanking You,

For Unchabali Iron & Mn. Ore Mines of Smt. Indrani Patnaik

Minos Manager 915(1) Authorized Signatory Mahaparvas

Copy to: The Regional Officer, SPCB, Orissa Regional Office, College Road, Dist: Keonjhar, Orissa (MINES OWNER) A/6, COMMERCIAL ESTATE, CIVIL TOWNSHIP, ROURKELA - 769 004 Phone : 0661-2400139, 2400014, FAX : 0661-2402226

INDRANI PATNAIK

Ref. No. IP/mm/Ochober 19/004

Date: 03.10.2019

**The Member Secretary, State Pollution Control Board,** Parivesh Bhawan, A/118, Nilakantha Nagar, Unit – VIII, Bhubaneswar – 751012.

- Sub: Dismantling of 2.0 MTPA (2 x 185 TPH) Unchabali Iron Ore Beneficiation Plant of Smt. Indrani Patnaik, located in village in Unchabali, Tehsil Barbil, District Keonjhar, Orissa – Reg.
- Ref: 1. Environment Clearance vide no. J-11015/273/2009-IA.II(M) dt. 31.05.2011
   2. Consent to establish Order 12653/IND-II-NOC-5291 dt. 30.07.2011.
   3. Consent Order no. 2645, vide no. 11731/IND-I-CON-6035 dt. 26.06.2013 & 2476/IND\_I-CON-6035 dt. 06.02.2016

Dear Sir,

With reference to the cited subject and reference letter no., we would like to inform you that, we have established 2.0 Million TPA (2 x 185 TPH) Iron Ore Beneficiation Plant after obtaining the requisite statutory clearances say *Consent to Establish from your good office vide no.* 12653/IND-II-NOC-5291 dt. 30.07.2011, Environment Clearance from MoEF&CC vid no. J-11015/273/2009-IA.II(M) dt. 31.05.2011 and Consent to Operate from your good office vide no. 11731/IND-I-CON-6035 dt. 26.06.2013. SPCB. After due approvals, the iron ore beneficiation plant was in operation since 2013.

In due course of time and as per the approved review of mining plan duly approved by Indian Bureau of Mines, Govt. of India vide no. MS/FM/25-ORI/BHU/2017-18 dt. 16.11.2017; the total ROM will be handled by dry method of size separation with the help of Crusher and Screen Plants, so there will no requirement of wet beneficiation plant due to the following reasons;

"After detailed exploration, the resource has been estimated under G1 category. No additional resource has been established by drilling. The average grade of iron ore is coming around 62% Fe. Based on the estimation of the resource, it can be observed that, only 10% of total quantity is coming under sub-grade ore. Those sub-grade ore can easily be blendable with high grade ore. Hence, it is not worth to use the wet beneficiation plant as far as cost benefit analysis is concerned."

Eu

In view of the above, we would like to inform you that; since there is no such requirement of the Beneficiation Plant, so we are in the process of dismantling of the 2.0 Million TPA ( $2 \times 185$  TPH) iron ore beneficiation plant located within our mines premises of Unchabali Iron & Mn Ore Mines.

This is for your kind information, please.

Yours faithfully, Unchabali Iron Ore Beneficiation Plant of Smt. Indrani Patnaik

Endeloveron MingsMansger Mines Mangerhabali Iron & Mn. Mines Indrani Patnaik Mahaparvat Enclosed: Approved review of Mining Plan copy is attached.

CC to: The Director (S), Ministry of Environment, Forest & Climate Change, Eastern Regional Office, A/3, Chandrasekharpur, Bhubaneswar, Odisha - 751023